

6818
1F

LOCAL GOVERNMENT BOARD.

MEDICAL DEPARTMENT LIBRARY.

No. _____ Room 10911

Case N Shelf _____



22500992744

W 6

OFFICIAL COPY.

[All Rights Reserved.]

ANNUAL SUMMARY

OF

BIRTHS, DEATHS, AND CAUSES OF DEATH

IN

LONDON

AND OTHER LARGE TOWNS,

1904.

PUBLISHED BY AUTHORITY OF THE REGISTRAR-GENERAL OF
BIRTHS, DEATHS, AND MARRIAGES IN ENGLAND.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

And to be purchased, either directly or through any Bookseller, from
WYMAN AND SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, EDINBURGH; or
E. PONSONBY, 116, GRAFTON STREET, DUBLIN.

1905.

Price One Shilling and Sixpence.

CONTENTS

OF THE

REGISTRAR-GENERAL'S ANNUAL SUMMARY FOR 1904.

COMMENTARY:—

	PAGES.
SEVENTY-SIX GREAT TOWNS: Births and Deaths from Several Causes	iii
LONDON: Marriages, Births, and Deaths from Several Causes, Death-rates in Metropolitan Boroughs, Deaths in Institutions... ..	vii
GREATER LONDON: Death-rates	xvi
ONE HUNDRED AND FORTY-TWO TOWNS: Births and Deaths from Several Causes	xvi
ENGLAND AND WALES: Birth- and Death-rates in Urban and Rural Areas ...	xviii
EDINBURGH, GLASGOW, DUBLIN, AND BELFAST: Death-rates	xviii
COLONIAL AND FOREIGN CITIES: Birth- and Death-rates	xviii
LONDON: Summary of Statistics	xx

TABLES:—

TABLES 1-4.—SEVENTY-SIX GREAT TOWNS: Populations, Births, Deaths from Several Causes, Birth- and Death-rates, and Meteorology, 1904	xxi
TABLES 5, 6.—ONE HUNDRED AND FORTY-TWO SMALLER TOWNS: Births and Deaths from Several Causes, Birth- and Death-rates, 1904	xxxii
TABLES 7, 8.—LARGE TOWNS AND METROPOLITAN BOROUGHs: Numbers of Notifications of Infectious Disease, 1904... ..	xli
TABLE 9.—LONDON: MORTALITY IN GROUPS OF DISTRICTS, 1855-1904	xlvi
TABLE 10.—LONDON: Population, Marriages, Births and Deaths, 1855-1904 ...	xlvi
TABLE 11.—LONDON: Annual Marriage, Birth-, and Death-rates, 1855-1904 ...	l
TABLE 12.—LONDON: Causes of Death registered in each of the 11 years 1894-1904	lii
TABLE 13.—LONDON: Deaths from Different Causes at Ages, 1904	liv
TABLE 14.—LONDON: Area; Deaths in Registration Districts, 1894-1904... ..	lvi
TABLES 15, 16.—LONDON: Births and Deaths from Several Causes in Registration Districts and Sub-districts, 1904	lvii
TABLES 17, 18.—LONDON: Births, Deaths and Death-rates from Epidemic Diseases and Infantile Mortality in Metropolitan Boroughs, 1904	lxii
TABLE 19.—LONDON: Death-rates from Epidemic Diseases and Phthisis, and Infantile Mortality in Metropolitan Boroughs, 1901-3 and in 1904	lxiv
TABLE 20.—LONDON: Death-rates in Metropolitan Boroughs before and after distribution of Deaths in Public Institutions, 1904	lxv
TABLE 21.—LONDON: Deaths in Public Institutions, 1904	lxvi
TABLE 22.—OUTER RING: Area; Births and Deaths from Several Causes in Registration Sub-districts, 1904	lxxii
TABLE 23.—LONDON: Births and Deaths at Ages, in each week of 1904	lxxiii
TABLE 24.—LONDON: Weekly Deaths from Epidemic Diseases, 1901-1904	lxxiv
TABLE 25.—LONDON: Deaths caused by Horses and Vehicles in the Streets, 1874-1904	lxxvi
TABLE 26.—LONDON: Meteorology at Greenwich in each week of 1904	lxxvii
TABLE 27.—LONDON: Meteorology at Greenwich in each month of 1904	lxxviii
TABLES 28, 29.—LONDON: Number of Services and Average Daily Supply of Water, 1904	lxxx
TABLE 30.—GREATER LONDON: Area, Population, Inhabited Houses and Rateable Value, 1901	lxxxii
TABLE 31.—GREATER LONDON: Changes in Registration Districts and Sub-Districts, 1904... ..	lxxxiii
TABLE 32.—COLONIAL AND FOREIGN CITIES: Births, and Deaths from Several Causes, 1904	lxxxv
STATEMENT OF FIRES in LONDON, 1894-1904	lxxxvi

MAP OF LONDON showing Death-rates in the several Metropolitan Boroughs in the year 1904... .. to face p. xx

ANNUAL SUMMARY.

LONDON

AND OTHER LARGE TOWNS,

1904.

WELLCOME INSTITUTE LIBRARY	
Coll.	welMOMec
Call	511
No.	WA

General Register Office, Somerset House
31st March, 1905.

The 76 Great Towns.

(Towns which, as at present constituted, contained more than 50,000 Inhabitants at the Census of 1901.)

The seventy-six great towns of England and Wales dealt with in the weekly returns for 1904 contained an estimated population of 15,271,287 persons in the middle of that year.

The births registered in this population in the period of 52 weeks ended 31st December, 1904, numbered 442,788, and were equal to a rate of 29·1 per 1000 of the population. This rate was 0·6 per 1000 below the corresponding rate of 1903, and 0·9 per 1000 below that of 1902.

The deaths registered in the same period numbered 262,559, and corresponded to a crude rate of 17·2 per 1000, or 0·9 per 1000 above the rate of 1903. The death-rate in 1904, calculated without reference either to sex or to age constitution of the populations, varied, as usual, considerably in the several towns, the lowest crude rate being 8·4 per 1000 in Hornsey and the highest 22·6 in Liverpool.

The sex and age composition of the several populations having been ascertained at the Census of 1901, suitable factors have been calculated for correcting the recorded death-rates of the seventy-six great towns, in order to render them fairly comparable with one another.

These factors are obtained in the following manner:—The mean death-rates for England and Wales (1891–1900) at certain age groups, for males and females respectively, are applied to the Census populations at the corresponding age groups in the several towns; the sum of the results for each town gives the number of deaths that would have occurred had the mortality of each sex and age group been the same as that in England and Wales as a whole.

The death-rate, based on this hypothesis is designated the “Standard” death-rate Table A (col. 1). The difference between the “Standard” rate for any town and the mean rate for the whole country is due to variations of sex and age constitution. The factor for correction (col. 2) is obtained by dividing the mean death-rate for England and Wales in 1891–1900 by the “Standard” rate in each town. If the recorded death-rate (col. 3) in each town be multiplied by the factor for correction, we obtain the corrected rate (col. 4). The comparative mortality figure (col. 5) represents the corrected death-rate in each town compared with the recorded death-rate

TABLE A.—RECORDED and CORRECTED DEATH-RATES per 1,000 Persons living in 76 GREAT TOWNS in 1904.

TOWNS, in the order of their Corrected Death-rates.	Standard Death-rate.	Factor for Correction for Sex and Age Dis- tribution.	Recorded Death-rate, 1904.	Corrected Death-rate, 1904.	Comparative Mortality Figure, 1904.
Cols.	1.	2.	3.	4.	5.
England and Wales ...	18.194	1.0000	16.23	16.23	1,000
England and Wales, less the 76 Towns.	18.83	0.9662	15.40	14.88	917
76 Towns ...	17.13	1.0621	17.24	18.31	1,128
Hornsey ...	15.96	1.1400	8.44	9.62	593
Kings Norton ...	17.40	1.0456	10.56	11.04	680
Willesden...	16.96	1.0728	11.19	12.00	739
Hastings ...	18.92	0.9616	13.16	12.65	779
Walthamstow ...	17.21	1.0572	12.17	12.87	793
Handsworth (Staffs.) ...	16.53	1.1007	11.80	12.99	800
Leyton ...	17.69	1.0285	12.67	13.03	803
Southampton ...	18.30	0.9942	13.74	13.66	842
East Ham ...	17.06	1.0665	13.08	13.95	860
Smethwick ...	16.63	1.0940	12.84	14.05	866
Devonport ...	17.35	1.0486	13.42	14.07	867
Croydon ...	17.75	1.0250	13.80	14.15	872
Reading ...	17.59	1.0343	13.85	14.33	883
Bournemouth ...	17.22	1.0566	13.60	14.37	885
Northampton ...	17.50	1.0397	13.84	14.39	887
Tottenham ...	16.86	1.0791	13.86	14.96	922
Ipswich ...	18.63	0.9766	15.50	15.14	933
Coventry ...	18.15	1.0024	15.33	15.37	947
Leicester ...	17.05	1.0671	14.51	15.48	954
Barrow-in-Furness ...	16.01	1.1364	13.75	15.63	963
Wolverhampton...	17.59	1.0343	15.48	16.01	986
Bristol ...	17.73	1.0262	15.62	16.03	988
Great Yarmouth ...	19.88	0.9152	17.53	16.04	988
Cardiff ...	16.73	1.0875	14.83	16.13	994
Burton-on-Trent ...	16.93	1.0747	15.02	16.14	994
Rotherham ...	17.59	1.0343	15.80	16.34	1,007
Brighton ...	18.46	0.9856	16.60	16.36	1,008
West Bromwich...	18.04	1.0085	16.27	16.41	1,011
Derby ...	16.88	1.0778	15.30	16.49	1,016
Aston Manor ...	16.41	1.1087	15.01	16.64	1,025
Wallasey ...	16.63	1.0940	15.22	16.65	1,026
York ...	17.67	1.0297	16.23	16.71	1,030
Halifax ...	16.79	1.0836	15.45	16.74	1,031
Newport, Mon. ...	16.84	1.0804	15.67	16.93	1,043
West Hartlepool...	16.57	1.0980	15.46	16.98	1,046

TABLE A.—RECORDED and CORRECTED DEATH-RATES per 1,000 Persons living in 76 GREAT TOWNS in 1904—*continued.*

TOWNS, in the order of their Corrected Death-rates.	Standard Death-rate.	Factor for Correction for Sex and Age Dis- tribution.	Recorded Death-rate, 1904.	Corrected Death-rate, 1904.	Comparative Mortality Figure, 1904.
Cols.	1.	2.	3.	4.	5.
Portsmouth	17·75	1·0250	16·88	17·30	1,066
Grimsby	16·99	1·0709	16·22	17·37	1,070
Norwich	19·05	0·9551	18·23	17·41	1,073
London	17·31	1·0511	16·63	17·48	1,077
West Ham	17·01	1·0696	16·45	17·59	1,084
Plymouth	18·66	0·9750	18·54	18·08	1,114
Sheffield	16·88	1·0778	16·79	18·10	1,115
Stockton-on-Tees ...	17·35	1·0486	17·56	18·41	1,134
Nottingham	17·27	1·0535	17·70	18·65	1,149
Huddersfield	16·96	1·0728	17·51	18·78	1,157
Walsall	17·18	1·0590	17·88	18·93	1,166
Bury	16·25	1·1196	16·92	18·94	1,167
South Shields	17·19	1·0584	17·90	18·95	1,168
Hull	17·75	1·0250	18·56	19·02	1,172
Bolton	16·09	1·1308	16·91	19·12	1,178
Blackburn	16·09	1·1308	16·93	19·14	1,179
Swansea	16·96	1·0728	18·02	19·33	1,191
Bradford	16·46	1·1053	17·64	19·50	1,201
Gateshead	17·26	1·0541	18·51	19·51	1,202
Rochdale	16·45	1·1060	17·71	19·59	1,207
Leeds	16·68	1·0908	18·02	19·66	1,211
Tynemouth	17·62	1·0326	19·22	19·85	1,223
Sunderland	17·64	1·0314	19·46	20·07	1,237
Oldham	16·18	1·1245	18·19	20·45	1,260
Newcastle-on-Tyne ...	16·87	1·0785	19·36	20·88	1,287
Merthyr Tydfil	17·16	1·0603	19·73	20·92	1,289
Birkenhead	17·07	1·0658	19·64	20·93	1,296
Preston	16·63	1·0940	19·20	21·00	1,294
Rhondda	16·54	1·1000	19·11	21·02	1,295
Stockport	16·84	1·0804	19·65	21·23	1,308
Birmingham	16·91	1·0759	19·88	21·39	1,318
Warrington	16·89	1·0772	19·90	21·44	1,321
Middlesbrough	16·71	1·0888	19·78	21·54	1,327
Bootle	16·50	1·1027	19·61	21·62	1,332
Burnley	16·14	1·1273	19·51	21·99	1,355
St. Helens	16·79	1·0836	20·89	22·64	1,395
Hanley	16·67	1·0914	20·89	22·80	1,405
Salford	16·47	1·1047	21·18	23·40	1,442
Wigan	16·51	1·1020	21·48	23·67	1,458
Manchester	16·29	1·1169	21·27	23·76	1,464
Liverpool	17·00	1·0702	22·59	24·18	1,490

at all ages in England and Wales, the latter taken as 1000. For example, in England and Wales as a whole 1000 deaths occurred in a population which would have yielded only 593 in Hornsey, 680 in Kings Norton, and 739 in Willesden; but as many as 1405 in Hanley, 1442 in Salford, 1458 in Wigan, 1464 in Manchester, and 1490 in Liverpool.

Particulars of mortality in 1904 in each of the seventy-six great towns are given in Tables 1 to 4.

Infantile mortality.—The 262,559 deaths at all ages included the deaths of 70,888 infants in their first year of life. In the seventy-six great towns infantile mortality, measured by the proportion of deaths under one year to registered births, averaged 160 per 1000. The towns with the lowest rates of infantile mortality were Hornsey 87, Kings Norton 100, Hastings 108, Bournemouth 111, and Willesden 114. The towns with the highest rates were Salford 192, Liverpool 196, Birmingham 197, Stockport 203, Hanley 212, and Burnley 229.

CAUSES OF DEATH.

Chief Epidemic Diseases.—The death-rate from the chief epidemic diseases averaged 2·49 per 1000 of the population; the highest rates among the great towns were 4·10 in Hanley, 4·17 in Bootle, 4·21 in St. Helens, 4·37 in Salford, 4·57 in Warrington, and 4·66 in Liverpool.

Small-pox was the cause of 208 deaths in the 76 towns. Of these 34 belonged to Gateshead, 25 to London, 18 to Newcastle upon Tyne, 14 to Stockport, 14 to Oldham, 12 to Nottingham, 10 to Manchester, and smaller numbers to 30 other great towns.

Measles was the registered cause of 7218 deaths, corresponding to a rate of 0·47 per 1000 living at all ages. No deaths from measles were returned from Southampton, Wolverhampton, Coventry, or Swansea. The highest rates were 1·03 in Burnley, 1·11 both in Grimsby and in Salford, 1·15 in Norwich, and 1·49 in St. Helens.

Scarlet fever caused 1786 deaths, which corresponded to a rate of 0·12 per 1000 living. No deaths were attributed to this disease either in Hastings or in Reading, and the rate did not exceed 0·01 per 1000 in Southampton, Ipswich, or West Hartlepool. The highest rates were 0·39 in York, 0·43 in Northampton, 0·45 in Hanley, and 0·77 in Warrington.

Diphtheria (exclusive of *croup* unless stated to be *membranous*) was the stated cause of 2925 deaths, corresponding to a mortality of 0·19 per 1000 of the population. The death-rate from this disease ranged from 0·03 in Hastings and Leicester and 0·05 in Aston Manor and Wigan to 0·49 in Salford, 0·51 in West Hartlepool, 0·57 in Bradford, 0·58 in Stockton-on-Tees, and 0·77 in Hanley; in which latter town this disease had been very fatal in the five preceding years also.

Whooping-cough accounted for 6065 deaths and for a mortality equal to 0·40 per 1000 living at all ages. The mortality from this disease ranged from 0·03 per 1000 in Hastings, 0·05 in Reading, and 0·07 in Northampton to 0·75 in Bolton, 0·77 in Gateshead, 0·85 in Birmingham, 1·01 in Swansea, and 1·30 in Warrington.

Continued fever, mainly enteric, was the registered cause of 1557 deaths, equal to a rate of 0·10 per 1000 of the population. No deaths from "fever" were registered in Burton upon Trent, and the death-rate did not exceed 0·02 per 1000 in Hornsey, Hastings, Southampton, Northampton, or Coventry. Among the remaining great towns it rose to 0·23 in Nottingham and Salford, 0·26 in Wigan, 0·27 in Preston, and 0·35 in Rhondda.

Diarrhœa (including dysentery and English cholera) accounted for 18,287 deaths at all ages, and for a death-rate of 1·20 per 1000 of the population. The lowest death-rates from diarrhœa were 0·24 per 1000 in Kings Norton, 0·30 in Hastings, and 0·33 in Burton upon Trent; the highest being 2·08 in West Ham and in Hull, 2·16 in Bootle, and 2·52 in Liverpool.

Violence.—The deaths classified as due to violence numbered 9180, and corresponded to a death-rate of 0·60 per 1000 persons living. The rates of death by violence ranged from 0·16 in Hornsey, 0·17 in Handsworth (Staffs.), and 0·22 in Leyton, to 0·80 in Hanley, 0·82 in Rhondda, 0·83 in Newcastle-upon-Tyne, 0·89 in Tynemouth, 0·95 in Merthyr Tydfil, and 0·97 in Bootle.

Deaths in public institutions.—Of the 262,559 deaths registered in the 76 great towns not fewer than 58,876, or 22·4 per cent., occurred in public institutions. Among the several great towns the lowest proportion of institution deaths were 3·2 per cent. in Rhondda, 4·7 in Handsworth (Staffs.), 6·2 in Aston Manor, and 6·7 in Hornsey. The highest percentages were 24·1 in Manchester, 26·0 in Liverpool, and 35·0 in London.

Coroners' inquests were held in 19,470 cases during the year, the proportion of inquest cases being equal to 7·4 per cent. of the total deaths registered. The percentage ranged from 2·7 in Handsworth (Staffs.), 3·1 in St. Helens, and 3·2 in Preston and Gateshead to 10·1 in Devonport, 10·2 in Southampton, and 11·6 in Tottenham.

Uncertified deaths.—The causes of 2930 deaths, or 1·1 per cent. of the total deaths, were uncertified. No uncertified deaths were registered in Croydon, Hornsey, or Southampton, and the proportion of uncertified deaths did not exceed 0·1 per cent. either in Tottenham, in Brighton, in Great Yarmouth, in Plymouth, or in Derby. Among other great towns, however, the proportion rose to 4·0 in Gateshead, 4·6 in Warrington, 4·9 in St. Helens, and 5·0 in South Shields.

LONDON.

MARRIAGES.

In the year 1904 the marriages registered in London were 39,586 in number, corresponding to a rate of 17·0 persons married per 1000 of the estimated population. This rate was 0·5 per 1000 below the corresponding rate in 1903, and was 0·9 below the average rate in the ten years 1894–1903. In the year 1894 the marriage-rate had also been 17·0 per 1000. From that date it gradually rose to 18·8 in the year 1898; since then it has declined, almost continuously, to its present level.

BIRTHS.

The number of births registered in London during the 52 weeks ended 31st December, 1904, was 129,335, corresponding to a rate of 27·9 per 1000 of the estimated total population of both sexes and all ages. This rate was 0·6 per 1000 below the corresponding rate in 1903, and was 1·7 per 1000 below the average rate in the ten years 1894–1903.

In the year 1895 the birth-rate had been 30·6, showing an increase on the rate in the previous year. Since that date, however, the birth-rate has gradually decreased, the rate in the year 1904 being the lowest on record.

The births of males numbered 65,716, and the births of females, 63,619; the male births were, therefore, to the female births in the proportion of

1033 to 1000. During the year 1904 the number of infants registered as born out of wedlock was 4905; they were in the proportion of 38 per 1000 births, the average proportion in the ten years immediately preceding having been 37 per 1000.

Among Metropolitan Boroughs the lowest birth-rates per 1000 of the population were 14·8 in the City of London, 16·4 in the City of Westminster, 16·6 in Hampstead, and 19·3 in Kensington; the highest rates were 32·1 in Shoreditch, 32·3 in Fulham, 32·5 in Bermondsey, 32·7 in Poplar, 34·9 in Bethnal Green, 36·4 in Finsbury, and 37·0 in Stepney. It should be noted that four of the seven boroughs with the highest birth-rates, viz., Bethnal Green, Shoreditch, Stepney, and Finsbury, had also appeared in the list of boroughs with high percentages of overcrowding, at the Census of 1901.

These rates relate to the births registered in the several boroughs; but in some cases the numbers are seriously affected by the presence of lying-in hospitals, workhouse infirmaries, or other institutions, admitting patients from outside the boroughs in which they are situated: it is not possible, however, in this return to distribute the births occurring in such institutions. The most striking example of a borough with a birth-rate over-stated from this cause is St. Marylebone, which contains the Queen Charlotte's Lying-in Hospital; in this institution upwards of 1000 births are registered annually.

In the Registrar-General's Sixty-sixth Annual Report it is stated that the total population is not the most satisfactory standard by which to measure the birth-rate, because it does not take account of the sex and age constitution of the population, and particularly of the ratio to total population of females of conceptive ages. The following table has been constructed in order to show the results of calculating the birth-rate—(a) on the total population of both sexes and all ages, and (b) on the female population aged 15–45 years.

MEAN ANNUAL BIRTH-RATES.

Period.	TOTAL BIRTHS.				Legitimate Births.		Illegitimate Births.	
	Calculated on Total Population at all Ages.		Calculated on the Female Population aged 15–45 Years.		Calculated on the Married Female Population aged 15–45 Years.		Calculated on the Unmarried and Widowed Female Population aged 15–45 Years.	
	Rate per 1000.	Compared with rate in 1870–2 taken as 100.	Rate per 1000.	Compared with rate in 1870–2 taken as 100.	Rate per 1000.	Compared with rate in 1870–2 taken as 100.	Rate per 1000.	Compared with rate in 1870–2 taken as 100.
1870–2 ...	35·2	100	134·0	100	269·9	100	10·3	100
1880–2 ...	34·8	99	133·3	99	272·6	101	9·8	95
1890–2 ...	31·1	88	118·5	88	250·4	93	8·1	79
1900–2 ...	28·9	82	105·8	79	227·6	84	6·9	67
1903 ...	28·5	81	103·9	78	223·7	83	6·8	66
1904 ...	27·9	79	101·9	76	218·9	81	7·0	68

This table proves that the decrease in the birth-rate is not adequately shown by a comparison of the rates calculated on the total population.

The Census results show that while in 1871 the proportion of women aged 15-45 years had been 26·4 per cent. of the total population, the proportion at the Census of 1901 had risen to 27·4 per cent. If, therefore, the ratio of births to the female population of conceptive ages had been identical in 1871 and 1904 the births registered in London in the latter year would have amounted to upwards of 166,000 instead of the 129,335 actually recorded.

DEATHS.

The deaths registered in London during the 52 weeks ended 31st December, 1904, numbered 77,094, and were equal to a rate of 16·6 per 1000 of the estimated population. This rate was 0·9 per 1000 above the corresponding rate in 1903, which had been the lowest on record; it was, however, 1·7 below the average rate in the 10 years 1894-1903.

It should be stated that the proportions given above, as well as those mentioned in the following remarks for the County of London as a whole, are based on the number of deaths registered in London, *exclusive* of the deaths of 142 non-residents occurring either in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, or in the Middlesex County Asylum, within the County of London; but *inclusive* of the deaths of 2111 London residents occurring in the several Metropolitan workhouses, hospitals, and lunatic asylums outside the County of London.

With regard to the Metropolitan Boroughs, however, a further distribution of deaths in public institutions is necessary in order to obtain a fair statement of the mortality incidental to the several areas. Consequently the mortality in these Boroughs has been fully corrected by the distribution of all deaths occurring in public institutions.

The usual difficulty arises from the differing sex and age constitution of the several populations. Factors for correction have, therefore, been calculated by the method adopted in the case of the great towns. These factors appear in Table B, together with the comparative mortality figures, which, in this case, include correction for institution deaths as well as for differences in the sex and age constitution of the populations. Reference to this table shows that the same population that in the year 1904 gave 1000 deaths in England and Wales, as a whole, would have given 1077 in London, and in the Boroughs, numbers ranging from 711 in Hampstead, 771 in Lewisham, 857 in Stoke Newington, and 869 in Wandsworth, to 1263 in Bermondsey, 1295 in Southwark, 1317 in Shoreditch, and 1358 in Finsbury.

Infantile mortality.—The total deaths at all ages included the deaths of 18,903 infants under the age of one year. These deaths were in the proportion of 146 per 1000 births, as compared with 131 in the year immediately preceding and 154 the mean proportion in the ten years 1894-1903. After distribution of the *deaths* occurring in public institutions, the incidence of infantile mortality in the various Metropolitan Boroughs was as follows:—St. Marylebone* stood lowest in the list with an infantile

* The low infantile mortality in St. Marylebone is partly due to the large number of births occurring in the Queen Charlotte's Lying-in Hospital, many of the deaths among these children being probably registered in other localities.

TABLE B.—RECORDED and CORRECTED DEATH-RATES per 1,000 persons living, in LONDON and in the METROPOLITAN BOROUGHs, 1904.

NOTE.—For explanations of the principles on which this table is constructed, *see* page iii.

Metropolitan Boroughs, arranged in the order of their Corrected Death-rates.	Standard Death-rate.	Factor for correction for Sex and Age Distribution.*	Recorded Death-rate, 1904.	Corrected Death-rate, 1904.	Comparative Mortality Figure, 1904.
Cols.	1.	2.	3.	4.	5.
ENGLAND AND WALES ...	18.194	1.0000	16.23	16.23	1,000
LONDON ...	17.31	1.0511	16.63	17.48	1,077
Hampstead ...	16.13	1.1230	10.23	11.54	711
Lewisham ...	17.46	1.0420	12.01	12.51	771
Stoke Newington ...	17.43	1.0438	13.33	13.91	857
Wandsworth ...	17.25	1.0547	13.38	14.11	869
Greenwich ...	17.82	1.0210	14.35	14.85	903
Paddington ...	17.04	1.0677	13.76	14.69	905
City of Westminster ...	16.22	1.1217	13.55	15.20	937
Woolwich ...	17.02	1.0690	14.32	15.31	943
Kensington ...	16.88	1.0778	14.31	15.42	950
Camberwell ...	17.54	1.0373	14.92	15.48	954
Hackney ...	17.46	1.0420	14.92	15.55	958
Pattersea ...	16.96	1.0728	14.52	15.58	960
Islington ...	17.51	1.0391	15.42	16.02	987
Fulham ...	17.39	1.0462	15.43	16.14	994
Lambeth ...	17.63	1.0320	15.78	16.28	1,003
Hammersmith ...	17.47	1.0414	15.71	16.36	1,008
Deptford ...	17.31	1.0511	16.10	16.92	1,043
Chelsea ...	17.56	1.0361	16.53	17.13	1,055
St. Marylebone ...	17.08	1.0652	16.23	17.29	1,065
St. Pancras ...	17.40	1.0456	17.43	18.22	1,123
City of London ...	16.55	1.0993	16.65	18.30	1,128
Poplar ...	17.64	1.0314	18.58	19.16	1,181
Bethnal Green ...	18.01	1.0102	19.25	19.45	1,198
Holborn ...	16.90	1.0766	18.49	19.91	1,227
Stepney ...	17.41	1.0450	19.40	20.27	1,249
Bermondsey ...	17.76	1.0244	20.01	20.50	1,263
Southwark ...	17.41	1.0450	20.10	21.00	1,294
Shoreditch ...	17.34	1.0493	20.37	21.37	1,317
Finsbury ...	17.57	1.0355	21.28	22.04	1,358

* In calculating the factors for correcting the death-rates of the several boroughs, account has been taken of the inmates of the LARGE poor law institutions situated outside the boroughs from which they receive paupers.

death-rate of 94 per 1000 births, the City of London next with 104, and Holborn next with 109. The highest infantile death-rates were 172 in Bermondsey, 174 in Southwark, and 188 in Shoreditch (Table 18). The three boroughs last mentioned had experienced the highest average infantile mortality in the three years 1901-3 also (Table 19).

CAUSES OF DEATH.

Table C. on the following page shows, in a summary form, the number of lives saved and the number lost in the year 1904, as compared with the corrected average in the previous ten years, under certain of the more important headings in the list of causes. The "net saving of life" in the year 1904 amounted to 7904. This implies that if the average rate of death in the previous decennium had continued throughout 1904, London would have lost in that year 7904 lives, which, as it is, have been saved. Compared with the several averages, there was in 1904 an excess of 1194 deaths from diarrhœa, of 415 from pneumonia, of 408 from cancer, of 139 from diseases of the urinary system, and of 22 from suicide. The following diseases were considerably less fatal than the average:—Respiratory diseases (excluding pneumonia) were less fatal by 2449 deaths, nervous and circulatory diseases by 1537, diphtheria by 1183, and phthisis and other tuberculous diseases by 907 deaths.

Small-pox was returned as the certified cause of 25 deaths during the year 1904, as compared with 242, 1300, and 13 in the years 1901, 1902, and 1903 respectively. Of the 25 registered deaths, 7 belonged to Bethnal Green, 3 apiece to Finsbury, Stepney, and Poplar, 2 apiece to Paddington, Holborn, and Shoreditch, and 1 apiece to Kensington, Islington, and Southwark (Table 17).

Measles was the registered cause of 2261 deaths, giving a rate of 0.49 per 1000 living, or 0.07 per 1000 below the average rate in the ten preceding years. No deaths from this disease were attributed to the City of London during the year, and the rate was only 0.13 per 1000 in the City of Westminster and in Stoke Newington. The highest rates were 0.74 in Holborn, 0.91 in Hammersmith, 0.92 in Southwark, and 1.05 in Bermondsey. Southwark and Bermondsey had experienced a high average mortality from measles in the three preceding years also (Tables 18, 19).

Scarlet fever was the assigned cause of 365 deaths, corresponding to a rate of 0.08 per 1000, as compared with 0.14 per 1000 the decennial average rate. Of the total deaths from this disease 336, or 92 per cent., occurred in public institutions. No deaths from scarlet fever belonged to Holborn, and the death-rate did not exceed 0.03 per 1000 in Kensington, Fulham, Hampstead, or Greenwich. The highest scarlet fever rates were 0.14 per 1000 in Bethnal Green, Poplar, and Bermondsey, and 0.17 in Finsbury (Table 18).

Table 20 shows that correction for hospital deaths from scarlet fever considerably alters the mortality in the Metropolitan Boroughs. By this correction the scarlet fever mortality in Hampstead was reduced from 0.53 to 0.02 per 1000, and that of Greenwich from 0.54 to 0.03. In both cases the difference between the corrected and the uncorrected rate was due to the presence of a hospital of the Metropolitan Asylums Board.

TABLE C.—LONDON.—DIMINUTION or EXCESS of DEATHS in 1904, compared with the Average Annual Deaths in 1894–1903, corrected for increase of Population.

CAUSE OF DEATH.	Diminution in 1904.	Excess in 1904.
Small-pox	154	—
Measles	330	—
Scarlet Fever	293	—
Typhus	3	—
Influenza	480	—
Whooping-cough	488	—
Diphtheria	1183	—
Pyrexia (origin uncertain)	2	—
Enteric Fever	332	—
Diarrhœa	—	1194
Pneumonia	—	415
Phthisis and other Tuberculous Diseases (including Scrofula).	907	—
Cancer	—	408
Premature Birth	23	—
Diseases of Nervous System	1537	—
Diseases of Circulatory System		
Diseases of Respiratory System	2449	—
Diseases of Urinary System	—	139
Childbirth and Puerperal Septic Diseases	78	—
Accident	582	—
Homicide	11	—
Suicide	—	22
All other Causes	1230	—
Net Diminution	7904	

* For purposes of comparison deaths from Infective Endocarditis are included under this heading.

Diphtheria (exclusive of *croup* unless stated to be *membranous*) was the assigned cause of 729 deaths in the year 1904. These deaths were equal to a rate of 0·16 per 1000 living at all ages, as compared with rates of 0·30, 0·25, and 0·16 per 1000 respectively in the three years immediately preceding.

The London death-rate from diphtheria both in 1903 and in 1904 was lower than in any year since 1880, in which year the rate had been 0·14 per 1,000. In the year last mentioned, however, 570 additional deaths were registered as from croup, against 23 only in 1903 and 25 in 1904. As the

majority of these deaths were probably due to diphtheria, it is probable that the death-rates from this disease in 1903 and 1904 were much lower than in the earlier year. The registered mortality from diphtheria depends largely on the existence of hospitals in certain of the areas. In the Metropolitan Borough of Greenwich, for example, there were recorded in the year 1904 77 deaths, most of which occurred in the Metropolitan Asylums Board Hospital, to which patients had been admitted from other districts; after distribution of institution deaths only 11 were found to belong to Greenwich. Similarly, in the Borough of Hampstead 48 deaths from diphtheria were registered, but after correction only 4 were assigned to that borough. Other instances of Metropolitan Boroughs whose registered death-rates from diphtheria are greatly increased by the presence of hospitals are furnished by Fulham, Hackney, the City of London, and Lewisham. On the other hand, Hammersmith, Finsbury, Shoreditch, Bethnal Green, Stepney, Poplar, and Woolwich are instances of the opposite kind, in which a large proportion of the diphtheria mortality takes place outside the borough boundaries (Table 20). After distribution of institution deaths the lowest rates of mortality from diphtheria among the Metropolitan Boroughs were 0·04 in the City of Westminster, 0·05 in Hampstead, 0·07 in Chelsea and in Holborn, and 0·08 in Battersea and in Camberwell; the highest rates were 0·30 in Stepney, 0·36 in Bethnal Green, and 0·50 in Poplar (Table 18). Reference to Table 19 shows that the last-named borough had experienced the highest average diphtheria death-rate in 1901-3 also.

The deaths in London from *diphtheria* and *croup* together numbered 754 last year, and were 1242 below the decennial average.

Whooping-cough was the registered cause of 1507 deaths, accounting for a death-rate at all ages of 0·33 per 1000, or 0·10 less than the decennial average rate. The lowest death-rates from whooping-cough were 0·09 in Hampstead, 0·10 in the City of Westminster and in St. Marylebone, and 0·11 in Paddington and in Kensington. The highest rates were 0·53 in Bermondsey, 0·54 in Shoreditch, 0·55 in Greenwich, and 0·57 in Southwark (Table 18).

Enteric fever accounted for 296 deaths, and *pyrexia* (of uncertain origin) for 6. Thus, to the continued fevers in the aggregate (referred to in the returns as "fever") 302 deaths were attributed, against 639, the average number in the ten preceding years corrected for increase of population. The 296 deaths from enteric fever were equal to a rate of 0·06 per 1000, or 0·08 less than the decennial average rate. (Tables 10, 11.)

Influenza was returned as the cause of 709 deaths in the year under notice, as compared with 1073 and 644 respectively the numbers registered in the two preceding years. (Table 12.)

Table D. (p. xiv) shows for each of the years 1891-1904 the admissions to the hospitals of the Metropolitan Asylums Board, and to the London Fever Hospital, together with the deaths there of patients suffering from small-pox, scarlet fever, diphtheria, and enteric fever.

Diarrhœa (including dysentery and English cholera) was the assigned cause of 4801 deaths last year, and accounted for a death-rate of 1·04 per 1000, against an average rate of 0·78 per 1000 in the preceding ten years. The highest diarrhœa death-rates were 1·33 in Stepney, 1·36 in Southwark, 1·47 in Fulham, 1·55 in Bermondsey, 1·61 in Poplar, and 1·62 in Shoreditch. Fulham and Shoreditch had shown high average rates in the period 1901-3 also. (Tables 18, 19.)

TABLE D.—LONDON.*—1891-1904.—ADMISSIONS to and DEATHS in the METROPOLITAN ASYLUMS BOARD HOSPITALS, the HIGHGATE SMALL-POX HOSPITAL, and the LONDON FEVER HOSPITAL—of Persons suffering from SMALL-POX, SCARLET FEVER, DIPHTHERIA, and ENTERIC FEVER.

Years.	Small-pox.		Scarlet Fever.		Diphtheria.		Enteric Fever.	
	Admissions.	Deaths.	Admissions.	Deaths.	Admissions.	Deaths.	Admissions.	Deaths.
1891	67	8	5601	360	1330	399	759	108
1892	366	38	13,686	850	2021	584	430	65
1893	2546	190	15,312	918	2853	866	544	110
1894	1226	108	11,892	725	3691	1041	538	96
1895	971	65	11,800	601	3688	824	661	119
1896	211	8	16,627	674	4580	956	600	96
1897	73	13	15,550	628	5726	993	664	124
1898	5	—	12,456	521	6615	996	869	143
1899	18	3	13,744	359	8758	1193	1536	241
1900	66	3	10,692	315	7966	991	1728	245
1901	1739	256	14,994	547	7719	860	1130	175
1902	7916	1372	14,883	517	6611	745	1420	218
1903	355	12	10,580	336	5113	508	967	145
1904	449	27	11,401	366	4739	471	750	115

* The figures in this Table do not refer to Londoners exclusively: the Highgate Small-pox Hospital is included for the years 1891-6 only.

Phthisis accounted for 7738 deaths last year, as compared with a corrected average number of 8097 in the ten years 1894-1903. The death-rate from phthisis was equal to 1.67 per 1000 at all ages, against 1.79, 1.71, 1.64, and 1.60 severally in the four preceding years. Some of the Metropolitan Boroughs strikingly show the necessity for distributing institution deaths from phthisis, in order to arrive at a fairly reliable measure of its local fatality. For example, in the Borough of Kensington, which contains the St. Marylebone Infirmary and a part of the Brompton Consumption Hospital, 396 deaths from phthisis were registered in the year 1904; but it was found after distribution that only 257 properly belonged to Kensington. The phthisis death-rate in this borough was, therefore, reduced by correction from 2.22 per 1000 to 1.44. Chelsea is another borough similarly in point. This borough contains the workhouse and infirmary belonging to the Union of St. George, Hanover Square, which union forms part of the City of Westminster, it also contains the other part of the Brompton Consumption Hospital. The effect of distribution is to reduce the number of phthisis deaths in Chelsea from 232 to 135, and the death-rate from 3.13 to 1.82. On the other hand, the City of Westminster, St. Marylebone, Holborn, Finsbury, and Southwark are examples of Metropolitan Boroughs, the phthisis mortality of which is but imperfectly represented by the deaths registered in those areas (Table 20). Last year phthisis mortality ranged after correction from 0.83 per 1000 in Hampstead and 0.90 in Lewisham to

2·12 in Bermondsey and in Stepney, 2·16 in Bethnal Green, 2·18 in Shore-ditch, 2·36 in Southwark, 2·39 in Finsbury, and 2·86 in Holborn. With the exception of Bermondsey, all these boroughs had shown the highest average rates in the three years 1901-3 also (Tables 18, 19).

Violence was the registered cause of 2976 deaths last year, against 3549 the corrected average number in the ten preceding years. The deaths from *suicide* numbered 517, and were 22 more than the average. The deaths from *homicide* numbered 57, or 11 fewer than the average. There were 3 *executions* in the course of the year. Of the 2399 *accidental deaths* 272 were caused by horses and vehicles in the streets—the corresponding numbers in the previous five years having ranged between 302 and 371. As in previous years, about 40 per cent. of these deaths were caused by “vans, waggons, or drays.” Compared with the average numbers in the previous five years, the deaths in 1904 under most of the headings in Table 25 showed a decrease.

Of the deaths attributed to accident, 533, or 22 per cent., were those of infants under one year of age that had been suffocated in bed. More than half the deaths attributed to accidental burns, scalds, and explosions were those of children aged 1-5 years (Table 13). Of the 57 deaths by homicide, 26 were those of infants in their first year.

Deaths in public institutions.—Of the 77,094 deaths registered in London last year, 26,955, or 35·0 per cent., took place either in workhouses, in hospitals, or in public lunatic asylums. The percentages in the several classes of institutions were as follows:—

18·1 per cent. in workhouses and workhouse infirmaries.

1·4 „ „ in Metropolitan Asylums Board hospitals.

12·7 „ „ in other hospitals.

2·8 „ „ in public lunatic and imbecile asylums.

TABLE E.—LONDON.—1895-1904.—DEATHS IN PUBLIC INSTITUTIONS and PROPORTIONS of PAUPERISM.

	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.
Deaths in Public Institutions ..	23,282	23,178	23,553	24,321	26,798	26,259	25,975	28,136	25,505	26,955
Metropolitan Asylums Board Hospitals (in and out of London).	1,669	1,839	1,856	1,765	1,903	1,681	1,904	2,866	1,136	1,105
Other Hospitals	8,182	8,468	8,419	8,458	8,923	8,831	9,061	9,373	8,929	9,780
Lunatic and Imbecile Asylums.*	1,776	1,688	1,667	1,767	1,864	2,046	1,868	2,170	2,209	2,120
Workhouses and Workhouse Infirmaries.†	11,655	11,183	11,611	12,331	14,108	13,701	13,142	13,727	13,231	13,950
Proportion of persons in receipt of Poor Law Relief per 1000 population.										
In-door	14·8	14·5	14·5	14·7	14·6	14·3	14·4	14·6	15·1	15·7
Out-door	9·8	8·5	8·3	8·1	8·0	8·0	8·3	8·6	8·6	9·1

* Including the City of London Lunatic, London County Lunatic, and Metropolitan Imbecile Asylums situated outside London.

† Including the Strand Union Workhouse and the Shoreditch Parish Workhouse in Edmonton Registration District, the Holborn Union Workhouse at Mitcham, and the Central London Sick Asylum at Hendon.

Thus, about one in every six deaths occurred in a workhouse or workhouse infirmary, one in every seventy in a Metropolitan Asylums Board hospital, one in every eight in some other hospital, and one in every thirty-six in a public lunatic or imbecile asylum.

Uncertified deaths.—The causes of 164, or 0·2 per cent., of the total deaths were uncertified. Of this total 136 were registered in the southern group of districts.

Coroners' inquests were held in 7406 cases, the proportion of inquests being equal to 9·6 per cent. of the total deaths registered. Among the several groups of registration districts, the proportions ranged from 7·8 per cent. in the southern group to 14·4 per cent. in the eastern group.

GREATER LONDON.

The estimated population of Greater London, which corresponds to the "Metropolitan" and "City Police" Districts, was 6,907,756 in the middle of the year 1904. Of this population, 4,648,950 persons were estimated to be living in Inner or Registration London which is co-terminous with the Administrative County, and 2,258,806 in the Outer Ring. The mortality in the population of the entire area was at the rate of 15·5 per 1000, as compared with 16·3, 16·4, and 14·5 severally in the three preceding years. In the County of London the mortality was at the rate of 16·6 per 1000, whilst in the Outer Ring it did not exceed 13·2. Infantile mortality in Greater London was equal to 143 per 1000 births, as compared with 146, 135, and 126 severally in the three preceding years. Last year infantile mortality was equal to 146 in the County of London and to 138 in the Outer Ring.

The One Hundred and Forty-two Smaller Towns.

(Towns which, as at present constituted, contained from 20,000 to 50,000 Inhabitants at the Census of 1901.)

In the middle of the year 1904 the 142 English and Welsh towns included in Table 5 contained an estimated population of 4,693,955. The births registered in these towns numbered 129,665, and were in the proportion of 27·5 per 1000 of the population. The registered deaths were 73,403 in number, and were equal to a rate of 15·6 per 1000 persons living.

Disregarding sex and age differences in the several populations, the local death-rates varied considerably. The lowest crude rates were 9·6 in Aldershot, 10·2 in Eastbourne, 10·3 in Withington, 10·7 in Bromley, and 10·8 in Beckenham and in Kettering. The highest rates were 21·0 in Burslem, 21·6 in Ince in Makerfield, 21·9 in Pemberton, 22·4 in Batley, 22·6 in Aberdare, and 25·0 in Tunstall.

Particulars of mortality in each of the 142 towns will be found in Tables 5 and 6.

Infantile mortality.—The 73,403 deaths at all ages in the 142 towns included the deaths of 19,947 infants under one year of age. Calculated on the registered births these deaths corresponded to a rate of 154 per 1000.

The lowest rates of infantile mortality were 88 in Reigate, 91 in Moss Side, 93 in Eastbourne and in Withington, and 95 in Taunton. The highest rates were 226 in Swinton & Pendlebury, 228 in Pemberton, 238 in Tunstall and in Batley, 239 in Aberdare, and 266 in Farnworth. The last mentioned town was added to the list of smaller towns in 1902: in each year since that date it has shown the highest infantile mortality in that list.

CAUSES OF DEATH.

The *principal epidemic diseases* caused an average death-rate of 2·03 per 1000 in the 142 towns—among which the lowest rates were 0·37 per 1000 in Taunton, 0·45 in Torquay, 0·53 in Barry, 0·56 in Brighouse, 0·60 in Eastbourne, and 0·64 in Cheltenham. The highest rates were 4·28 in Farnworth, 4·43 in Barnsley, 4·91 in Pemberton, 4·92 in Swinton & Pendlebury, 5·47 in Wednesbury, and 5·99 in Batley.

Small-pox was the registered cause of 127 deaths, viz., 57 in Dewsbury, 15 in Felling, 9 in Ashton-under-Lyne, 7 in Batley, 5 in Barnsley, and smaller numbers in 18 other towns.

Measles caused an average death-rate of 0·36 per 1000, or 0·11 below the rate in the 76 great towns; the highest rates being 1·35 in Swinton & Pendlebury, 1·46 in Keighley, 1·67 in Jarro, 1·73 in Wolstanton United, 1·78 in Stalybridge, and 2·29 in Wednesbury.

Scarlet fever accounted for an average death-rate of 0·13 per 1000. The highest rates were 0·56 in Burslem, 0·58 in Darwen, 0·60 in Leigh, 0·63 in Ebbw Vale, 0·68 in Llanelly, 0·82 in Aberdare, and 1·06 in Middleton.

Diphtheria (exclusive of *croup* unless stated to be *membranous*) was responsible for an average death-rate of 0·16 per 1000. The highest rates were 0·60 in Workington, 0·61 in Stoke-upon-Trent, 0·62 in Lincoln, and 0·81 in Wednesbury.

Whooping-cough was fatal in the average proportion of 0·35 per 1000 living, or 0·05 below the rate in the 76 great towns; the highest death-rates from this disease were 1·03 in Oldbury and in Tipton, 1·08 in Bacup, 1·22 in Dudley, 1·37 in Wallsend, and 1·39 in Hindley.

"*Fever*" (mainly "*enteric*," but including also "*typhus*" and "*pyrexia*"), accounted for a death-rate averaging 0·10 in the 142 towns. The highest rates from "*fever*" were 0·32 in Widnes, 0·35 in Swinton & Pendlebury, 0·42 in Hyde, 0·44 in Barnsley, 0·49 in Morley, and 0·71 in Batley.

Diarrhœa (including dysentery, and English cholera) caused an average death-rate of 0·90 per 1000 in these 142 smaller towns, being 0·30 below the rate in the 76 great towns. The highest rates were 2·54 in Ince in Makerfield, 2·58 in Batley, 2·60 in Edmonton, 2·95 in Fenton, 3·11 in Pemberton, and 3·21 in Farnworth.

Urban and Rural Areas of England and Wales.

The following table shows in summary form the birth-rates and the death-rates during 1904, in England and Wales as a whole, and in various groups of areas. It must be understood, however, that the figures relating to England and Wales are subject to revision when the births and deaths shall have been finally classified and tabulated for publication in the Registrar-General's Sixty-seventh Annual Report.

TABLE F.—BIRTH-RATE, DEATH-RATE, and ANALYSIS of MORTALITY during the Year 1904.

		ANNUAL RATE PER 1000 LIVING.										Deaths under one year to 1000 Births.
		Births.	Deaths.	Principal Epidemic Diseases, Cols. 4-10.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping Cough.	Fever.	Diarrhoea.	
Cols.		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
England and Wales	..	27'9	16'2	1'94	0'01	0'36	0'11	0'17	0'34	0'09	0'86	146
76 Great Towns	29'1	17'2	2'49	0'01	0'47	0'12	0'19	0'40	0'10	1'20	160
142 Smaller Towns	..	27'5	15'6	2'03	0'03	0'36	0'13	0'16	0'35	0'10	0'90	154
England and Wales less the 218 Towns.		26'7	15'3	1'23	0'01	0'23	0'09	0'14	0'27	0'08	0'46	125

Edinburgh, Glasgow, Dublin, and Belfast.

In Edinburgh the death-rate in 1904 was 16·6, in Glasgow 19·2, in Dublin 23·4, and in Belfast 20·9, per 1000 of the several populations, against 16·6 in London.

Colonial and Foreign Cities.

The Registrar-General has been favoured with returns of vital statistics for 1904 by the Authorities of 43 of the principal Colonial and Foreign cities. From these Table 32 has been constructed, from which it appears that among the principal European, American, and Australian cities the highest and lowest annual birth- and death-rates in 1904 were as follows :—

BIRTH-RATES.

		HIGHEST.			LOWEST.
		Per 1,000 living.			Per 1,000 living.
Rotterdam	...	35·2	Paris	19·5
Buenos Ayres	..	34·1	Brussels	19·8
Trieste	33·5	Turin	20·1
Munich	32·0	Prague	23·2
Breslau	31·8	Stockholm	..	23·3
Dresden	30·5	Toronto	24·2

London, 27·9.

DEATH-RATES.

	HIGHEST. Per 1,000 living.		LOWEST. Per 1,000 living.
Moscow	27·6	Sydney	11·2
Trieste	25·8	Brisbane	11·5
St. Petersburg ...	23·7	Christiania ...	13·5
Breslau	23·5	Chicago	13·6
New York	22·6	Stockholm ...	14·4
Venice	22·2	Brussels	14·5
London, 16·6.			

Small-pox caused 3566 deaths in Rio de Janeiro, 522 in Buenos Ayres, 229 in Philadelphia, 133 in Moscow, 85 in St. Petersburg, 80 in Paris, and 74 in Antwerp. *Measles* was most fatal in proportion to population in Amsterdam, The Hague, Moscow, St. Petersburg and Vienna; *scarlet fever* in Buda-Pesth, Moscow, St. Petersburg, Baltimore, New York and Berlin; *diphtheria* in New York, St. Petersburg, Toronto, and Moscow; *whooping-cough* in Copenhagen, Amsterdam, Rotterdam, Trieste and Berlin; "*fever*" in Turin, St. Petersburg, Philadelphia, Baltimore, Rio de Janeiro and Milan; and *diarrhæal diseases* in Moscow, Breslau, Munich, St. Petersburg and Antwerp.

INDIAN CITIES.—The death-rate was equal to 30·0 per 1,000 in Calcutta, 37·9 in Madras, and 55·0 in Bombay. *Small-pox* caused 568 deaths in Bombay, 74 in Calcutta, and 12 in Madras; *measles* caused 229 deaths in Bombay, 100 in Calcutta, and 91 in Madras. Under the heading "*fever*," 5042 deaths were classed in Madras, 9556 in Calcutta, and 15,954 in Bombay, including respectively 8, 4689, and 13,538 deaths from *plague*. The mortality from *diarrhæal diseases* was excessive in each of these Indian cities; *Asiatic cholera* was the cause of 60 deaths in Madras, 219 in Bombay, and 2056 in Calcutta.

EGYPTIAN CITIES.—In Cairo and Alexandria the death-rates among the native populations were 38·4 and 37·3 per 1000 respectively, these high rates being largely attributable to excessive mortality from *diarrhæal diseases*. *Small-pox* caused 78 deaths in Cairo and 48 in Alexandria; *measles*, 811 deaths in Cairo and 668 in Alexandria; *diphtheria* and *croup*, 374 deaths in Cairo and 69 in Alexandria; "*fever*," 798 deaths in Cairo and 243 (including 70 from *plague*) in Alexandria.

SUMMARY OF STATISTICS

FOR THE

COUNTY OF LONDON, 1904.

					Males.	Females.	Total.
POPULATION (Mid. 1904, estimated)	2,194,638	2,454,312	4,648,950
Estimated increase of Population, 1903-4	16,425	18,713	35,138
Number of MARRIAGES, 39,586.	Persons Married	...	79,172
					Males.	Females.	Total.
„ BIRTHS	65,716	63,619	129,335
„ DEATHS	39,965	37,129	77,094
Excess of Births over Deaths	25,751	26,490	52,241
					Proportion per 1,000 of the Population.		
					Average in 10 years 1894-1903.	Year 1904.	
PERSONS MARRIED	17·9	17·0	
BIRTHS	29·6	27·9	
DEATHS {	Persons	18·3	16·6	
	Males	20·0	18·3	
	Females	16·9	15·2	
					Acres.	Square Miles.	
AREA (excluding Tidal Water and Foreshore)	74,817	116·9	
					Persons to an Acre.	Persons to a Square Mile.	
DENSITY (1901)	62·1	39,769	
AVERAGE ANNUAL RATE OF INCREASE OF POPULATION.					1861-1871	1·015063	
					1871-1881	1·016209	
					1881-1891	1·009935	
					1891-1901	1·007059	

HOUSES.—At the Census in 1901 there were within this area 571,747 inhabited houses, containing an average of 7·9 persons to a house, a slightly higher proportion than in 1891.

ELEVATION.—The population of London resides at a mean elevation of 59 feet (17·9 metres) above approximate mean water at Liverpool; the elevation varying from 1 foot (0·3 metre) in Plumstead Marshes to 441 feet (134·4 metres) at Hampstead, above that datum.

Administrative County of London

Map showing the DEATH RATES in the several Metropolitan Boroughs in the 52 weeks ended 31st. December 1904, after distribution of deaths in Public Institutions.

Death rates from all causes

Under 15 per 1000 living coloured thus
 15 & " 20 " " " " " " "
 20 and upwards, " " " " " " " "




TABLE 1.-76 Great Towns.-Population; Births, Deaths, and Meteorology in the 52 Weeks ended 31st December, 1904.

NOTE.-The 76 Towns are those with populations exceeding 50,000 persons at the Census of 1901. They are arranged in the order of the Registration Districts in which they are situated, those towns included in the Outer Ring of the Metropolitan Police District being placed, for convenience, immediately after London.

TOWNS.	ESTIMATED POPULATION in the middle of 1904.	BIRTHS.	DEATHS.	The Deaths registered include										MEAN TEMPERATURE (De- grees Fahr.).	RAIN- FALL (Inches).	TOWNS.				
				Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified.	
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.							Violence.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	Cols.
76 TOWNS.	15,271,287	4,427,838	262,559	70,888	67,934	38,046	208	72,18	17,86	2,925	6,065	1,557	18,287	91,800	194,170	5,887,6	2,930	49.1	20.21	76 TOWNS.
LONDON.*	4,648,950	1,293,35	77,094	18,903	21,582	9,940	25	2,261	3,05	729	1,507	302	4,801	2,976	7,406	26,955	164	49.9	20.63	LONDON.*
(CROYDON.	144,419	37,44	1,988	485	704	204	—	60	7	25	14	6	92	80	193	446	—	—	—	(CROYDON.
WILLESDEN.	132,566	43,19	1,479	492	374	214	—	39	2	19	11	7	136	43	98	200	9	—	—	WILLESDEN.
HORNSEY.	81,221	16,15	684	141	272	73	—	18	2	7	16	2	28	13	40	46	—	—	—	HORNSEY.
TOTTENHAM.	112,981	35,80	1,562	498	380	242	1	41	8	23	18	7	144	49	181	262	1	—	—	TOTTENHAM.
WEST HAM.	288,424	92,91	47,73	15,06	990	988	1	172	39	44	102	32	598	193	383	1,005	8	—	—	WEST HAM.
EAST HAM.	116,902	37,03	1,525	572	283	365	—	62	10	49	26	15	203	43	114	179	6	—	—	EAST HAM.
LEYTON.	110,844	31,71	1,401	453	358	283	—	23	7	12	46	10	185	24	63	168	20	—	—	LEYTON.
(WALTHAMSTOW.	111,282	36,07	1,351	504	294	318	1	55	15	27	33	10	177	44	123	206	3	—	—	(WALTHAMSTOW.
HASTINGS.	66,503	11,54	873	125	407	26	—	1	—	2	2	1	20	39	66	114	3	50.0	24.56	HASTINGS.
BRIGHTON.	126,256	29,61	20,00	397	784	205	—	91	2	15	36	7	54	64	174	457	3	51.2	24.32	BRIGHTON.
PORTSMOUTH.	198,038	55,79	33,33	791	1,008	420	—	1	22	71	79	34	213	95	238	594	36	61.2	26.65	PORTSMOUTH.
BOURNEMOUTH.	64,645	11,03	877	122	330	39	—	1	1	7	6	2	22	19	47	115	3	—	—	BOURNEMOUTH.
SOUTHAMPTON.	112,500	30,03	15,42	346	553	121	—	—	1	12	17	2	89	48	157	260	—	51.2	30.92	SOUTHAMPTON.
READING.	76,373	19,80	10,55	265	362	138	—	1	—	14	4	4	115	25	49	175	22	48.3	20.73	READING.
NORTHAMPTON.	91,146	20,63	12,53	277	423	145	—	1	39	10	6	2	87	61	87	229	27	—	—	NORTHAMPTON.
IPSWICH.	69,805	19,20	10,79	274	391	108	—	20	1	9	6	7	65	27	78	145	16	—	—	IPSWICH.
GREAT YARMOUTH.	52,089	14,46	9,11	239	346	131	—	12	3	23	33	5	55	36	66	147	1	49.0	21.03	GREAT YARMOUTH.
NORWICH.	115,538	31,83	21,01	573	698	334	—	132	3	8	39	13	136	41	109	297	15	49.4	21.50	NORWICH.
PLYMOUTH.	114,003	28,89	21,08	498	651	288	—	79	36	14	27	16	116	60	154	309	3	51.0	41.08	PLYMOUTH.
DEVONPORT.	75,334	21,54	10,08	247	279	93	—	17	9	10	10	8	39	40	102	104	2	—	—	DEVONPORT.
BRISTOL.	343,204	91,55	53,46	1,225	1,695	560	1	101	38	103	116	23	175	173	484	1,154	20	49.2	29.91	BRISTOL.
HANLEY.	69,912	21,51	13,32	455	282	262	2	43	29	49	8	6	125	51	93	156	15	—	—	HANLEY.
BURTON-ON-TRENT.	51,934	13,42	7,78	159	235	68	—	5	4	6	36	—	17	31	43	130	10	—	—	BURTON-ON-TRENT.
WOLVERHAMPTON.	98,194	29,25	15,16	453	416	267	—	—	15	18	59	13	162	43	110	250	9	—	—	WOLVERHAMPTON.
WALSALL.	91,432	30,03	16,30	528	380	294	—	41	15	20	61	9	148	67	116	148	8	—	—	WALSALL.
HANDSWORTH (STAFFS.)	59,634	14,24	7,02	191	222	80	—	3	6	14	22	6	29	10	19	33	11	—	—	HANDSWORTH (STAFFS.)
WEST BROMWICH.	67,136	22,05	10,90	339	305	128	—	7	9	6	15	10	81	40	55	155	16	—	—	WEST BROMWICH.

* Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, outside the County of London, but excluding deaths of non-Londoners in the Metropolitan Asylums Board Hospitals and the Middlesex County Lunatic Asylum, within the County of London.

TABLE 1 (continued).—76 Great Towns; Births, Deaths, and Meteorology in the 52 Weeks ended 31st December, 1904.

TOWNS.	ESTIMATED POPULATION in the middle of 1904.	The DEATHS registered include										MEAN TEMPERATURE (Degrees Fahr.).	RAIN-FALL (Inches).	TOWNS.							
		BIRTHS.		DEATHS.		Deaths from															
		1.	2.	3.	Deaths of			Deaths from													
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.				Whooping-cough.	Typhoid Fever.	Diarrhoea.	Violence.			
Cols.					4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	Cols.
BIRMINGHAM ..	337,465	16933	10666	3333	2351	1838	—	—	204	65	127	457	40	945	385	530	2388	286	48·2	22·04	BIRMINGHAM.
KINGS NORTON ..	66,67	1885	702	189	230	52	—	—	7	4	5	18	2	16	27	37	65	12	—	—	KINGS NORTON.
SMETHWICK ..	60,891	1956	777	285	177	74	—	—	1	5	4	9	7	48	21	27	57	24	—	—	SMETHWICK.
ASTON MANOR ..	80,363	2323	1203	428	268	293	—	—	17	10	4	57	8	143	21	44	74	15	—	—	ASTON MANOR.
COVENTRY ..	73,944	2291	1130	316	354	125	1	—	—	10	11	48	1	54	42	69	127	18	49·1	19·98	COVENTRY.
LEICESTER ..	224,186	5946	3241	991	943	443	5	—	32	4	6	88	14	294	96	220	520	33	—	—	LEICESTER.
GRIMSBY ..	68,958	1854	1083	364	235	230	—	—	74	3	18	27	13	95	44	82	120	11	—	—	GRIMSBY.
NOTTINGHAM ..	248,811	6879	4391	1297	1250	643	12	—	45	27	70	90	58	341	151	278	816	34	48·4	19·76	NOTTINGHAM.
DERBY ..	120,449	3285	1838	470	567	169	3	—	15	4	30	28	7	82	72	173	336	1	—	—	DERBY.
STOCKPORT ..	97,008	2560	1901	519	451	287	14	—	65	21	15	8	10	164	57	122	286	5	—	—	STOCKPORT.
BIRKENHEAD ..	114,814	3796	2249	686	551	426	1	—	103	20	28	84	11	176	83	178	378	7	—	—	BIRKENHEAD.
WALLASEY ..	60,354	1673	916	267	239	182	—	—	34	8	12	44	7	57	35	56	92	14	—	—	WALLASEY.
LIVERPOOL ..	723,430	24277	16296	4758	3297	3353	1	—	676	141	193	418	107	1817	598	928	4241	518	48·9	25·02	LIVERPOOL.
BOOTLE ..	61,755	1921	1298	351	245	257	—	—	52	13	17	40	2	133	60	70	228	44	—	—	BOOTLE.
ST. HELENS ..	88,545	3321	1845	588	305	373	3	—	132	15	21	49	11	142	47	58	218	91	—	—	ST. HELENS.
WIGAN ..	62,800	2168	1345	410	264	182	1	—	22	8	3	31	16	101	46	74	151	7	—	—	WIGAN.
WARRINGTON ..	67,331	2246	1336	337	245	307	4	—	37	52	4	87	4	119	42	47	188	62	—	—	WARRINGTON.
BOLTON ..	175,744	4698	2964	789	739	360	1	—	11	22	28	152	38	165	90	201	349	14	—	—	BOLTON.
BURY ..	58,450	1366	966	227	259	136	3	—	26	11	7	39	7	43	35	41	132	21	—	—	BURY.
MANCHESTER* ..	557,438	17391	11837	3527	2583	1726	10	—	425	82	96	280	69	764	403	699	2856	223	47·8	31·79	MANCHESTER*.
SALFORD ..	228,983	7262	4837	1394	990	997	3	—	253	56	113	141	52	379	149	358	1000	20	—	—	SALFORD.
OLDHAM ..	139,497	3466	2531	539	666	323	14	—	66	21	35	38	22	127	73	151	377	6	—	—	OLDHAM.
ROCHDALE ..	86,601	1946	1512	295	476	174	1	—	45	14	18	34	7	55	44	70	199	35	—	—	ROCHDALE.
BURNLEY ..	100,569	2657	1857	609	444	393	—	—	103	13	12	45	19	201	62	104	270	33	—	—	BURNLEY.
BLACKBURN ..	132,134	3086	2231	589	581	311	—	—	63	13	11	96	21	107	59	107	257	62	—	—	BLACKBURN.
PRESTON ..	115,055	3223	2203	595	624	336	7	—	73	6	23	32	31	164	55	70	255	72	48·6	31·35	PRESTON.
BARROW-IN-FURNESS ..	59,054	1893	818	228	176	80	—	—	2	11	4	18	6	39	35	37	94	22	—	—	BARROW-IN-FURNESS.

* As extended in 1903.

TABLE 1 (continued).—76 Great Towns.—Population: Births, Deaths, and Meteorology in the 52 weeks ended 31st December, 1904.

TOWNS.	ESTIMATED POPULATION in the middle of 1904.	BIRTHS.	DEATHS.	The DEATHS registered include														TOWNS.	RAINS-FALL (Inches).	MEAN TEMPERATURE (Degrees Fahr.).	Cols.
				Deaths from																	
				Infants under 1 Year of age.	Persons aged 60 Years and upwards.	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Peyer.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Deaths.				
		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.		
HUDDESFIELD	94,925	2243	1653	305	520	181	1	76	10	14	24	8	48	63	104	223	28	47.3	34.78	HUDDESFIELD.	
HALIFAX	107,580	2143	1668	275	564	162	9	47	23	17	19	10	37	54	112	307	31	—	—	HALIFAX.	
BRADFORD	285,089	6276	5016	1044	1458	680	3	147	44	162	49	48	237	141	363	917	36	48.5	25.86	BRADFORD.	
LEEDS	450,142	12662	8069	2202	1994	1153	2	343	59	47	200	49	444	234	626	1182	18	49.6	20.99	LEEDS.	
SHEFFIELD	432,940	13802	7250	2181	1705	949	1	33	87	47	148	50	583	236	392	1331	200	48.5	27.46	SHEFFIELD.	
ROTHERHAM	58,498	1927	922	315	169	139	—	36	4	7	13	12	67	35	43	107	26	—	—	ROTHERHAM.	
YORK	81,268	2288	1315	393	359	229	1	13	32	13	22	14	134	30	78	205	2	48.5	20.79	YORK.	
HULL	253,895	7855	4699	1398	1135	894	5	180	13	63	67	39	527	182	363	767	53	48.3	21.26	HULL.	
MIDDLESBROUGH	96,684	3481	1907	590	348	269	—	43	10	12	25	17	162	55	122	291	26	—	—	MIDDLESBROUGH.	
STOCKTON-ON-TYTES.	52,192	1655	914	247	217	134	1	26	11	30	23	7	36	38	65	94	10	—	—	STOCKTON-ON-TYTES	
WEST HARTLEPOOL	69,251	2221	1068	294	249	136	—	13	1	35	49	3	35	43	66	116	6	—	—	WEST HARTLEPOOL.	
SUNDERLAND	151,157	5194	2934	852	675	353	2	60	3	27	64	32	165	108	174	462	101	—	—	SUNDERLAND.	
SOUTH SHIELDS	107,334	3644	1916	529	373	188	7	29	7	13	62	8	62	54	70	228	95	—	—	SOUTH SHIELDS.	
GATESHEAD	118,067	4049	2180	704	442	339	34	40	20	14	91	7	133	49	70	183	87	—	—	GATESHEAD.	
NEWCASTLE-ON-TYNE	225,362	6864	4352	1068	986	402	18	56	25	49	130	10	114	187	376	906	15	48.0	20.18	NEWCASTLE-ON-TYNE.	
TYNEMOUTH	53,080	1846	1017	284	268	102	8	30	2	4	7	7	44	47	68	127	19	47.8	20.46	TYNEMOUTH.	
NEWPORT (MON.)	71,543	2362	1118	360	248	117	—	1	10	8	27	5	66	41	94	163	5	—	36.78	NEWPORT (MON.).	
CARDIFF	176,313	5208	2608	759	593	316	1	64	24	31	60	9	127	96	220	357	6	49.0	41.70	CARDIFF.	
RHONDDA	122,310	4860	2331	924	338	466	—	103	21	31	53	43	215	100	137	75	19	—	—	RHONDDA.	
MERTHYR TYDFIL	72,745	2761	1431	514	272	184	—	6	19	16	33	16	94	69	112	137	5	—	—	MERTHYR TYDFIL.	
SWANSEA	95,931	2998	1724	521	447	214	—	—	14	24	97	5	74	68	141	185	23	—	—	SWANSEA.	
GREATER LONDON*	6,907,756	194942	169912	27954	29849	14922	29	3081	509	1117	2042	447	7687	3381	9718	31488	284	—	—	GREATER LONDON*.	
OUTER RING	2,458,806	65607	29818	9051	8297	4932	4	820	144	388	535	145	2896	1005	2312	4533	120	—	—	OUTER RING.	
8 TOWNS IN OUTER RING.	1,098,639	33030	14723	4651	3655	2687	3	470	90	206	266	89	1563	489	1200	2512	47	—	—	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	1,160,167	32577	15085	4400	4612	2245	1	350	54	182	269	56	1333	516	1112	2021	73	—	—	REMAINDER OF OUTER RING.	
EDINBURGH	331,977	7760	5493	1004	1709	460	1	60	18	44	178	19	140	181	?	1649	309	46.5	23.93	EDINBURGH	
GLASGOW	796,357	24708	15326	3578	3102	1939	68	321	71	95	588	85	711	561	?	3635	572	48.0	31.21	GLASGOW.	
DUBLIN†	378,994	11168	8846	1886	2227	890	—	191	23	30	239	71	336	182	262	3182	377	48.10	22.72	DUBLIN†	
BELFAST†	358,680	11323	7467	1749	1429	882	1	196	21	28	260	125	251	171	413	1491	?	50.35	21.756	BELFAST†	

* Greater London corresponds to the Metropolitan and City Police Districts: the Outer Ring is that part of Greater London which is outside the boundary of the Administrative County of London.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively. a Phoenix Park. b Fitzwilliam Square.

TABLE 2.-76 Great Towns.-Birth-rate, Death-rate, and Analysis of Mortality in the 52 Weeks ended 31st December, 1904.

NOTE.—The 76 Towns are those with populations exceeding 50,000 persons at the Census of 1901. They are arranged in the order of the Registration Districts in which they are situated, those towns included in the Outer Ring of the Metropolitan Police District being placed, for convenience, immediately after London.

TOWNS.	ANNUAL RATE PER 1000 PERSONS LIVING.										DEATHS under 1 Year to 1000 Births.				ANNUAL DEATH-RATE per 1000 living.				PERCENTAGE to Total Deaths.				TOWNS.																
	Total Deaths.					Deaths from					Aged 60 Years and upwards.				Inquest Cases.																								
	52 or 53 Weeks ended					Small-pox.					Measles.				Scarlet Fever.				Diphtheria.					Whooping Cough.				Eryth.				Diarrhoea.				Violence.			
	28th Dec., 1901.	3rd Jan., 1902.	2nd Feb., 1902.	31st Dec., 1901.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.																			
76 TOWNS ..	29.1	?	17.4	16.3	17.2	2.49	0.01	0.47	0.12	0.19	0.40	0.10	1.20	0.60	160	8.9	72.0	7.4	22.4	1.1	76 TOWNS.																		
LONDON ..	27.9	17.6	17.7	15.7	16.6	2.18	—	0.49	0.08	0.16	0.33	0.07	1.04	0.64	146	8.7	69.6	9.6	35.0	0.2	LONDON.																		
CROYDON ..	26.0	12.9	14.0	11.8	13.8	1.42	—	0.42	0.05	0.17	0.10	0.04	0.64	0.56	130	6.1	65.1	9.7	22.4	—	CROYDON.																		
WILLESDEN ..	32.7	12.0	13.1	12.1	11.2	1.62	—	0.30	0.02	0.14	0.08	0.05	1.03	0.33	114	5.0	58.8	6.6	13.5	0.6	WILLESDEN.																		
HORNSEY ..	19.9	8.6	8.6	7.9	8.4	0.90	—	0.22	0.02	0.09	0.20	0.02	0.35	0.16	87	3.6	54.6	5.8	6.7	—	HORNSEY.																		
TOTTENHAM ..	31.8	13.8	14.5	13.0	13.9	2.14	0.01	0.33	0.07	0.20	0.16	0.06	1.28	0.43	139	6.6	66.6	11.6	16.8	0.1	TOTTENHAM.																		
WEST HAM ..	32.3	17.9	17.1	15.3	16.5	3.43	0.00	0.60	0.14	0.15	0.35	0.11	2.08	0.67	162	8.4	72.5	8.1	21.2	0.2	WEST HAM.																		
EAST HAM ..	31.8	?	11.9	11.0	13.1	3.13	—	0.53	0.09	0.42	0.22	0.13	1.74	0.37	154	6.2	62.7	7.5	11.7	0.4	EAST HAM.																		
LEYTON ..	28.7	12.9	11.9	10.8	12.7	2.56	—	0.21	0.06	0.11	0.30	0.09	1.67	0.22	143	5.9	51.8	4.9	12.0	1.4	LEYTON.																		
WALTHAMSTOW ..	32.5	13.6	11.5	11.1	12.2	2.87	0.01	0.50	0.14	0.24	0.40	0.09	1.59	0.40	140	5.4	63.0	9.1	15.2	0.2	WALTHAMSTOW.																		
HASTINGS ..	17.1	13.6	14.5	12.9	13.2	0.40	—	0.02	—	0.03	0.03	0.02	0.30	0.59	108	5.8	61.5	7.6	13.1	0.3	HASTINGS.																		
BRIGHTON ..	23.5	16.5	15.8	14.3	16.6	1.64	—	0.72	0.02	0.12	0.29	0.06	0.43	0.51	134	8.1	69.1	8.3	21.9	0.1	BRIGHTON.																		
PORTSMOUTH ..	28.3	17.9	16.8	14.7	16.9	2.13	—	0.01	0.11	0.36	0.40	0.17	1.08	0.48	142	8.6	68.3	7.1	17.8	1.1	PORTSMOUTH.																		
BOURNEMOUTH ..	17.1	11.8	12.4	12.1	13.6	0.61	—	0.02	0.02	0.11	0.09	0.03	0.34	0.29	111	7.4	59.2	5.4	13.1	0.3	BOURNEMOUTH.																		
SOUTHAMPTON ..	26.8	16.7	15.2	13.8	13.7	1.08	—	—	0.01	0.11	0.15	0.02	0.79	0.43	115	6.4	64.9	10.2	16.9	—	SOUTHAMPTON.																		
READING ..	26.1	14.3	13.7	12.7	13.9	1.80	—	0.01	—	0.18	0.05	0.05	1.51	0.33	133	6.2	67.9	4.6	16.6	2.1	READING.																		
NORTHAMPTON ..	23.1	14.5	15.2	14.2	13.8	1.60	—	0.01	0.43	0.11	0.07	0.02	0.86	0.67	132	6.8	68.2	6.9	18.2	2.1	NORTHAMPTON.																		
IPSWICH ..	27.6	17.8	14.3	15.2	15.5	1.55	—	0.28	0.01	0.13	0.09	0.10	0.93	0.39	143	6.6	68.9	7.2	13.4	1.5	IPSWICH.																		
GREAT YARMOUTH ..	27.8	18.3	16.9	18.2	17.5	2.63	—	0.23	0.06	0.44	0.64	0.10	1.06	0.69	165	7.2	66.3	7.2	16.1	0.1	GREAT YARMOUTH.																		
NORWICH ..	27.6	18.7	16.7	15.2	18.2	2.91	—	1.15	0.03	0.07	0.34	0.14	1.18	0.36	180	8.1	70.5	5.2	14.1	0.7	NORWICH.																		
PLYMOUTH..	25.4	17.9	17.0	16.5	18.5	2.53	—	0.69	0.32	0.12	0.24	0.14	1.02	0.53	172	9.5	66.4	7.3	14.7	0.1	PLYMOUTH.																		
DEVONPORT ..	23.7	16.6	15.2	14.1	13.4	1.24	—	0.23	0.12	0.13	0.13	0.11	0.52	0.53	115	7.1	54.2	10.1	10.3	0.2	DEVONPORT.																		
BRISTOL ..	26.7	16.0	17.4	14.3	15.6	1.64	0.00	0.30	0.11	0.30	0.34	0.08	0.51	0.51	134	7.8	68.3	9.1	21.6	0.4	BRISTOL.																		
HANLEY ..	33.7	21.1	20.0	18.7	20.9	4.10	0.03	0.67	0.45	0.77	0.13	0.09	1.96	0.80	212	10.2	85.9	7.0	11.7	1.1	HANLEY.																		
BURTON-ON-TRENT ..	25.9	14.1	13.7	12.3	15.0	1.33	—	0.10	0.08	0.12	0.70	—	0.33	0.60	118	8.1	75.7	5.5	16.7	1.3	BURTON-ON-TRENT.																		
WOLVERHAMPTON ..	29.9	16.9	16.4	15.5	15.5	2.71	—	—	0.15	0.18	0.60	0.13	1.65	0.44	155	7.3	64.2	7.3	16.5	0.6	WOLVERHAMPTON.																		
WALSALL ..	32.9	17.1	15.9	16.4	17.9	3.22	—	0.45	0.16	0.22	0.67	0.10	1.62	0.73	176	8.6	74.5	7.1	9.1	0.5	WALSALL.																		
HANDSWORTH (STAFFS) ..	24.0	?	10.9	10.4	11.8	1.35	—	0.05	0.10	0.24	0.37	0.10	0.49	0.17	134	5.3	61.1	2.7	4.7	1.6	HANDSWORTH (STAFFS).																		
WEST BROMWICH ..	33.8	17.4	19.2	16.8	16.3	1.90	—	0.10	0.13	0.09	0.22	0.15	1.21	0.60	150	7.3	70.7	5.0	14.2	1.5	WEST BROMWICH.																		

NOTE.—The rates in column 2 printed in Old Style type relate to the calendar year.

TABLE 2 (continued).—76 Great Towns.—Birth-rate, Death-rate, and Analysis of Mortality in the 52 Weeks ended 31st December, 1904.

TOWNS.	ANNUAL RATE PER 1000 PERSONS LIVING.															TOWNS.				
	Total Deaths					Deaths from														
	32 or 33 Weeks ended					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhoid.	Diarrhoea.	Violence.							
	28th Dec., 1901.	3rd Jan., 1903.	2nd Jan., 1904.	31st Dec., 1904.	5.															
Burials in 52 Weeks ended 31st Dec., 1904.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.
BIRMINGHAM ..	31.6	20.5	18.6	17.8	19.9	3.42	—	0.38	0.12	0.24	0.85	0.07	1.76	0.74	197	10.1	76.3	5.0	22.4	2.7
KINGS NORTON ..	28.4	?	11.6	10.0	10.6	0.9	—	0.11	0.06	0.08	0.27	0.03	0.24	0.41	100	4.7	53.2	5.3	9.3	1.7
SMETHWICK ..	32.3	15.7	14.4	13.5	12.8	1.23	—	0.02	0.08	0.07	0.15	0.12	0.79	0.35	146	5.6	64.9	3.5	7.3	3.1
ASTON MANOR ..	29.0	16.8	13.5	13.9	15.0	2.97	—	0.21	0.12	0.05	0.71	0.10	1.78	0.26	184	6.9	64.3	3.7	6.2	1.2
COVENTRY ..	31.1	17.1	14.0	16.2	15.3	1.69	0.01	—	0.14	0.15	0.65	0.01	0.73	0.57	138	6.9	66.6	6.1	11.2	1.6
LEICESTER ..	26.6	15.9	14.9	14.2	14.5	1.97	0.02	0.14	0.02	0.03	0.39	0.06	1.31	0.43	167	6.4	69.3	6.8	16.0	1.0
GRIMSBY ..	29.3	16.4	14.7	14.2	16.2	3.43	—	1.11	0.04	0.27	0.40	0.19	1.42	0.66	186	7.9	62.5	7.6	11.1	1.0
NOTTINGHAM ..	27.7	18.5	16.7	16.9	17.7	2.58	0.05	0.18	0.11	0.28	0.36	0.23	1.37	0.61	176	8.6	72.3	6.3	18.6	0.8
DERBY ..	27.4	15.2	13.9	13.6	15.3	1.40	0.03	0.12	0.03	0.25	0.23	0.06	0.68	0.60	143	7.3	77.9	9.4	18.3	0.1
STOCKPORT ..	26.5	19.5	19.0	18.5	19.7	3.07	0.14	0.67	0.22	0.16	0.08	0.10	1.70	0.59	203	10.6	72.9	6.4	15.1	0.3
BIRKENHEAD ..	33.2	18.7	17.7	16.8	19.6	3.71	0.01	0.90	0.17	0.24	0.73	0.12	1.54	0.73	181	9.7	79.4	7.9	16.8	0.3
WALLASEY ..	27.8	14.9	13.9	13.9	15.2	2.64	—	0.56	0.13	0.20	0.73	0.12	0.95	0.58	160	7.4	68.2	6.1	10.0	1.5
LIVERPOOL ..	33.7	22.3	22.5	20.5	22.6	4.66	0.00	0.94	0.20	0.27	0.58	0.15	2.52	0.79	196	12.5	77.8	5.7	26.0	3.2
BOOTLE ..	31.2	18.6	19.7	19.0	19.6	4.17	—	0.84	0.21	0.28	0.65	0.03	2.16	0.97	183	10.8	78.6	5.8	18.9	3.6
ST. HELENS ..	37.6	20.2	20.0	17.7	20.9	4.21	0.03	1.49	0.17	0.24	0.55	0.12	1.61	0.53	177	11.6	80.0	3.1	11.8	4.9
WIGAN ..	35.0	24.4	20.6	22.2	21.5	2.91	0.02	0.35	0.13	0.05	0.49	0.26	1.61	0.73	187	11.6	88.4	5.5	11.2	0.5
WARRINGTON ..	33.4	19.4	16.4	18.7	19.9	4.57	0.06	0.55	0.77	0.06	1.30	0.06	1.77	0.63	172	11.4	77.7	3.5	14.1	4.6
BOLTON ..	26.8	18.2	16.9	17.5	16.9	2.28	0.01	0.07	0.13	0.16	0.75	0.22	0.94	0.51	168	8.9	80.9	6.8	11.8	0.5
BURY ..	23.8	16.8	16.4	17.3	16.9	2.34	0.05	0.45	0.19	0.12	0.67	0.12	0.74	0.60	164	9.4	68.1	4.2	13.4	2.1
MANCHESTER ..	31.3	22.1	20.0	19.7	21.3	3.09	0.02	0.76	0.15	0.17	0.50	0.12	1.37	0.72	187	11.7	90.6	5.9	24.1	1.9
SALFORD ..	31.8	21.7	19.3	19.0	21.2	4.37	0.01	1.11	0.25	0.49	0.62	0.23	1.66	0.65	192	11.7	84.6	7.4	20.7	0.4
OLDHAM ..	24.9	19.6	19.1	18.6	18.2	2.31	0.10	0.47	0.15	0.25	0.27	0.16	0.91	0.55	156	10.4	80.4	6.0	14.9	0.2
ROCHDALE ..	22.8	18.4	18.3	17.1	17.7	2.03	0.01	0.53	0.16	0.21	0.40	0.08	0.64	0.52	152	9.5	86.7	4.6	13.2	2.3
BURNLEY ..	26.6	19.0	19.5	19.2	19.5	3.93	—	1.03	0.13	0.12	0.45	0.19	2.01	0.62	229	9.8	83.9	5.3	13.8	1.7
ROCHDALE ..	23.4	19.5	16.9	15.7	16.9	2.36	—	0.48	0.10	0.08	0.3	0.16	0.81	0.45	191	8.8	76.2	4.8	11.5	2.8
BLACKBURN ..	23.4	19.5	16.9	15.7	16.9	2.36	—	0.48	0.10	0.08	0.3	0.16	0.81	0.45	191	8.8	76.2	4.8	11.5	2.8
PRESTON ..	28.1	21.0	19.1	18.7	19.2	2.93	0.06	0.64	0.05	0.20	0.28	0.27	1.43	0.48	185	9.4	89.2	3.2	11.6	3.3
BARROW-IN-FURNESS.	31.8	15.4	15.6	12.7	13.7	1.34	—	0.03	0.18	0.07	0.30	0.10	0.66	0.59	120	7.5	63.8	4.5	11.5	2.7

NOTE.—The rates in column 2 printed in Old Style type relate to the calendar year.

TABLE 2 (continued).—76 Great Towns.—Birth-rate, Death-rate, and Analysis of Mortality in the 52 Weeks ended 31st December, 1901.

TOWNS.	ANNUAL RATE PER 1000 PERSONS LIVING														DEATHS under Year to 1000 Births.	ANNUAL DEATH RATE per 1000 living.		PERCENTAGE to Total Deaths.		TOWNS.	
	Total Deaths					Deaths from										Aged 40 to 60 Years upwards.	Inquest Cases.	Deaths in Public Institutions.	Unfledged Children of Death.		
	52 or 53 Weeks ended					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhoid.	Violence.									
	24th week, 1901.	3rd week, 1902.	2nd week, 1903.	1st week, 1904.	31st week, 1904.								Principal Diseases.								
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	Cols.
HODDERSFIELD ..	23.7	16.7	17.8	16.7	17.5	1.91	0.01	0.80	0.11	0.15	0.25	0.08	0.51	0.67	136	9.7	77.0	6.3	13.5	1.6	HODDERSFIELD.
HALIFAX ..	20.0	16.4	15.7	15.0	15.5	1.50	0.08	0.44	0.21	0.16	0.18	0.09	0.34	0.50	128	8.4	73.4	6.8	18.5	1.9	HALIFAX.
BRADFORD ..	22.1	16.8	15.8	16.4	17.6	2.42	0.01	0.52	0.15	0.57	0.17	0.17	0.83	0.60	166	9.7	77.0	7.2	18.3	0.7	BRADFORD.
LEEDS ..	28.0	19.3	17.6	16.6	18.0	2.56	0.00	0.76	0.13	0.10	0.47	0.11	0.99	0.52	175	9.5	78.2	7.7	14.6	0.2	LEEDS.
SHEFFIELD ..	32.0	20.4	17.1	18.6	16.8	2.20	0.00	0.08	0.20	0.11	0.34	0.12	1.35	0.55	158	8.3	76.1	5.4	18.4	2.8	SHEFFIELD.
ROTHERHAM ..	33.0	18.2	15.6	17.6	15.8	2.39	—	0.62	0.07	0.12	0.22	0.21	1.15	0.60	163	7.6	65.8	4.7	11.6	2.8	ROTHERHAM.
YORK ..	28.2	16.8	15.5	16.3	16.2	2.81	0.01	0.16	0.39	0.16	0.27	0.17	1.65	0.37	173	7.7	61.9	5.9	15.6	0.2	YORK.
HULL ..	31.0	18.7	17.2	16.9	18.6	3.52	0.02	0.71	0.05	0.25	0.26	0.15	2.18	0.72	178	9.4	70.7	7.5	16.3	1.1	HULL.
MIDDLESBROUGH..	36.1	21.6	20.2	21.5	19.8	2.79	—	0.45	0.10	0.12	0.26	0.18	1.68	0.57	169	10.9	75.1	6.4	15.3	1.4	MIDDLESBROUGH.
STOCKTON-ON-TEES	31.8	19.6	17.0	16.0	17.6	2.57	0.02	0.50	0.21	0.58	0.44	0.13	0.69	0.73	149	9.5	72.4	7.1	10.3	1.1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	32.2	16.7	15.1	14.3	15.5	1.97	—	0.19	0.01	0.51	0.71	0.04	0.51	0.62	132	8.2	82.6	6.2	10.9	0.6	WEST HARTLEPOOL.
SUNDERLAND ..	34.5	21.4	19.5	19.9	19.5	2.33	0.01	0.40	0.02	0.18	0.42	0.21	1.09	0.72	164	10.2	75.4	5.9	15.7	3.4	SUNDERLAND.
SOUTH SHIELDS ..	34.0	20.6	19.5	17.2	17.9	1.76	0.07	0.27	0.07	0.12	0.58	0.07	0.58	0.50	145	10.3	69.3	3.7	11.9	5.0	SOUTH SHIELDS.
GATESHEAD ..	34.4	21.6	17.7	16.7	18.5	2.88	0.29	0.34	0.17	0.12	0.77	0.06	1.13	0.42	174	9.6	73.6	3.2	8.4	4.0	GATESHEAD.
NEWCASTLE-ON-TYNE	30.5	21.9	19.9	19.2	19.4	1.79	0.08	0.25	0.11	0.22	0.58	0.04	0.51	0.83	156	11.2	79.2	8.6	20.8	0.3	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	34.9	19.3	19.5	18.2	19.2	1.43	0.15	0.57	0.04	0.08	0.13	0.13	0.83	0.89	154	9.7	76.0	6.7	12.5	1.9	TYNEMOUTH.
NEWPORT (MON.)	33.1	17.2	15.7	15.7	15.7	1.64	—	0.01	0.14	0.11	0.38	0.07	0.93	0.57	152	7.8	66.2	8.4	14.6	0.4	NEWPORT (MON.).
CARDIFF ..	29.6	15.8	16.8	14.0	14.8	1.80	0.01	0.36	0.14	0.18	0.34	0.05	0.72	0.55	146	7.7	68.0	8.4	13.7	0.2	CARDIFF.
RHONDDA ..	39.8	21.5	18.7	16.6	19.1	3.80	—	0.84	0.17	0.25	0.43	0.35	1.76	0.82	180	9.4	75.8	5.9	3.2	0.8	RHONDDA.
MERTHYR TYDFIL	38.1	26.0	23.1	19.1	19.7	2.63	—	0.08	0.26	0.22	0.45	0.22	1.30	0.95	186	9.7	69.5	7.8	9.6	0.3	MERTHYR TYDFIL.
SWANSEA ..	31.3	18.8	16.1	18.6	18.0	2.23	—	—	0.15	0.25	1.01	0.05	0.77	0.71	174	8.7	75.2	8.2	10.7	1.3	SWANSEA.
GREATER LONDON*	28.3	16.3	16.4	14.5	15.5	2.16	—	0.45	0.07	0.16	0.30	0.06	1.12	0.58	143	?	?	9.1	29.5	0.3	GREATER LONDON.*
OUTER RING ..	29.1	13.4	13.4	12.0	13.2	2.18	—	0.36	0.06	0.17	0.24	0.06	1.29	0.45	138	?	?	7.8	15.2	0.4	OUTER RING.
8 TOWNS IN OUTER RING	30.1	?	13.7	12.3	13.4	2.45	—	0.43	0.08	0.19	0.24	0.08	1.43	0.45	141	6.4	63.4	8.2	17.1	0.3	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	28.2	?	13.1	11.6	13.0	1.94	—	0.30	0.05	0.16	0.23	0.05	1.15	0.45	135	?	?	7.4	13.4	0.5	REMAINDER OF OUTER RING.
EDINBURGH ..	23.4	19.4	17.8	16.8	16.6	1.38	—	0.18	0.05	0.13	0.54	0.06	0.42	0.55	129	9.3	70.6	?	30.0	5.6	EDINBURGH.
GLASGOW ..	31.0	21.2	20.1	19.2	19.2	2.44	0.09	0.40	0.09	0.12	0.74	0.11	0.89	0.70	145	11.8	71.9	?	23.7	3.8	GLASGOW.
DUBLIN ..	29.6	24.6	24.2	22.9	23.4	2.36	—	0.51	0.06	0.08	0.63	0.19	0.89	0.48	169	13.8	84.5	3.0	36.0	4.3	DUBLIN.
BELFAST ..	31.7	22.1	20.8	20.0	20.9	2.47	—	0.55	0.06	0.08	0.73	0.35	0.70	0.48	154	13.0	74.0	5.5	20.0	?	BELFAST.

NOTE.—The rates in column 2 printed in Old Style type relate to the calendar year.

TABLE 3.-76 Towns.—Death-rates per 1000 living from **All Causes**, and from the **Principal Epidemic Diseases**, and **Infant Mortality** in the Ten Years **1894-1903**, and in **1904**.

In this Table 0'00 indicates that the deaths were too few to give a rate of 0'005; where *no death* occurred, — is inserted.

TOWNS.	ALL CAUSES.		SMALL-POX.		MEASLES.		SCARLET FEVER.		DIPHTHERIA.		WHOOPING-COUGH.		FEVER.		DIARRHOEA.		DEATHS UNDER ONE YEAR TO 1000 BIRTHS.		TOWNS.
	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	
76 TOWNS.	?	17'2	?	0'01	?	0'47	?	0'12	?	0'19	?	0'40	?	0'10	?	1'20	?	160	.. 76 TOWNS.
LONDON*	18'3	16'6	0'04	0'01	0'56	0'49	0'14	0'08	0'42	0'16	0'43	0'33	0'14	0'07	0'78	1'04	154	146	LONDON*.
(CROYDON	13'7	13'8	0'01	—	0'23	0'42	0'04	0'05	0'17	0'17	0'35	0'10	0'08	0'04	0'61	0'64	136	130	(CROYDON.
WILLESDEN	13'1	11'2	0'02	—	0'47	0'30	0'12	0'02	0'40	0'14	0'37	0'08	0'11	0'05	0'87	1'03	143	114	WILLESDEN.
HORSEY	9'4	8'4	0'01	—	0'13	0'22	0'04	0'02	0'22	0'09	0'24	0'20	0'06	0'02	0'41	0'35	101	87	HORSEY.
TOTTENHAM	14'4	13'9	0'07	0'01	0'38	0'36	0'10	0'07	0'20	0'20	0'39	0'16	0'14	0'06	0'83	1'28	148	139	TOTTENHAM.
(WEST HAM	17'9	16'5	0'08	0'00	0'65	0'60	0'13	0'14	0'63	0'15	0'48	0'35	0'25	0'11	1'23	2'08	167	162	(WEST HAM.
EAST HAM	?	13'1	?	—	?	0'53	?	0'09	?	0'42	?	0'22	?	0'13	?	1'74	?	154	EAST HAM.
LEYTON	12'6	12'7	0'01	—	0'32	0'21	0'11	0'06	0'38	0'11	0'42	0'42	0'15	0'09	0'88	1'67	139	143	LEYTON.
(WALTHAMSTOW	12'8	12'2	0'01	0'01	0'40	0'30	0'07	0'14	0'49	0'24	0'37	0'30	0'16	0'09	0'93	1'59	143	140	(WALTHAMSTOW.
HASTINGS	15'1	13'2	0'01	—	0'18	0'02	0'05	—	0'18	0'03	0'20	0'03	0'06	0'02	0'42	0'30	122	108	HASTINGS.
BRIGHTON	16'8	16'6	—	—	0'26	0'72	0'05	0'02	0'30	0'12	0'21	0'29	0'12	0'06	0'81	0'43	150	134	BRIGHTON.
PORTSMOUTH	17'3	16'9	0'00	—	0'35	0'01	0'10	0'11	0'32	0'36	0'31	0'40	0'25	0'17	1'11	1'08	157	142	PORTSMOUTH.
BOURNEMOUTH	13'4	13'6	—	—	0'12	0'02	0'06	0'02	0'14	0'11	0'14	0'09	0'06	0'03	0'30	0'34	117	111	BOURNEMOUTH.
SOUTHAMPTON	17'1	13'7	0'01	—	0'30	—	0'08	0'01	0'22	0'11	0'32	0'15	0'15	0'02	0'86	0'79	145	115	SOUTHAMPTON.
READING	14'2	13'9	0'00	—	0'27	0'01	0'07	—	0'12	0'18	0'20	0'05	0'05	0'05	0'71	1'51	134	133	READING.
NORTHAMPTON	16'1	13'8	—	—	0'39	0'01	0'19	0'43	0'11	0'11	0'37	0'07	0'10	0'02	0'75	0'96	150	132	NORTHAMPTON.
IPSWICH	16'9	15'5	—	—	0'27	0'29	0'06	0'01	0'20	0'13	0'36	0'09	0'20	0'10	1'09	0'93	153	143	IPSWICH.
GREAT YARMOUTH	18'6	17'5	0'00	—	0'37	0'23	0'15	0'06	0'37	0'44	0'30	0'64	0'33	0'10	1'16	1'06	166	165	GREAT YARMOUTH.
NORWICH	18'2	18'2	—	—	0'36	1'15	0'11	0'03	0'17	0'07	0'35	0'34	0'19	0'14	1'08	1'18	176	180	NORWICH.
PLYMOUTH.	18'8	18'5	0'01	—	0'47	0'69	0'05	0'32	0'12	0'12	0'36	0'24	0'10	0'14	0'82	1'02	169	172	PLYMOUTH.
DEVONPORT	16'3	13'4	—	—	0'36	0'23	0'06	0'12	0'18	0'13	0'25	0'13	0'14	0'11	0'43	0'52	139	116	DEVONPORT.
BRISTOL	17'1	15'6	0'01	0'00	0'44	0'30	0'11	0'11	0'25	0'30	0'38	0'34	0'12	0'08	0'62	0'51	142	134	BRISTOL.
HANLEY	21'0	20'8	0'01	0'03	0'57	0'67	0'19	0'45	0'72	0'77	0'33	0'13	0'22	0'09	1'11	1'96	203	212	HANLEY.
BURTON-ON-TRENT	15'2	15'0	0'00	—	0'47	0'10	0'14	0'08	0'36	0'12	0'29	0'70	0'13	—	0'38	0'33	126	118	BURTON-ON-TRENT.

* See note (2) to Table 1.

TABLE 3—(continued).—76 Towns.—Death-rates per 1000 living from All Causes, and from the Principal Epidemic Diseases, and Infant Mortality in the Ten Years 1894-1903, and in 1904.

In this Table 0·00 indicates that the deaths were too few to give a rate of 0·005; where *no death* occurred, — is inserted.

TOWNS.	ALL CAUSES.		SMALL-POX.		MEASLES.		SCARLET FEVER.		DIPHTHERIA.		WHOOPIING-COUGH.		FEVER.		DIARRHŒA.		DEATHS UNDER ONE YEAR TO 1000 BIRTHS.		TOWNS.	
	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.				
WOLVERHAMPTON	19·8	15·5	—	0·42	—	0·15	0·23	0·18	0·37	0·18	0·35	0·60	0·27	0·13	1·34	1·65	181	155	WOLVERHAMPTON.	
WALSALL ..	18·0	17·9	—	0·30	0·45	0·16	0·17	0·22	0·14	0·22	0·35	0·67	0·18	0·10	1·35	1·62	174	176	WALSALL.	
HANDSWORTH	11·8	—	?	0·05	?	?	0·24	?	0·24	?	0·37	?	0·10	?	0·49	?	134	134	HANDSWORTH.
WEST BROMWICH	19·1	16·3	—	0·61	0·10	0·13	0·29	0·13	0·16	0·10	0·31	0·22	0·22	0·15	1·19	1·21	170	150	WEST BROMWICH.	
BIRMINGHAM ..	20·1	19·9	—	0·46	0·38	0·12	0·23	0·27	0·27	0·24	0·45	0·85	0·21	0·07	1·27	1·76	184	197	BIRMINGHAM.	
KINGS NORTON ..	?	10·6	—	?	0·11	?	?	0·06	?	0·08	?	0·27	?	0·03	?	0·24	?	100	100	KINGS NORTON.
SMETHWICK ..	15·5	12·8	—	0·28	0·02	0·13	0·13	0·08	0·18	0·07	0·21	0·15	0·17	0·12	0·68	0·79	159	146	SMETHWICK.	
ASTON MANOR ..	16·5	15·0	—	0·41	0·21	0·12	0·14	0·12	0·24	0·05	0·43	0·71	0·20	0·10	1·64	1·78	175	184	ASTON MANOR.	
COVENTRY ..	17·0	15·3	0·01	0·40	—	0·14	0·18	0·13	0·23	0·15	0·28	0·65	0·14	0·01	1·24	0·73	148	138	COVENTRY.	
LEICESTER..	16·8	14·5	0·01	0·37	0·14	0·16	0·02	0·02	0·30	0·03	0·28	0·29	0·14	0·06	1·31	1·31	181	167	LEICESTER.	
GRIMSBY ..	17·0	16·2	0·01	0·27	1·11	0·08	0·04	0·41	0·27	0·29	0·29	0·40	0·37	0·19	1·39	1·42	183	186	GRIMSBY.	
NOTTINGHAM ..	18·3	17·7	0·05	0·38	0·18	0·16	0·11	0·28	0·11	0·28	0·34	0·36	0·28	0·23	1·18	1·37	184	176	NOTTINGHAM.	
DERBY ..	16·0	15·3	0·03	0·33	0·12	0·14	0·03	0·12	0·09	0·25	0·28	0·23	0·19	0·06	0·76	0·68	152	143	DERBY.	
STOCKPORT ..	21·2	19·7	0·01	0·60	0·67	0·18	0·18	0·22	0·12	0·16	0·36	0·08	0·19	0·10	1·38	1·70	204	203	STOCKPORT.	
BIRKENHEAD ..	18·7	19·6	0·01	0·42	0·90	0·16	0·16	0·17	0·27	0·24	0·45	0·73	0·28	0·12	0·94	1·54	168	181	BIRKENHEAD.	
WALLASEY† ..	15·5	15·2	0·00	0·22	0·56	0·15	0·13	0·13	0·11	0·20	0·28	0·73	0·27	0·12	0·64	0·95	139	160	WALLASEY†.	
LIVERPOOL ..	23·3	22·6	0·03	0·47	0·94	0·30	0·20	0·24	0·24	0·27	0·32	0·58	0·30	0·15	1·42	2·52	184	186	LIVERPOOL.	
BOOTLE ..	20·4	19·6	0·03	0·26	0·84	0·33	0·21	0·18	0·18	0·28	0·40	0·65	0·39	0·03	1·49	2·16	183	183	BOOTLE.	
ST. HELENS ..	20·5	20·9	—	0·03	0·48	1·49	0·35	0·17	0·22	0·24	0·50	0·55	0·42	0·12	1·39	1·61	173	177	ST. HELENS.	
WIGAN ..	22·4	21·5	0·01	0·84	0·35	0·29	0·13	0·13	0·13	0·05	0·63	0·49	0·25	0·26	1·35	1·61	181	187	WIGAN.	
WARRINGTON ..	19·3	19·9	0·01	0·06	0·85	0·22	0·77	0·11	0·06	0·06	0·46	1·30	0·15	0·06	1·21	1·77	167	172	WARRINGTON.	
BOLTON ..	19·6	16·9	0·01	0·32	0·07	0·13	0·26	0·13	0·13	0·16	0·40	0·75	0·28	0·22	1·28	0·94	171	168	BOLTON.	
BURY ..	18·9	16·9	0·03	0·33	0·45	0·17	0·19	0·26	0·19	0·26	0·22	0·67	0·23	0·12	0·91	0·74	168	164	BURY.	
MANCHESTER ..	22·6	21·3	0·01	0·02	0·76	0·15	0·27	0·17	0·19	0·17	0·50	0·50	0·18	0·12	1·34	1·97	185	187	MANCHESTER.	
SALFORD ..	22·6	21·2	0·00	0·87	1·11	0·37	0·25	0·32	0·49	0·49	0·60	0·62	0·32	0·23	1·55	1·66	198	182	SALFORD.	
OLDHAM ..	20·6	18·2	0·06	0·64	0·47	0·15	0·25	0·15	0·20	0·25	0·45	0·27	0·13	0·18	0·76	0·91	175	156	OLDHAM.	

† Average rates for the six years 1893-1903 only.

TABLE 3—(Continued).—76 Towns.—Death-rates per 1000 living from **All Causes**, and from the **Principal Epidemic Diseases**, and **Infant Mortality** in the Ten Years **1894-1903**, and in **1904**.In this Table '000 indicates that the deaths were too few to give a rate of '0005; where *no death* occurred, — is inserted.

TOWNS.	ALL CAUSES.		SMALL-POX.		MEASLES.		SCARLET FEVER.		DIPHTHERIA.		WHOOPING-COUGH.		FEVER.		DIARRHŒA.		DEATHS UNDER ONE YEAR TO 1000 BIRTHS.		TOWNS.
	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.	Ten years 1894-1903.	1904.			
ROCHDALE ..	19'1	17'7	0'01	0'38	0'53	0'16	0'20	0'16	0'21	0'27	0'40	0'11	0'08	0'46	0'64	148	152	ROCHDALE.	
BURNLEY ..	20'7	19'5	—	0'58	1'03	0'13	0'34	0'13	0'12	0'41	0'45	0'21	0'10	1'56	2'01	209	229	BURNLEY.	
BLACKBURN ..	19'7	16'9	0'01	0'74	0'48	0'10	0'28	0'10	0'08	0'34	0'73	0'24	0'16	1'14	0'81	191	191	BLACKBURN.	
PRESTON ..	22'1	19'2	0'00	0'69	0'64	0'05	0'17	0'20	0'17	0'44	0'28	0'29	0'27	1'85	1'43	221	185	PRESTON.	
BARROW-IN-FURNESS.	14'7	13'7	—	0'51	0'03	0'12	0'18	0'18	0'07	0'34	0'30	0'22	0'10	0'58	0'66	146	120	BARROW-IN-FURNESS.	
HUDDESFIELD ..	17'3	17'5	0'00	0'27	0'80	0'17	0'11	0'11	0'15	0'32	0'25	0'13	0'08	0'51	0'51	144	136	HUDDESFIELD.	
HALEFAX ..	17'4	15'5	0'01	0'33	0'44	0'13	0'21	0'13	0'16	0'21	0'18	0'17	0'09	0'35	0'34	143	128	HALEFAX.	
BRADFORD ..	17'6	17'6	0'02	0'33	0'52	0'15	0'13	0'15	0'13	0'57	0'30	0'17	0'17	0'80	0'83	163	166	BRADFORD.	
LEEDS ..	19'1	18'0	0'01	0'47	0'76	0'13	0'34	0'10	0'34	0'10	0'37	0'47	0'19	1'04	0'99	174	175	LEEDS.	
SHEFFIELD ..	19'7	16'8	0'00	0'55	0'08	0'18	0'20	0'44	0'11	0'43	0'34	0'28	0'12	1'42	1'35	185	158	SHEFFIELD.	
ROTHERHAM ..	17'7	15'8	—	0'53	0'62	0'24	0'07	0'13	0'12	0'42	0'22	0'25	0'21	1'41	1'15	162	163	ROTHERHAM.	
YORK ..	17'7	16'2	0'01	0'33	0'16	0'07	0'39	0'06	0'16	0'31	0'27	0'22	0'17	1'31	1'65	168	172	YORK.	
HULL ..	18'7	18'6	0'07	0'51	0'71	0'15	0'05	0'18	0'25	0'35	0'26	0'21	0'15	1'46	2'08	172	178	HULL.	
MIDDLESBROUGH ..	21'2	19'8	—	0'48	0'45	0'22	0'10	0'10	0'12	0'41	0'26	0'31	0'18	1'04	1'68	182	169	MIDDLESBROUGH.	
STOCKTON - ON - TEES.	18'0	17'6	—	0'44	0'50	0'20	0'21	0'21	0'22	0'58	0'43	0'44	0'20	1'04	0'69	168	149	STOCKTON-ON-TEES.	
WESTHARTLEPOOL ..	15'7	15'5	0'01	0'30	0'19	0'11	0'01	0'18	0'51	0'33	0'71	0'13	0'04	0'88	0'51	142	132	WESTHARTLEPOOL.	
SUNDERLAND ..	21'0	19'5	0'00	0'57	0'40	0'20	0'02	0'10	0'18	0'45	0'42	0'42	0'21	1'18	1'09	172	164	SUNDERLAND.	
SOUTH SHIELDS ..	19'6	17'9	0'01	0'47	0'27	0'07	0'27	0'09	0'12	0'44	0'58	0'24	0'07	0'84	0'58	159	145	SOUTH SHIELDS.	
GATESHEAD ..	19'0	18'5	0'02	0'55	0'34	0'18	0'17	0'12	0'12	0'45	0'77	0'14	0'06	1'11	1'13	173	174	GATESHEAD.	
NEWCASTLE - ON - TYNE.	20'8	19'4	0'01	0'48	0'25	0'14	0'11	0'11	0'16	0'22	0'58	0'14	0'04	0'78	0'51	172	156	NEWCASTLE-ON-TYNE.	
TYNEMOUTH ..	18'8	19'2	0'01	0'33	0'57	0'19	0'04	0'04	0'08	0'29	0'13	0'13	0'13	0'58	0'83	154	154	TYNEMOUTH.	
NEWPORT (MON.) ..	17'4	15'7	—	0'55	0'01	0'07	0'14	0'14	0'21	0'11	0'23	0'14	0'07	0'44	0'93	157	152	NEWPORT (MON.)	
CARDIFF ..	17'1	14'8	0'01	0'38	0'36	0'11	0'14	0'48	0'18	0'48	0'34	0'10	0'05	0'75	0'72	154	146	CARDIFF.	
RHONDDA ..	19'9	19'1	0'00	0'49	0'84	0'24	0'17	0'76	0'25	0'49	0'43	0'34	0'35	1'06	1'76	199	190	RHONDDA.	
MERTHYR TYDFIL ..	23'0	19'7	—	0'65	0'08	0'14	0'26	0'45	0'22	0'42	0'45	0'33	0'22	1'07	1'30	203	186	MERTHYR TYDFIL.	
SWANSEA ..	18'6	18'0	—	0'43	—	0'12	0'15	0'15	0'25	0'43	1'01	0'14	0'05	0'48	0'77	164	174	SWANSEA.	

Seventy-six Great Towns : Quarterly Mortality.

TABLE 4.—76 Great Towns, &c. Annual Rate of Mortality per 1,000 persons living in the Year 1904 (52 weeks) and in each Quarter of the year.

Towns.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Towns.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
76 Towns	17'2	18'7	15'3	17'5	17'5	St. Helens	20'9	21'3	18'2	23'6	20'5
London	16'6	18'3	14'8	16'4	17'0	Wigan	21'5	23'2	19'0	24'0	19'7
Croydon	13'8	15'2	12'2	13'6	14'2	Warrington	19'9	23'8	19'2	19'4	17'2
Willesden	11'2	12'9	8'6	12'0	11'3	Bolton	16'9	19'5	15'0	16'0	17'2
Hornsey	8'4	8'8	8'8	7'7	8'4	Bury	16'9	21'8	14'0	15'2	16'7
Tottenham	13'9	14'1	11'1	15'7	14'6	Manchester	21'3	22'6	20'0	20'9	21'7
West Ham	16'5	16'7	13'3	19'5	16'3	Salford	21'2	21'1	18'4	24'0	21'2
East Ham	13'1	12'1	10'3	16'3	13'6	Oldham	18'2	20'2	15'7	16'6	20'2
Leyton	12'7	12'2	9'6	16'2	12'7	Rochdale	17'7	20'9	15'9	15'8	18'2
Walthamstow	12'2	11'2	10'1	15'8	11'6	Burnley	19'5	19'5	18'1	20'2	20'2
Hastings	13'2	14'0	11'6	12'7	14'3	Blackburn	16'9	18'3	17'2	13'6	18'5
Brighton	16'6	19'2	16'5	14'7	16'0	Preston	19'2	24'9	15'8	16'5	19'5
Portsmouth	16'9	18'6	14'1	16'6	18'2	Barrow in Furness	13'7	15'2	13'1	14'6	12'1
Bournemouth	13'6	15'5	14'3	12'4	12'2	Huddersfield	17'5	18'2	16'3	17'0	18'5
Southampton	13'7	15'9	12'0	13'8	13'2	Halifax	15'5	17'9	14'4	12'4	17'2
Reading	13'9	15'0	11'1	14'8	14'5	Bradford	17'6	18'5	17'1	17'6	17'4
Northampton	13'8	14'0	12'5	14'1	14'7	Leeds	18'0	20'4	17'6	17'7	16'3
Ipswich	15'5	15'8	12'9	16'9	16'4	Sheffield	16'8	18'0	14'4	18'1	16'7
Great Yarmouth	17'5	20'7	14'1	18'9	16'5	Rotherham	15'8	18'9	14'1	16'2	14'1
Norwich	18'2	21'1	17'5	17'1	17'3	York	16'2	16'4	14'3	19'2	15'0
Plymouth	18'5	20'8	15'6	18'9	18'9	Hull	18'6	16'7	16'4	21'5	19'7
Devonport	13'4	15'0	11'6	13'4	13'7	Middlesbrough	19'8	19'2	17'9	19'6	22'4
Bristol	15'6	17'4	13'9	13'3	17'8	Stockton on Tees	17'6	19'4	15'3	15'6	19'9
Hanley	20'9	20'2	17'5	22'8	23'0	West Hartlepool	15'5	20'3	14'1	12'9	14'6
Burton on Trent	15'0	15'9	12'4	14'8	17'1	Sunderland	19'5	20'0	17'9	18'7	21'2
Wolverhampton	15'5	16'6	13'9	16'6	14'8	South Shields	17'9	17'5	16'7	15'1	22'2
Walsall	17'9	19'3	14'0	18'8	19'3	Gateshead	18'5	21'0	16'3	17'9	18'9
Handsworth (Staffs.)	11'8	13'7	9'8	10'6	13'1	Newcastle on Tyne	19'4	19'6	19'0	18'5	20'3
West Bromwich	16'3	19'4	14'9	14'3	16'5	Tynemouth	19'2	19'0	16'4	19'8	21'7
Birmingham	19'9	22'0	18'8	19'3	19'5	Newport (Mon.)	15'7	18'9	13'0	16'2	14'5
King's Norton	10'6	12'5	9'1	9'2	11'4	Cardiff	14'8	17'6	13'3	14'2	14'2
Smethwick	12'8	14'3	11'2	10'9	14'9	Rhondda	19'1	20'8	16'3	22'0	17'3
Aston Manor	15'0	15'4	14'1	17'6	13'0	Merthyr Tydfil	19'7	26'6	15'5	19'1	17'6
Coventry	15'3	16'5	14'2	13'6	17'0	Swansea	18'0	21'9	15'8	17'7	16'6
Leicester	14'5	15'8	12'7	14'8	14'7	Greater London	15'5	16'8	13'5	16'0	15'8
Grimsby	16'2	17'7	12'0	17'6	17'6	Outer Ring	13'2	13'6	10'8	15'3	13'3
Nottingham	17'7	20'1	15'0	18'0	17'7	8 Towns in Outer Ring	13'4	13'7	11'0	15'5	13'5
Derby	15'3	18'3	14'2	13'5	15'1	Remainder of Outer Ring	13'0	13'5	10'6	15'0	13'1
Stockport	19'7	20'2	15'9	21'9	20'6	Edinburgh	16'6	18'3	17'2	14'7	16'2
Birkenhead	19'6	20'8	17'2	21'6	19'0	Glasgow	19'2	21'5	18'7	16'6	20'2
Wallasey	15'2	15'5	16'1	14'5	14'7	Dublin	23'4	28'0	21'7	20'8	23'1
Liverpool	22'6	22'6	18'9	26'9	22'0	Belfast	20'9	25'2	20'9	17'5	19'9
Bootle	19'6	19'5	16'8	24'2	17'9						

TABLE 5.—One hundred and forty-two smaller Towns.—Population; Births and Deaths in the Year 1904.

NOTE.—The 142 Smaller Towns are those with populations not less than 20,000 but not more than 50,000 persons at the Census of 1901. They are arranged alphabetically under the Registration Counties in which they are situated.

TOWNS.*	Cols.	ESTIMATED POPULATION in the Middle of 1904.	BIRTHS.		DEATHS.		The DEATHS registered in the Year include										TOWNS.*			
			1.	2.	3.	DEATHS OF		DEATHS FROM								Uncertified Causes of Death.				
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.			Violence.	Inquest Cases.	Deaths in Public Institutions.
142 Towns	4,693,955	129,665	73,408	19,947	21,471	9585	127	1717	625	761	1649	493	4213	2381	4217	8110	1263	142 Towns.	
SURREY.																				SURREY.
Aldershot (Shampton Ad.)	..	32,809	96	75	31	—	—	—	3	—	—	5	8	—	15	24	41	5	Aldershot (Shampton Ad.)	
Kingston on Thames	..	36,851	138	182	53	—	—	—	—	2	—	6	13	12	14	43	102	—	Kingston on Thames.	
Penge (Kent Admin.)	..	23,206	62	124	34	—	—	—	2	—	—	6	13	12	6	19	56	—	Penge (Kent Admin.)	
Reigate	..	27,153	297	49	30	—	—	—	3	—	—	1	14	11	11	19	42	—	Reigate.	
Richmond	..	33,320	93	131	51	—	—	—	14	—	—	3	12	22	32	56	32	—	Richmond.	
Wimbledon	..	46,936	163	163	95	—	—	—	23	—	—	14	4	48	17	42	66	—	Wimbledon.	
KENT.																				KENT.
Beckenham	..	28,177	85	105	27	—	—	—	2	1	4	7	1	12	11	20	41	—	Beckenham.	
Bromley	..	28,332	91	114	39	—	—	—	3	1	—	11	2	22	8	24	66	—	Bromley.	
Canterbury	..	35,564	105	158	47	—	—	—	10	—	—	5	2	25	19	54	84	—	Canterbury.	
Chatham	..	38,916	209	163	71	—	—	—	—	—	—	2	7	49	29	132	131	—	Chatham.	
Dover	..	45,585	1110	580	126	—	—	—	—	—	—	8	4	24	33	33	112	—	Dover.	
Erith	..	29,235	350	124	87	—	—	—	1	1	—	12	4	36	22	32	31	—	Erith.	
Folkestone	..	32,930	113	152	63	—	—	—	—	1	2	11	9	73	19	28	82	—	Folkestone.	
Gillingham	..	27,651	211	141	121	—	—	—	17	—	—	3	6	4	24	40	114	—	Gillingham.	
Gravesend	..	28,350	450	108	140	—	—	—	—	1	—	6	3	28	15	23	83	—	Gravesend.	
Maidstone	..	34,052	832	180	34	—	—	—	12	—	—	3	—	2	8	10	42	—	Maidstone.	
Margate	..	24,632	88	186	45	—	—	—	2	1	—	3	3	1	2	31	46	—	Margate.	
Ramsgate	..	28,785	99	168	37	—	—	—	2	5	—	6	6	2	17	31	72	—	Ramsgate.	
Rochester	..	32,073	123	152	77	—	—	—	17	—	—	3	8	43	12	25	72	—	Rochester.	
Tunbridge Wells	..	34,791	63	220	36	—	—	—	5	—	—	15	3	11	13	26	74	—	Tunbridge Wells.	
SUSSEX.																				SUSSEX.
Eastbourne	..	46,189	90	198	28	—	—	—	1	1	—	5	—	19	21	36	59	—	Eastbourne.	
Hove	..	33,305	86	224	49	—	—	—	6	—	—	—	3	36	30	30	53	—	Hove.	
Worthing	..	24,011	48	149	27	—	—	—	8	—	—	1	—	12	7	15	24	—	Worthing.	
HAMPSHIRE.																				HAMPSHIRE.
Gosport and Alverstoke	..	30,072	88	131	33	—	—	—	1	1	—	2	1	6	8	29	51	—	Gosport and Alverstoke.	
Winchester	..	21,104	47	123	14	—	—	—	—	—	—	3	2	—	—	13	65	—	Winchester.	
MIDDLESEX.																				MIDDLESEX.
Acton	..	42,256	210	162	120	—	—	—	15	1	—	11	3	88	19	31	58	—	Acton.	
Chiswick	..	32,146	113	135	54	—	—	—	37	6	—	8	1	24	12	25	60	—	Chiswick.	
Ealing	..	30,678	181	124	58	—	—	—	7	—	—	2	1	56	13	20	67	—	Ealing.	
Edmonton	..	35,138	268	136	108	—	—	—	29	2	—	8	8	141	16	101	77	—	Edmonton.	
Enfield	..	46,592	288	161	143	—	—	—	4	10	—	5	3	11	18	63	68	—	Enfield.	
Finchley	..	23,870	33	118	39	—	—	—	18	—	—	17	—	8	7	26	13	—	Finchley.	

TABLE 5 (continued).—One hundred and forty-two smaller Towns.—Population; Births and Deaths in the Year 1904.

The DEATHS registered in the Year include										TOWNS.*										
TOWNS.*	Cols.	ESTIMATED POPULATION in the Middle of 1904.	BIRTHS.	DEATHS.	DEATHS of		DEATHS from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Cols.	TOWNS.*	
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.						Violence.
MIDDLESEX—continued. Hendon .. Heston and Isleworth .. Twickenham .. Wood Green .. HERTFORDSHIRE. Watford .. OXFORDSHIRE. Oxford .. NORTHAMPTONSHIRE. Kettering .. Peterborough .. BEDFORDSHIRE. Bedford .. Luton .. CAMBRIDGESHIRE. Cambridge .. ESSEX. Barking Town .. Colchester .. Ilford .. Southend on Sea .. SUFFOLK. Lowestoft .. NORFOLK. King's Lynn .. WILTSHIRE. Swindon .. DEVONSHIRE. Exeter .. Torquay .. SOMERSETSHIRE. Bath .. Taunton 																			

* See note (c) to Table 1, page xxi.

TABLE 5 (continued).—One hundred and forty-two smaller Towns.—Population; Births and Deaths in the Year 1904.

TABLE 5 (continued).—One hundred and forty-two smaller towns.*																				
TOWNS.*	ESTIMATED POPULATION in the Middle of 1904.	BIRTHS.		DEATHS.		DEATHS from										Deaths in Public Institutions.			Uncertified Causes	TOWNS.*
		1.	2.	3.	DEATHS of										Deaths in Public Institutions.	Uncertified Causes				
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.			Violence.	Inquest Cases.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	Cols.		
GLoucestershire.																		GLoucestershire.		
Cheltenham ..	50,327	981	726	129	354	32	—	—	—	—	—	—	—	—	51	145	9	Cheltenham.		
Gloucester ..	50,251	1352	743	173	234	104	—	—	—	—	—	—	—	—	33	126	18	Gloucester.		
HEREFORDSHIRE.																		HEREFORDSHIRE.		
Hereford ..	21,892	491	338	59	141	26	—	1	4	7	8	2	4	13	24	71	7	Hereford.		
SHROPSHIRE.																		SHROPSHIRE.		
Shrewsbury ..	28,937	753	485	124	173	48	—	16	1	—	16	3	12	5	11	74	14	Shrewsbury.		
STAFFORDSHIRE.																		STAFFORDSHIRE.		
Bilston ..	21,287	899	500	201	116	93	—	16	11	1	10	—	55	10	27	41	2	Bilston.		
Burslem ..	14,800	1480	865	300	149	148	—	21	23	13	25	12	54	19	36	65	32	Burslem.		
Cannock ..	25,175	1380	370	128	102	47	3	—	—	4	11	—	16	17	28	33	17	Cannock.		
Coseley ..	22,333	737	352	124	71	35	—	7	7	4	12	4	16	18	22	11	5	Coseley.		
Dudley (Worce. Admin.) ..	49,893	1795	994	243	243	135	—	—	7	4	61	6	53	37	43	101	22	Dudley (Worce. Admin.)		
Fenton ..	24,754	925	412	176	81	92	—	—	7	2	2	3	73	17	23	21	11	Fenton.		
Longton ..	26,301	1353	756	237	150	110	—	—	1	11	16	5	73	24	40	87	19	Longton.		
Oldbury (Worce. Admin.) ..	26,071	955	522	194	112	109	—	20	12	2	27	2	73	14	23	29	14	Oldbury (Worce. Admin.)		
Rowley Regis ..	38,027	1317	617	217	136	99	—	24	12	3	28	2	25	11	17	15	15	Rowley Regis.		
Stafford ..	21,154	605	389	144	122	31	—	8	1	2	1	5	16	17	22	67	7	Stafford.		
Stoke upon Trent ..	32,695	1145	519	158	128	75	—	—	9	20	3	5	40	9	25	65	23	Stoke upon Trent.		
Tipton ..	31,025	1120	568	185	144	97	—	—	9	32	1	45	9	19	26	23	15	Tipton.		
Thornhill ..	27,068	948	646	235	126	57	1	7	15	8	14	8	10	8	29	21	15	Thornhill.		
Walsall ..	27,018	937	530	163	119	148	—	62	5	22	8	4	43	14	17	22	11	Walsall.		
Wednesbury ..	23,557	881	403	108	99	71	—	41	6	6	5	1	12	9	21	15	8	Wednesbury.		
Wolsanton United ..																		Wolsanton United.		
WORCESTERSHIRE.																		WORCESTERSHIRE.		
Kidderminster ..	24,641	627	430	95	162	30	—	—	9	4	4	1	12	14	17	86	10	Kidderminster.		
Worcester ..	47,960	1266	785	182	275	34	—	12	—	1	5	—	16	36	61	130	9	Worcester.		
WARWICKSHIRE.																		WARWICKSHIRE.		
Nuneaton and Chilvers ..	28,223	1022	407	148	110	56	—	2	4	9	5	3	33	13	17	31	3	Nuneaton and Chilvers.		
Royal Leamington Spa ..	26,875	492	409	63	215	19	—	1	1	1	2	1	13	7	15	61	7	Royal Leamington Spa.		
LEICESTERSHIRE.																		LEICESTERSHIRE.		
Loughborough ..	22,645	591	332	82	109	33	—	1	6	4	6	1	15	11	20	29	5	Loughborough.		
LINCOLNSHIRE.																		LINCOLNSHIRE.		
Lincoln ..	51,291	1277	817	208	267	92	—	—	10	32	16	3	31	19	34	98	10	Lincoln.		

* See note (e) to Table 1, page xxi.

TABLE 5 (continued).—One hundred and forty-two smaller Towns.—Population; Births and Deaths in the Year 1904.

TOWNS.*		ESTIMATED POPULATION in the Middle of 1904.	BIRTHS.	DEATHS.	The DEATHS registered in the Year include													Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.*
					DEATHS from															
					DEATHS of		Principal Diseases.													
		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.								
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	Cols.		
NOTTINGHAMSHIRE.																		NOTTINGHAMSHIRE.		
Ilkeston (Derby Adm.)	..	1089	492	196	101	81	1	6	6	5	25	6	34	20	28	22	24	Ilkeston (Derby Ad.).		
Mansfield	..	934	336	103	89	43	—	—	1	7	8	3	24	8	12	29	1	Mansfield.		
DERBYSHIRE.																		DERBYSHIRE.		
Chesterfield	..	928	488	160	127	106	—	2	12	10	7	8	67	15	16	81	26	Chesterfield.		
Glossop	..	439	346	73	120	43	—	9	4	3	10	3	14	6	8	38	3	Glossop.		
CHESHIRE.																		CHESHIRE.		
Chester	..	1051	635	131	218	56	—	14	5	9	8	2	18	20	38	128	9	Chester.		
Crewe	..	1436	670	220	161	72	—	11	11	12	12	1	34	24	42	27	3	Crewe.		
Hyde	..	801	585	167	158	79	1	17	—	12	11	14	24	13	36	24	—	Hyde.		
Macclesfield	..	780	712	136	281	77	4	34	1	1	12	4	21	21	58	135	5	Macclesfield.		
LANCASHIRE.																		LANCASHIRE.		
Accrington	..	1003	700	149	195	69	—	24	6	2	16	7	14	15	26	51	8	Accrington.		
Ashton under Lyne	..	1204	765	207	197	85	9	10	9	11	10	5	31	13	53	108	17	Ashton under Lyne.		
Bacup	..	570	394	72	112	74	—	3	1	12	24	3	6	14	16	21	37	Bacup.		
Blackpool	..	1771	798	198	216	75	2	9	4	15	3	5	39	36	47	93	17	Blackpool.		
Chadderton	..	674	450	132	75	52	—	29	4	3	8	3	6	16	26	34	13	Chadderton.		
Chorley	..	828	458	132	122	77	2	7	5	4	3	3	5	16	20	39	8	Chorley.		
Colne	..	566	369	102	187	52	—	23	7	3	3	3	1	14	17	42	6	Colne.		
Darwen	..	820	610	122	164	118	1	30	23	3	32	9	17	34	39	43	11	Darwen.		
Eccles	..	558	558	151	156	58	—	4	4	5	8	6	15	12	23	52	0	Eccles.		
Farnworth	..	1008	538	151	168	58	—	11	5	10	20	6	43	16	22	35	10	Farnworth.		
Gorton	..	715	522	190	116	115	—	2	6	5	10	5	13	21	24	26	12	Gorton.		
Heywood	..	583	509	152	132	86	1	9	5	6	19	6	34	24	25	20	7	Heywood.		
Ince in Makerfield	..	826	476	181	85	84	—	25	6	2	35	10	12	21	24	32	18	Ince in Makerfield.		
Leigh	..	1074	589	277	163	85	—	18	3	19	8	5	96	33	47	63	28	Leigh.		
Lancaster	..	43,079	782	400	111	117	—	13	3	3	15	1	66	33	33	17	17	Lancaster.		
Middleton	..	593	400	111	117	63	—	7	1	1	1	1	8	8	15	22	6	Middleton.		
Moss Side	..	598	318	150	116	51	—	1	3	3	17	1	6	9	19	22	7	Moss Side.		
Nelson	..	710	449	114	116	23	—	23	3	4	14	4	71	20	24	28	16	Nelson.		
Pemberton	..	816	501	186	90	112	—	15	3	3	13	5	26	25	23	21	10	Pemberton.		
Radcliffe	..	580	491	120	124	61	—	19	3	4	14	6	23	14	26	22	10	Radcliffe.		
Rawtenstall	..	712	491	102	159	61	—	39	3	5	7	4	8	22	23	73	13	Rawtenstall.		
Southport	..	881	741	118	318	105	—	9	10	2	5	7	3	29	29	37	2	Southport.		
Stalybridge (Chester Ad.)	..	686	529	141	155	105	4	50	3	6	—	6	12	16	28	37	2	Stalybridge (Chester Ad.)		
Stretford	..	740	443	85	137	142	—	39	4	12	21	2	15	12	20	23	8	Stretford.		
Swinton and Pendlebury	..	889	584	203	111	146	—	40	3	4	10	9	41	16	26	38	8	Swinton & Pendlebury.		
Waterloo with Seaforth	..	612	338	88	97	152	—	14	1	4	17	3	17	18	13	23	8	Waterloo with Seaforth.		
Widnes	..	1013	565	173	104	78	—	14	1	13	7	9	29	19	22	70	15	Widnes.		
Withington	..	829	410	77	159	20	—	1	3	3	8	3	10	13	16	37	13	Withington.		

* See note (c) to Table I, page xxi.

The DEATHS registered in the Year include

TOWNS.*	ESTIMATED POPULATION in the Middle of 1904.	BIRTHS.	DEATHS.	DEATHS from													Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.*
				DEATHS of		Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.				
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.														
																4.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	Cols.	
YORKSHIRE (WEST RIDING).																			
Barnsley ..	43,039	1506	886	276	177	191	5	23	10	9	28	19	87	49	84	115	—	YORKSHIRE (W. RIDING).	
Batley ..	30,424	821	686	195	163	186	7	33	14	11	19	22	80	21	43	66	1	Batley.	
Brighouse ..	22,141	477	314	54	104	126	1	1	3	12	5	2	2	11	16	6	6	Brighouse.	
Dewsbury ..	27,553	671	571	112	173	109	57	8	4	12	2	2	25	24	44	136	11	Dewsbury.	
Doncaster ..	29,987	739	483	121	167	149	14	1	1	12	1	2	26	15	26	68	—	Doncaster.	
Harrrogate ..	32,444	736	420	94	149	32	1	1	6	9	2	—	10	13	19	36	29	Harrrogate.	
Keighley ..	43,810	1018	759	152	214	128	1	1	5	2	8	2	15	17	20	103	—	Keighley.	
Morley ..	24,536	682	407	98	114	67	1	1	4	2	3	5	8	8	23	17	3	Morley.	
Shipley ..	26,353	593	401	71	139	44	1	1	1	2	10	5	9	14	22	30	4	Shipley.	
Todmorden ..	25,793	500	380	49	155	41	2	4	11	8	13	4	1	12	18	30	—	Todmorden.	
Wakefield ..	42,365	1109	738	189	209	87	—	21	2	1	16	3	42	32	76	137	—	Wakefield.	
YORKSHIRE (NORTH RIDING).																			
Scarborough ..	39,692	901	587	120	262	36	—	6	2	—	2	1	25	18	51	65	1	YORKSHIRE (N. RIDING).	
DURHAM.																		DURHAM.	
Darlington ..	46,732	1453	804	199	294	86	—	8	1	14	28	6	29	15	27	92	29	Darlington.	
Felling ..	24,149	941	474	147	83	46	15	4	1	3	13	3	7	21	24	26	14	Felling.	
Hartlepool ..	23,251	751	363	97	67	43	3	2	9	2	18	3	11	14	16	36	21	Hartlepool.	
Hebburn ..	22,344	771	385	119	78	57	3	15	1	4	13	3	1	18	14	23	21	Hebburn.	
Jarrow ..	34,589	1096	647	168	133	105	2	58	—	4	17	4	20	36	29	63	27	Jarrow.	
NORTHUMBERLAND.																			
Wallsend ..	24,122	914	355	138	62	61	2	2	—	5	33	3	16	13	21	13	10	NORTHUMBERLAND.	
CUMBERLAND.																		CUMBERLAND.	
Carlisle ..	47,656	1281	900	197	293	49	—	7	2	12	20	2	6	29	49	133	27	Carlisle.	
Workington ..	26,522	886	439	139	91	49	—	—	—	16	27	3	3	11	13	23	24	Workington.	
MONMOUTHSHIRE.																			
Abertillery ..	25,620	1103	449	196	59	60	—	1	7	4	6	3	39	15	20	6	5	Abertillery.	
Ebbw Vale ..	22,250	936	424	130	84	39	—	3	14	6	9	5	2	23	30	20	6	Ebbw Vale.	
GLAMORGANSHIRE.																			
Aberdare ..	45,089	1526	1021	395	196	166	—	35	37	13	41	5	55	51	61	30	1	Aberdare.	
Barry ..	31,583	850	355	117	62	17	—	—	1	3	13	—	9	29	47	30	1	Barry.	
Mountain Ash ..	35,499	1466	623	283	96	64	—	3	6	3	13	2	31	24	42	13	5	Mountain Ash.	
Pontypridd ..	34,863	1353	584	219	116	76	—	10	4	8	16	1	37	18	42	42	—	Pontypridd.	
CARMARTHENSHIRE.																			
Llanelli ..	26,233	844	456	140	112	78	—	22	18	4	14	3	17	19	30	27	11	Llanelli.	

* See note (e) to Table 1, page xxi.

TABLE 6.—*One hundred and forty-two smaller Towns.—Birth-rates, Death-rates, and Analysis of Mortality in 1904.*

TOWNS.*	ANNUAL RATE PER 1000 PERSONS LIVING.											DEATHS under 1 Year to 1000 Births.	ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE to Total Deaths.			TOWNS.*
	DEATHS from												Aged 1 Years.	Aged 60 Years and upwards.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	13.	14.	15.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	
142 Towns	27.5	15.6	2.03	0.03	0.36	0.13	0.16	0.35	0.10	0.90	0.51	154	7.5	70.0	5.7	11.0	1.7	
SURREY.																		
Aldershot (Shamptn Ad.)	29.7	9.6	0.94	—	0.09	—	0.15	0.24	—	0.46	0.43	98	4.7	75.5	7.6	12.9	1.6	
Kingston on Thames	25.2	13.3	1.44	—	—	0.05	0.11	0.14	—	1.14	0.49	148	5.2	62.4	8.7	20.7	—	
Penge (Kent Admin.)	20.9	13.4	1.47	—	0.09	—	0.26	0.56	0.04	0.52	0.26	128	6.0	62.3	5.8	17.9	—	
Reigate	20.5	10.9	1.10	—	0.11	—	0.04	0.51	0.04	0.40	0.40	88	4.4	60.4	7.4	13.1	0.3	
Richmond	19.7	12.1	1.53	—	0.42	—	0.09	0.36	—	0.68	0.36	141	6.0	45.6	7.9	13.9	0.2	
Wimbledon	24.3	11.2	2.02	—	0.49	—	0.13	0.30	0.08	1.02	0.36	143	4.6	57.4	8.0	12.6	—	
KENT.																		
Beckenham	23.5	10.8	0.96	—	0.07	0.04	0.14	0.25	0.04	0.42	0.39	128	4.5	57.1	6.5	13.4	—	
Bromley	23.2	10.7	1.32	—	0.10	0.03	—	0.37	0.07	0.76	0.27	133	4.1	57.1	7.6	21.0	0.3	
Canterbury	22.4	15.1	1.84	—	0.26	0.03	0.05	0.66	—	0.98	0.74	183	5.5	65.9	13.9	21.7	0.3	
Chartham	30.0	16.1	1.83	—	0.02	0.02	0.18	0.15	0.02	1.26	0.51	178	7.6	55.6	4.6	21.0	2.4	
Dover	24.3	12.7	0.83	—	0.02	0.03	0.14	0.41	0.14	1.23	0.53	114	5.7	63.6	5.7	19.3	5.0	
Erith	31.2	11.9	1.98	—	0.03	0.03	0.06	0.33	0.03	1.43	0.75	135	5.2	60.8	9.1	8.9	1.1	
Folkestone	21.2	13.0	1.90	—	0.36	0.04	0.15	0.27	0.19	1.53	0.55	161	5.5	61.1	6.5	19.1	4.0	
Gillingham	28.9	13.2	2.54	—	0.06	0.04	0.39	0.21	0.14	1.02	0.84	148	6.9	63.6	8.9	14.6	3.7	
Gravesend	25.8	15.8	1.80	—	0.06	0.04	0.09	0.09	—	0.76	0.44	113	6.3	58.3	8.9	25.3	0.2	
Maldstone	24.4	14.2	1.00	—	0.07	0.17	—	0.12	0.04	1.13	0.32	153	6.5	45.1	3.3	13.9	3.6	
Margate	18.7	12.3	1.82	—	0.07	0.04	0.21	0.21	0.07	0.55	0.59	153	6.8	63.6	7.0	10.4	2.9	
Ramsgate	22.5	15.3	1.28	—	0.53	0.06	0.12	0.09	0.25	1.34	0.37	142	7.3	64.8	5.1	14.8	3.1	
Rochester	27.0	15.1	2.39	—	0.14	—	0.06	0.43	0.09	0.32	0.37	98	5.3	64.2	5.8	16.6	1.3	
Tunbridge Wells	18.5	12.8	1.04	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
SUSSEX.																		
Eastbourne	20.8	10.2	0.60	—	0.02	0.02	0.04	0.11	—	0.41	0.45	93	4.4	58.3	7.6	12.5	1.1	
Hove	17.3	12.8	1.25	—	0.15	0.03	0.08	—	0.08	0.91	0.56	130	5.4	60.1	6.0	10.5	0.4	
Worthing	19.1	13.9	1.12	—	0.33	—	0.25	0.04	—	0.50	0.29	105	6.5	59.2	4.5	7.2	0.9	
HAMPSHIRE.																		
Gosport and Alverstoke	27.2	13.5	1.10	—	0.03	0.07	0.10	0.07	0.23	0.60	0.70	107	6.9	65.3	7.1	12.5	1.2	
Winchester	22.0	13.1	0.66	—	0.05	0.05	0.14	0.09	0.05	0.28	0.38	101	5.7	64.9	4.7	23.5	1.1	
MIDDLESEX.																		
Acton	31.5	14.6	2.83	—	0.35	0.02	0.05	0.26	0.07	2.08	0.45	143	6.4	63.7	5.0	0.4	0.5	
Chiswick	27.3	14.6	2.56	—	1.14	0.18	0.22	0.25	0.03	0.74	0.37	127	8.0	60.7	5.3	12.6	0.6	
Ealing	28.5	13.9	2.05	—	0.19	0.11	0.11	0.06	0.03	1.55	0.36	119	5.7	67.4	4.0	12.7	0.4	
Edmonton	34.9	14.1	3.66	—	0.54	0.04	0.18	0.15	0.15	2.60	0.30	151	7.0	41.4	13.2	10.1	0.1	
Enfield	31.4	13.8	3.06	—	0.69	0.02	0.09	0.36	0.06	2.44	0.32	156	5.9	59.3	8.2	10.6	0.2	
Finchley	26.5	14.1	1.62	—	0.75	0.02	0.12	0.42	—	0.33	0.29	146	5.8	77.5	7.7	3.8	—	

* See note (e) to Table 1, page xxi.

TABLE 6 (continued).—One hundred and forty-two smaller towns.—Birth-rates, Death-rates, and Analysis of Mortality in 1904.

TOWNS.*	ANNUAL RATE PER 1000 PERSONS LIVING.											DEATHS under 1 Year to 1000 Births.	ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE to Total Deaths.			TOWNS.*
	DEATHS from												Aged 1 Years and upwards.	Aged 60 Years and upwards.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.	
	BIRTHS.	DEATHS.	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.							
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	Cols.
MIDDLESEX—continued.																		MIDDLESEX—continued.
Hendon	27.5	12.3	1.57	—	0.20	0.12	—	0.40	—	0.85	0.61	141	5.5	49.8	6.9	7.9	—	Hendon.
Heston and Isleworth ..	32.5	18.5	1.75	—	0.25	0.03	0.09	0.12	0.09	1.17	0.67	161	8.3	66.1	6.1	20.9	0.3	Heston and Isleworth.
Twickenham	31.8	15.0	2.15	—	0.09	0.04	0.03	0.07	0.04	1.32	0.26	151	5.8	69.5	4.7	10.6	0.6	Twickenham.
Wood Green	30.8	13.0	2.26	—	0.48	0.05	0.43	0.59	0.03	1.08	0.40	126	5.9	69.3	8.1	10.1	—	Wood Green.
HERTFORDSHIRE.																		HERTFORDSHIRE.
Watford	27.3	11.3	1.37	—	0.30	0.12	0.03	0.24	0.06	0.62	0.57	100	5.6	53.6	8.7	15.0	—	Watford.
OXFORDSHIRE.																		OXFORDSHIRE.
Oxford	21.7	12.6	0.77	—	0.12	0.08	—	0.06	—	0.51	0.33	115	5.4	61.5	3.9	16.4	0.5	Oxford.
NORTHAMPTONSHIRE.																		NORTHAMPTONSHIRE.
Kettering	26.3	10.8	1.35	—	0.28	0.06	0.19	0.16	0.06	0.60	0.28	119	5.6	53.3	4.4	11.3	1.5	Kettering.
Peterborough	22.5	13.6	0.97	—	0.03	0.03	0.03	0.03	—	0.85	0.55	124	6.5	64.2	4.5	17.9	3.4	Peterborough.
BEDFORDSHIRE.																		BEDFORDSHIRE.
Bedford	19.2	12.1	1.36	—	0.40	—	0.03	0.45	—	0.48	0.24	122	5.5	65.9	4.2	10.9	2.1	Bedford.
Luton	26.8	12.3	1.25	—	0.05	—	0.03	—	0.03	1.14	0.13	126	5.0	59.2	4.0	10.9	1.7	Luton.
CAMBRIDGESHIRE.																		CAMBRIDGESHIRE.
Cambridge	21.0	15.3	1.31	—	0.31	—	0.26	—	—	0.74	0.74	138	6.4	77.4	7.2	23.1	0.2	Cambridge.
ESSEX.																		ESSEX.
Barking Town	37.3	15.8	3.80	—	0.87	0.12	0.37	0.75	0.17	1.62	0.71	145	8.4	63.8	9.0	9.0	—	Barking Town.
Colchester	25.1	15.7	2.89	—	0.55	0.15	0.13	0.10	0.10	1.81	0.33	174	6.9	66.6	4.2	14.4	1.1	Colchester.
Ilford	30.1	11.2	2.26	—	0.53	0.10	0.19	0.14	0.08	1.40	0.28	134	4.9	63.3	6.3	16.3	0.5	Ilford.
Southend on Sea	23.6	18.0	1.81	—	0.06	—	0.06	0.12	0.06	1.61	0.76	179	8.0	80.4	5.5	7.5	5.2	Southend on Sea.
SUFFOLK.																		SUFFOLK.
Lowestoft	30.0	14.7	2.82	—	1.24	0.03	0.28	0.65	0.03	0.59	0.72	143	6.8	59.1	8.7	14.6	1.3	Lowestoft.
NORFOLK.																		NORFOLK.
King's Lynn	26.8	15.0	3.19	—	0.57	0.33	0.10	0.57	0.29	1.33	0.52	126	7.2	58.5	4.1	14.0	1.0	King's Lynn.
WILTSHIRE.																		WILTSHIRE.
Swindon	29.4	12.8	1.40	—	0.57	0.10	0.35	0.14	0.02	0.22	0.24	105	6.7	75.1	3.5	9.7	0.2	Swindon.
DEVONSHIRE.																		DEVONSHIRE.
Exeter	23.2	17.0	1.54	—	—	0.04	0.13	0.52	0.08	0.77	0.33	165	6.5	76.3	8.0	16.7	1.1	Exeter.
Torquay	15.6	14.5	0.45	—	0.03	—	0.03	0.06	0.09	0.24	0.36	124	6.4	58.0	5.5	11.3	1.2	Torquay.
SOMERSETSHIRE.																		SOMERSETSHIRE.
Bath	20.9	15.4	0.76	—	0.06	—	0.20	0.30	0.02	0.18	0.42	110	6.6	62.2	7.1	19.8	0.7	Bath.
Taunton	23.5	13.7	0.37	—	—	—	0.05	—	0.09	0.23	0.50	95	5.4	74.5	8.4	18.4	1.7	Taunton.

* See Note (*) to Table 1, page xxi.

TABLE 6 (continued).—One hundred and forty-two smaller Towns.—Birth-rates, Death-rates, and Analysis of Mortality in 1902.

TOWNS.*	ANNUAL RATE PER 1000 PERSONS LIVING.											DEATHS under Year to 1000 Births.	ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE to Total Deaths.			TOWNS.*
	DEATHS from												Aged to 60 Years.	Aged to 100 Years and upwards.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
	BIRTHS.	DEATHS.	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.							
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	Cols.
GLoucestershire.																		GLoucestershire.
Cheltenham ..	19.0	14.1	0.64	—	—	0.04	0.06	0.06	0.04	0.44	0.52	134	5.5	63.7	7.0	20.0	1.2	Cheltenham.
Gloucester ..	26.8	14.7	2.07	—	0.60	0.16	0.16	0.30	0.06	0.85	0.38	123	7.4	59.2	4.4	17.0	2.4	Gloucester.
Herefordshire.																		Herefordshire.
Hereford ..	22.5	15.5	1.19	—	0.05	0.18	0.32	0.37	0.09	0.18	0.59	120	7.1	67.9	7.1	21.0	2.1	Hereford.
Shropshire.																		Shropshire.
Shrewsbury ..	26.0	16.7	1.64	—	0.55	0.03	—	0.55	0.10	0.41	0.17	165	7.3	75.0	2.3	15.2	2.9	Shrewsbury.
Staffordshire.																		Staffordshire.
Bilston ..	36.9	20.5	3.82	—	0.66	0.45	0.04	0.41	—	2.26	0.41	224	8.3	76.0	5.4	8.2	0.4	Bilston.
Burslem ..	35.9	21.0	3.60	—	0.51	0.56	0.32	0.61	0.29	1.31	0.46	203	10.0	73.5	4.2	7.5	3.7	Burslem.
Cannock ..	36.9	14.7	1.39	0.12	—	0.04	0.16	0.44	—	0.63	0.67	138	6.1	67.5	8.0	8.9	4.6	Cannock.
Coseley ..	32.8	15.7	2.08	—	0.31	0.31	0.04	0.53	0.18	0.71	0.80	168	7.7	46.2	4.3	9.1	1.4	Coseley.
Dudley (Worcs. Admn.) ..	35.9	19.9	2.70	—	0.16	0.06	0.08	1.22	0.12	1.06	0.74	182	9.4	74.0	4.3	10.2	2.2	Dudley (Worcs. Admn.)
Fenton ..	37.4	16.7	3.71	—	0.28	0.28	0.28	0.08	0.12	2.00	0.69	190	8.8	73.5	5.6	5.1	2.7	Fenton.
Longton ..	37.1	20.7	3.02	—	0.77	—	0.03	0.30	0.44	2.03	0.66	197	10.1	84.2	4.3	11.5	2.5	Longton.
Oldbury (Worc. Admn.) ..	36.5	20.0	4.18	—	0.80	0.33	0.08	0.78	0.06	2.03	0.54	203	9.1	75.2	4.3	5.6	2.4	Oldbury (Worc. Admn.)
Rowley Regis ..	38.5	17.1	2.74	—	0.38	0.05	0.09	0.05	0.14	0.75	0.28	165	8.0	66.6	2.8	2.4	2.7	Rowley Regis.
Stafford ..	28.5	18.3	1.46	—	0.38	0.28	0.61	0.03	0.15	1.22	0.28	138	7.8	62.7	4.8	17.2	1.7	Stafford.
Stoke upon Trent ..	35.0	15.9	2.29	—	—	0.23	0.10	1.03	0.29	1.45	0.29	165	8.5	74.5	3.3	12.3	4.0	Stoke upon Trent.
Tipton ..	38.0	18.3	3.13	—	0.23	0.03	1.03	0.29	0.19	1.39	0.31	238	12.0	96.0	4.5	3.3	2.3	Tipton.
Tunstall ..	38.2	25.0	2.20	0.04	0.58	0.19	0.27	0.54	0.30	0.39	0.31	238	12.0	96.0	3.5	3.3	2.3	Tunstall.
Wedgebury ..	34.6	19.6	5.47	—	2.23	0.18	0.81	0.30	0.30	1.59	0.52	174	10.1	68.9	3.2	4.2	2.1	Wedgebury.
Wolstanton United ..	36.4	17.1	2.99	—	1.73	0.25	0.25	0.21	0.04	0.51	0.38	125	9.1	76.7	5.2	3.7	2.0	Wolstanton United.
Worcestershire.																		Worcestershire.
Kidderminster ..	25.4	17.4	1.21	—	—	0.36	0.16	0.16	0.04	0.49	0.57	152	7.8	78.9	4.0	20.0	2.3	Kidderminster.
Worcester ..	26.3	16.3	0.70	—	0.25	—	0.02	0.10	—	0.33	0.75	144	7.7	64.2	7.8	16.6	1.1	Worcester.
Warwickshire.																		Warwickshire.
Nuneaton and Chilvers Coton ..	36.1	14.4	1.99	—	0.07	0.14	0.32	0.18	0.11	1.17	0.46	145	5.8	71.4	4.2	7.6	0.7	Nuneaton and Chilvers Coton.
Royal Leamington Spa ..	18.3	15.2	0.71	—	0.04	0.04	0.04	0.07	0.04	0.48	0.26	128	5.6	67.0	3.7	14.9	1.7	Royal Leamington Spa.
Leicestershire.																		Leicestershire.
Loughborough ..	28.0	14.6	1.44	—	0.04	0.23	0.18	0.26	0.04	0.66	0.48	139	6.8	72.2	6.0	8.7	1.5	Loughborough.
Lincolnshire.																		Lincolnshire.
Lincoln ..	24.8	15.9	1.78	—	—	0.19	0.62	0.31	0.06	0.60	0.37	163	7.4	69.7	4.2	12.0	1.2	Lincoln.

* See note (*) to Table 1, page xxi.

TABLE 6 (continued).—One hundred and forty-two smaller Towns.—Birth-rates, Death-rates, and Analysis of Mortality in 1904.

TOWNS.*	ANNUAL RATE PER 1000 PERSONS LIVING.											DEATHS under Year to 1000 Births.	ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE to Total Deaths.			TOWNS.*				
	COLS.	1.	2.	3.	DEATHS from								13.	14.	15.	16.	17.					
					BIRTHS.	DEATHS.	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.								Whooping-cough.	Fever.	Diarrhoea.	Violence.
YORKSHIRE (W. RIDING).																						
Barnsley	34.9	19.4	4.43	0.12	0.53	0.23	0.21	0.65	0.44	2.25	1.14	183	9.7	73.5	10.0	13.8	—	YORKSHIRE (W. RIDING).			
Batley	26.5	22.4	5.99	0.23	1.06	0.45	0.35	0.61	0.71	2.58	0.68	288	11.9	87.1	6.2	8.0	0.1	Batley.			
Brighouse	21.5	11.1	0.56	—	0.05	0.14	0.05	0.23	—	0.09	0.50	113	7.6	80.0	5.1	3.8	1.9	Brighouse.			
Dewsbury	24.3	20.7	3.93	2.06	0.29	0.17	0.43	0.07	0.13	0.90	0.86	164	7.1	82.8	7.7	23.6	—	Dewsbury.			
Honley	24.6	16.1	1.63	—	0.07	0.03	0.07	0.07	0.13	0.31	0.50	164	6.0	80.4	5.4	14.1	2.3	Honley.			
Harrogate	23.2	12.9	0.98	—	0.43	0.15	0.06	0.43	—	0.31	0.39	149	8.6	83.6	4.5	13.6	—	Harrogate.			
Keighley	23.2	17.3	2.91	0.02	1.46	0.11	0.20	0.73	0.49	1.10	0.34	144	9.7	81.2	2.6	4.2	3.8	Keighley.			
Morley	27.7	16.5	2.73	0.04	0.53	0.16	0.08	0.38	0.19	0.34	0.33	120	8.3	82.3	5.5	5.7	—	Morley.			
Shipley	22.4	15.2	1.67	0.04	0.57	0.04	0.11	0.38	0.19	0.34	0.46	98	6.6	72.8	5.0	8.3	0.7	Shipley.			
Todmorden	19.3	13.9	1.58	—	0.15	0.43	0.31	0.50	0.15	0.04	0.46	98	6.6	80.9	5.0	8.3	1.1	Todmorden.			
Wakefield	26.1	17.4	2.05	0.05	0.49	0.05	0.02	0.38	0.07	0.99	0.75	170	8.8	74.0	10.3	18.6	—	Wakefield.			
YORKSHIRE (N. RIDING).																						
Scarborough	22.6	14.8	0.91	—	0.15	0.05	—	0.05	0.63	0.63	0.45	133	5.8	66.3	8.7	11.1	0.2	Scarborough.			
DURHAM.																						
Darlington	31.0	17.2	1.84	—	0.17	0.02	0.30	0.60	0.13	0.62	0.32	137	8.7	71.6	3.4	11.4	3.6	Darlington.			
Felling	38.9	19.6	1.90	0.62	0.17	0.04	0.12	0.54	0.12	0.29	0.87	156	11.0	66.6	5.1	5.3	3.0	Felling.			
Hartlepool	32.2	15.6	1.85	—	0.09	0.39	0.09	0.77	0.04	0.47	0.60	129	9.3	57.6	6.1	9.9	0.6	Hartlepool.			
Hebburn	34.4	17.6	2.53	0.13	0.67	0.04	0.18	0.58	0.13	0.80	0.62	154	9.6	81.4	4.1	5.8	—	Hebburn.			
Jarrow	31.6	18.7	3.04	0.06	1.67	—	0.12	0.49	0.12	0.58	0.75	153	10.8	77.9	4.5	9.7	4.2	Jarrow.			
NORTHUMBERLAND.																						
Wallsend	37.9	14.7	2.62	0.08	0.08	—	0.21	1.37	0.12	0.66	0.54	151	6.9	61.4	5.9	3.7	2.8	Wallsend.			
CUMBERLAND.																						
Carlisle	26.8	18.8	1.03	—	0.15	0.04	0.25	0.42	0.04	0.13	0.61	154	10.1	81.2	5.4	11.8	4.1	Carlisle.			
Workington	33.7	16.5	1.84	—	—	—	0.60	1.02	0.11	0.11	0.41	155	8.5	73.3	3.0	5.2	5.5	Workington.			
MONMOUTHSHIRE.																						
Abertillery	42.9	17.5	2.34	—	0.04	0.27	0.16	0.23	0.12	1.52	0.58	178	8.1	72.6	4.5	1.3	1.1	Abertillery.			
Ebbw Vale	42.0	19.0	1.71	—	0.13	0.63	0.27	0.40	0.22	0.19	1.03	139	10.3	70.8	7.1	4.7	1.4	Ebbw Vale.			
GLAMORGANSHIRE.																						
Aberdare	33.8	22.6	4.12	—	0.77	0.82	0.29	0.91	0.11	1.22	1.13	289	11.1	80.7	6.0	2.9	0.1	Aberdare.			
Barry	30.0	11.2	0.53	—	—	0.03	0.09	0.13	—	0.28	0.63	123	5.9	61.6	13.2	8.5	0.3	Barry.			
Mountain Ash	41.2	17.5	1.79	—	0.08	0.17	0.08	0.53	0.06	0.87	0.96	173	8.3	67.7	6.7	2.1	0.8	Mountain Ash.			
Pontypridd	38.7	17.1	2.48	—	0.29	0.11	0.23	0.46	0.03	1.06	0.51	162	8.1	75.6	7.0	7.0	—	Pontypridd.			
CARMARTHENSHIRE.																						
Llanelli	32.1	17.3	2.96	—	0.84	0.68	0.15	0.53	0.11	0.65	0.72	166	8.5	65.1	6.6	5.9	2.4	Llanelli.			

* See note (*) to Table 1, page xxi.

TABLE 7.—Number of Cases of Infectious Diseases Notified in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 31st December, 1904.*

CITIES, BOROUGHES, AND URBAN DISTRICTS.	Estimated Population in the middle of 1904.	Total Cases.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas	Puerperal Fever.
LONDON	4,648,950	28,292§	489	13439	7219	3	1896	29	1	4943	273
CROYDON	144,419	699	4	288	309	—	21	—	—	68	9
WILLESDEN	132,566	806	12	327	351	—	37	—	—	74	5
HORNSEY	81,221	358	—	196	101	—	16	—	—	40	5
TOTTENHAM	112,981	624	21	317	169	—	38	1	—	68	10
WEST HAM	288,424	1928	15	949	531	—	199	1	—	216	17
EAST HAM	116,902	1250	2	712	333	—	58	2	—	132	11
LEYTON	110,844	806	10	483	153	3	43	4	—	102	8
WALTHAMSTOW	111,282	983	51	530	192	—	56	—	—	144	10
HASTINGS	66,503	165	—	87	30	—	18	—	—	27	3
BRIGHTON	126,286	561	1	168	59	—	32	—	—	95	6
PORTSMOUTH†	198,038	1669	—	727	608	—	224	12	—	88	10
BOURNEMOUTH	64,945	184	—	71	70	—	10	—	—	28	5
SOUTHAMPTON	112,500	344	1	113	157	—	20	—	—	50	3
READING	76,373	202	—	38	93	—	39	—	—	29	3
NORTHAMPTON	91,146	2426	4	2213	47	—	31	—	—	127	4
IPSWICH	69,805	343	—	123	122	—	50	1	—	45	2
GREAT YARMOUTH	52,099	418	—	139	161	—	64	—	—	53	1
NORWICH	115,538	385	—	115	72	—	110	1	—	79	8
PLYMOUTH	114,003	973	—	683	68	—	76	—	—	139	7
DEVONPORT	75,334	556	4	374	58	—	51	—	—	68	1
BRISTOL	343,204	2781	34	1272	1051	—	148	—	—	249	27
HANLEY	63,932	796	7	350	313	—	32	3	—	79	12
BURTON-UPON-TRENT	51,934	230	12	106	46	—	8	—	—	54	4
WOLVERHAMPTON	98,194	697	12	486	80	—	45	—	—	68	6
WALSALL	91,432	514	1	329	59	—	33	—	—	87	5
HANDSWORTH (STAFFS.)	59,634	363	1	247	59	—	17	—	—	38	1
WEST BROMWICH	67,186	287	—	128	23	—	—	—	—	88	6
BIRMINGHAM	537,965	3207	8	1666	640	—	254	1	—	602	36
KINGS NORTON	66,667	431	3	347	30	—	13	—	—	34	4
SMETHWICK	60,691	305	1	205	38	—	22	—	—	37	2
ASTON MANOR	80,363	355	3	173	49	—	50	—	—	64	6
COVENTRY	73,904	406	4	222	78	—	25	1	—	77	9
LEICESTER	224,186	1253	297	554	99	—	60	—	—	229	14
GRIMSBY	66,958	426	19	107	139	—	116	—	—	40	5
NOTTINGHAM	248,811	2315	291	1170	543	—	243	—	—	17	1
DERBY	120,449	1219	209	650	147	—	57	1	—	139	16
STOCKPORT	97,008	901	155	587	40	—	36	1	—	71	11
BIRKENHEAD	114,814	953	42	624	112	1	101	6	—	52	15
WALLASEY	60,354	413	5	269	56	—	40	—	—	39	4
LIVERPOOL	723,430	5060	19	3001	1062	93	454	23	—	955	53
BOOTLE	61,755	374	—	267	46	—	24	1	—	36	—
ST. HELENS	88,545	749	33	411	169	—	64	—	—	69	3
WIGAN†	62,800	337	2	199	12	—	63	—	—	51	10
WARRINGTON	67,331	1242	45	1061	32	—	19	—	—	79	6
BOLTON	175,744	883	20	476	150	—	157	2	—	69	9
BURY	58,450	401	25	259	71	—	24	1	—	10	11
MANCHESTER†	557,938	3549	135	2182	554	—	365	1	—	275	37
SALFORD	228,983	1927	56	1046	421	4	203	7	—	169	21
OLDHAM	139,497	1204	243	630	156	—	76	—	—	75	19
ROCHDALE	85,601	562	3	411	55	—	22	—	—	60	11
BURNLEY	100,559	559	31	241	78	—	66	1	—	133	9
BLACKBURN	132,134	718	2	457	60	—	111	—	—	81	7
PRESTON	115,055	468	99	105	79	—	125	3	—	46	11
BARROW-IN-FURNESS	59,654	495	1	379	22	—	18	3	—	70	2
HUDDERSFIELD	94,925	679	39	483	60	—	63	—	—	26	8
HALIFAX	107,580	760	77	481	76	1	45	—	—	73	7
BRADFORD	288,098	2598	100	1237	846	—	191	1	—	204	19
LEEDS	450,142	2354	63	1294	363	16	264	3	—	325	26
SHEFFIELD	432,940	4128	43	2902	416	—	345	3	—	389	30

* The figures in this Table, excepting those for London, which are derived from Table 8, are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

† The figures for Southsea District of Portsmouth are—population (1901), 18,412; small-pox, nil; scarlet fever, 13; diphtheria (including membranous croup), 53; typhus, nil; enteric fever, 6; continued fever, nil; erysipelas, 2; and puerperal fever, nil.

‡ The number of cases notified for Portsmouth, Bristol, Wigan, and Manchester includes those for the areas as extended from the 9th November, 1904.

§ Excluding cases of chicken-pox.

13, 345, 534

TABLE 7 (continued).—Number of Cases of Infectious Diseases Notified in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 31st December, 1904.*

CITIES, BOROUGHES, AND URBAN DISTRICTS.	Estimated Population in the middle of 1904.	Total Cases.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
ROTHERHAM	58,498	348	2	166	73	—	43	—	—	58	4
YORK	81,268	867	15	636	63	—	101	—	—	48	4
HULL	253,865	1674	78	505	536	—	201	15	—	326	13
MIDDLESBROUGH	96,684	863	14	612	80	2	66	—	—	82	7
STOCKTON-ON-TEES	52,192	692	4	440	138	—	43	—	—	64	3
WEST HARTLEPOOL	69,251	566	9	359	157	—	13	—	—	28	—
SUNDERLAND	151,157	571	35	198	75	—	130	10	—	120	3
SOUTH SHIELDS	107,334	608	101	276	71	—	59	—	—	97	3
GATESHEAD	118,067	961	395	409	54	—	37	—	—	63	3
NEWCASTLE-ON-TYNE†	225,362	1773	355	914	247	—	52	3	—	217	5
TYNEMOUTH	53,060	342	98	134	15	—	14	—	—	80	1
NEWPORT (MON.)	71,543	412	—	254	92	—	16	1	—	45	4
CARDIFF	176,313	1245	11	659	406	—	43	2	—	111	13
RHONDDA	122,310	1234	—	445	214	5	472	3	—	73	22
MERTHYR TYDFIL	72,745	737	—	459	120	—	88	—	—	56	14
SWANSEA	95,931	808	1	508	216	2	51	1	—	26	3
SURREY.											
ALDERSHOT (SOUTHAMP- TON ADMIN.).	32,809	Council have not authorised publication of figures.									
KINGSTON-ON-THAMES ..	36,851	149	—	83	45	—	9	—	—	10	2
PENGE (KENT ADMIN.) ..	23,206	79	—	47	13	—	4	—	—	10	—
REIGATE	27,153	52	—	14	27	—	2	1	—	6	2
RICHMOND	33,320	112	—	65	21	—	4	—	—	20	—
WIMBLEDON	46,936	198	—	107	36	—	15	—	—	40	—
KENT.											
BECKENHAM	28,177	85	—	39	31	—	2	—	—	13	—
BROMLEY	29,332	70	—	29	11	—	9	—	—	20	1
CANTERBURY	25,564	78	—	14	38	—	9	—	—	16	—
CHATHAM	38,916	167	—	67	28	—	34	—	—	36	2
DOVER	45,585	166	—	65	60	—	15	—	—	25	1
ERITH	29,235	200	1	99	51	—	13	—	—	34	2
FOLKESTONE	32,930	98	—	47	26	—	8	—	—	15	2
GILLINGHAM	47,651	235	—	97	88	—	40	—	—	20	—
GRAVESEND	28,350	96	10	14	44	—	11	—	—	15	1
MAIDSTONE	34,052	87	—	34	37	—	6	—	—	8	2
MARGATE	24,632	157	—	89	43	—	11	—	—	13	1
RAMSGATE	28,785	234	—	150	63	—	10	—	—	10	1
ROCHESTER	32,073	175	—	56	43	1	38	—	—	35	2
TUNBRIDGE WELLS ..	34,791	105	—	68	12	—	4	—	—	19	2
SUSSEX.											
EASTBOURNE	46,189	137	—	64	38	—	8	—	—	23	4
HOVE	39,305	96	—	37	39	—	9	—	—	11	—
WORTHING	24,011	85	3	34	30	—	9	—	—	9	—
HAMPSHIRE.											
GOSPORT AND ALVERSTOKE	30,072	162	—	92	20	—	40	1	—	9	—
WINCHESTER	21,104	147	—	44	84	—	10	—	—	9	—
MIDDLESEX.											
ACTON	42,256	203	2	130	32	—	9	—	—	26	4
CHISWICK	32,446	208	—	106	37	—	19	—	—	43	—
EALING	36,069	247	—	192	15	—	5	—	—	33	—
EDMONTON	54,136	351	4	185	50	—	41	—	—	72	—
ENFIELD	46,502	244	1	140	64	—	16	—	—	28	—
FINCHLEY	28,970	258	—	157	56	—	3	—	—	30	—
HENDON	24,663	119	2	85	20	—	7	—	—	4	—
HESTON & ISLEWORTH ..	32,528	145	—	64	38	—	15	—	—	23	—
TWICKENHAM	22,665	150	—	103	30	—	7	—	—	8	—
WOOD GREEN	37,062	291	—	89	172	—	8	—	—	17	—

* See note * on preceding page.

† The number of cases notified for Newcastle-on-Tyne includes those for the area as extended from the 9th November, 1904.

29775706

TABLE 7 (continued).—Number of Cases of Infectious Diseases Notified in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 31st December, 1904.*

CITIES, BOROUGHES, AND URBAN DISTRICTS.	Estimated Population in the middle of 1904.	Total Cases.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
HERTFORDSHIRE.											
WATFORD	33,511	299	—	220	38	—	9	—	—	31	1
OXFORDSHIRE.											
OXFORD.. ..	50,639	435	2	384	21	—	5	—	—	22	1
NORTHAMPTONSHIRE.											
KETTERING	31,727	178	—	112	11	—	11	—	—	44	—
PETERBOROUGH	32,813	292	3	202	41	—	18	—	—	21	7
BEDFORDSHIRE.											
BEDFORD	37,558	89	—	57	15	—	2	—	—	14	1
LUTON	38,571	130	—	65	5	—	6	1	—	48	5
CAMBRIDGESHIRE.											
CAMBRIDGE	38,937	146	—	63	38	—	9	—	—	35	1
ESSEX.											
BARKING TOWN	23,963	285	—	94	147	—	18	—	—	23	3
COLCHESTER	39,719	373	1	255	59	—	17	—	—	38	3
ILFORD	51,225	515	11	223	180	—	29	3	—	55	4
SOUTHEND-ON-SEA	34,023	156	1	50	67	—	16	—	—	22	—
SUFFOLK.											
LOWESTOFT	32,049	104	—	26	45	—	19	—	—	13	1
NORFOLK.											
KINGS LYNN	20,970	249	—	172	19	—	47	—	—	11	—
WILTSHIRE.											
SWINDON	49,039	377	—	204	147	—	3	—	—	23	—
DEVONSHIRE.											
EXETER.. ..	47,773	171	—	88	56	—	29	—	—	15	3
TORQUAY	33,500	43	—	27	5	—	7	—	—	3	1
SOMERSETSHIRE.											
BATH	49,318	143	—	38	72	—	2	—	—	29	2
TAUNTON	21,836	287	—	255	12	—	1	—	—	19	—
GLOUCESTERSHIRE.											
CHELTENHAM	50,327	232	—	142	59	—	7	—	—	24	—
GLOUCESTER	50,251	382	—	314	30	—	8	—	—	30	—
HEREFORDSHIRE.											
HEREFORD	21,802	147	—	65	35	—	3	—	—	42	2
SHROPSHIRE.											
SHREWSBURY	28,937	95	—	66	8	—	10	—	—	10	1
STAFFORDSHIRE.											
BILSTON	24,287	208	2	158	6	—	4	—	—	37	1
BURSLEM	41,075	574	12	416	76	—	27	—	—	30	13
CANNOCK	25,133	240	26	164	9	—	3	—	—	32	6
COSELEY	22,383	168	—	108	15	—	28	—	—	16	1

* See note * on first page of table.

931429

TABLE 7 (continued).—Number of Cases of Infectious Diseases Notified in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 31st December, 1904.*

CITIES, BOROUGHES, AND URBAN DISTRICTS.	Estimated Population in the middle of 1904.	Total Cases.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
STAFFORDSHIRE—cont.											
DUDLEY (WORCESTER AD.)	49,843	265	6	162	15	1	39	—	—	41	1
FENTON	24,674	267	—	156	66	—	27	—	—	17	1
LONGTON	36,395	282	—	63	107	—	72	—	—	34	1
OLDBURY (WORCES. AD.)..	26,071	116	—	64	4	—	16	—	—	32	—
ROWLEY REGIS	36,027	289	2	212	2	—	6	—	—	41	5
STAFFORD	21,154	57	9	13	13	—	8	—	—	13	1
STOKE-UPON-TRENT	32,635	438	1	222	158	—	15	—	—	39	3
TIPTON	31,025	277	3	142	34	—	50	—	—	43	5
TUNSTALL	25,768	251	7	168	38	—	21	—	—	17	—
WEDNESBURY	27,018	262	—	100	85	—	54	—	—	19	4
WOLSTANTON UNITED	23,567	146	1	90	30	—	8	—	—	15	2
WORCESTERSHIRE.											
KIDDERMINSTER	24,641	357	2	300	22	—	1	—	—	32	—
WORCESTER	47,960	133	4	60	31	—	17	—	—	20	1
WARWICKSHIRE.											
NUNEATON AND CHILVERS COTON.	28,223	263	2	190	50	—	6	—	—	13	2
ROYAL LEAMINGTON SPA	26,875	110	—	74	7	—	3	—	—	25	1
LEICESTERSHIRE.											
LOUGHBOROUGH	22,645	410	88	275	19	—	7	2	—	18	1
LINCOLNSHIRE.											
LINCOLN	51,291	403	23	250	90	—	17	—	—	21	2
NOTTINGHAMSHIRE.											
ILKESTON (DERBY ADMIN.)	27,290	149	20	76	10	—	34	—	—	7	2
MANSFIELD	23,301	168	2	45	60	—	17	—	—	42	2
DERBYSHIRE.											
CHESTERFIELD	28,944	421	6	302	35	—	46	—	—	32	—
GLOSSOP	21,293	150	10	86	25	—	14	—	—	14	1
CHESHIRE.											
CHESTER	38,804	—	—	60	57	—	17	—	—	23	1
CREWE	45,217	461	—	356	50	—	2	—	—	52	1
HYDE	33,536	239	48	82	20	—	48	—	—	38	3
MACCLESFIELD	34,265	174	49	56	9	—	12	—	—	44	4
LANCASHIRE.											
ACCINGTON	44,710	232	4	158	14	—	29	—	—	23	4
ASHTON-UNDER-LYNE	45,117	507	114	302	25	—	29	—	—	33	4
BACUP	22,241	65	4	39	4	—	6	—	—	6	6
BLACKPOOL	55,133	292	8	179	46	—	28	—	—	26	5
CHADDETON	25,872	240	50	146	26	—	6	—	—	11	1
CHORLEY	23,151	209	—	178	5	—	9	—	—	15	2
COLNE	25,090	71	—	36	11	—	9	—	—	15	—
DARWEN	39,624	784	2	689	34	—	19	—	—	35	5
ECCLES	36,004	205	—	111	37	—	37	—	—	18	2
FARNWORTH	26,700	287	—	200	22	—	41	—	—	21	3
GORTON	30,334	225	14	135	19	—	35	—	—	20	2
HEYWOOD	26,235	159	10	99	29	—	7	—	—	10	4
HINDLEY	25,043	210	—	135	23	—	26	1	—	24	1
INCE-IN-MAKERFIELD	21,973	153	—	100	17	—	11	1	—	23	3
LANCASTER	42,742	212	—	134	14	—	36	—	—	25	3
LEIGH	43,079	789	—	696	15	—	34	1	—	41	2
MIDDLETON	26,228	543	3	506	8	—	4	—	—	20	2

* See note * on first page of table.

1,352,738

TABLE 7 (continued).—Number of Cases of Infectious Diseases Notified in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 31st December, 1904.*

CITIES, BOROUGHs, AND URBAN DISTRICTS.	Estimated Population in the middle of 1904.	Total Cases.	Small-pox	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—cont.											
MOSS SIDE†	27,675	102	3	71	15	—	8	—	—	4	1
NELSON	36,183	150	1	96	15	—	10	—	—	26	2
PEMBERTON†	22,785	143	12	75	14	—	18	—	—	22	1
RADCLIFFE	25,565	407	—	300	35	—	25	—	—	46	2
RAWTENSTALL	31,639	202	—	139	14	—	15	—	—	32	1
SOUTHPORT	50,385	419	7	332	36	1	10	—	—	32	1
STALYBRIDGE (CHESTER ALM.H.)	28,037	149	13	79	15	—	15	—	—	17	1
STRETFORD	33,348	170	2	67	63	—	17	—	—	20	1
SWINTON & PENDLEBURY	28,826	347	20	198	53	3	37	—	—	35	1
WATERLOO - WITH - SEA- FORTH	25,079	144	—	62	42	1	21	—	—	18	—
WIDNES	28,190	163	7	57	44	—	41	—	—	11	3
WITHINGTON†	39,711	111	5	64	24	—	5	—	—	12	1
YORKSHIRE (W. RIDING).											
BARNSELY	43,039	430	89	217	55	—	77	—	—	38	4
BATLEY	30,924	455	102	195	44	—	100	1	—	12	—
BRIGHOUSE	22,141	124	70	39	6	—	4	—	—	4	1
DEWSBURY	27,553	678	552	50	35	—	27	—	—	14	—
DONCASTER	29,987	140	5	64	29	—	25	—	—	15	2
HARROGATE	32,444	181	4	114	50	—	3	—	—	10	—
KEIGHLEY	43,810	149	3	59	48	—	11	—	—	27	1
MORLEY	24,536	236	21	109	10	—	44	—	—	46	6
SHIPLEY	26,353	94	16	51	4	—	6	—	—	17	—
TODMORDEN	25,793	267	—	197	23	—	27	—	—	20	—
WAKEFIELD	42,365	148	33	37	35	—	21	—	—	20	2
YORKSHIRE (N. RIDING).											
SCARBOROUGH	39,692	154	2	92	18	—	17	—	—	24	1
DURHAM.											
DARLINGTON	46,732	329	2	80	143	—	75	—	—	25	4
FELLING	24,149	362	183	114	11	—	15	1	—	35	3
HARTLEPOOL	23,251	226	1	214	7	—	3	—	—	1	—
HEBBURN	22,344	209	42	127	6	—	10	—	—	22	2
JARROW	34,589	211	48	78	20	—	17	5	—	43	—
NORTHUMBERLAND.											
WALLSEND	24,122	198	55	69	31	—	16	—	—	26	1
CUMBERLAND.											
CARLISLE	47,656	308	7	180	41	—	15	—	—	62	3
WORKINGTON	26,522	121	—	26	53	—	15	—	—	27	—
MONMOUTHSHIRE.											
ABERTILLERY	25,620	357	—	257	40	—	11	—	—	45	4
EBBW VALE	22,250	654	—	450	122	5	26	—	—	34	17
GLAMORGANSHIRE.											
ABERDARE	45,089	945	—	739	95	—	16	—	—	88	7
BARRY	31,583	211	1	118	58	—	9	—	—	23	2
MOUNTAIN ASH	35,499	183	—	129	17	—	10	1	—	25	1
PONTYPRIDD	34,863	324	—	208	71	—	22	—	—	18	5
CARMARTHENSHIRE.											
LLANELLY	26,233	363	—	321	6	—	11	—	—	25	—

* See note * on first page of table.

† The figures given for Moss Side, Withington, and Pemberton are for the period January 3rd to November 9th, on which date Moss Side and Withington were included in Manchester, and Pemberton in Wigan.

1,236,562.

TABLE 8.—Number of Cases of Infectious Disease Notified in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 52 Weeks ended 31st December, 1904.*

BOROUGHs.	Estimated Population in the middle of 1904.	Total Cases.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.†
WEST.												
Paddington ..	146,975	962	4	363	143	—	48	—	—	117	10	277
Kensington ..	179,236	928	3	265	187	—	47	—	1	141	11	270
Hammersmith ..	117,412	869	—	284	204	—	39	—	—	123	12	206
Fulham ..	152,482	1,130	—	295	300	—	39	—	—	130	8	358
Chelsea ..	74,329	304	—	108	61	—	13	—	—	45	7	70
City of Westminster	177,321	1,288	6	313	145	1	51	2	—	126	5	179
NORTH.												
St. Marylebone ..	130,337	969	8	294	118	—	50	—	—	187	3	309
Hampstead ..	86,663	508	1	169	57	—	27	1	—	56	6	191
St. Pancras ..	235,936	2,014	7	848	349	—	136	—	—	253	10	406
Islington ..	341,044	2,740	18	1,150	347	1	128	—	—	280	24	792
Stoke Newington..	52,445	424	8	154	61	—	14	—	—	53	3	131
Hackney ..	226,266	2,422	13	853	572	—	185	3	—	266	23	502
CENTRAL.												
Holborn ..	57,161	335	6	98	46	—	41	—	—	76	7	61
Finsbury ..	98,958	849	15	330	145	—	46	—	—	106	5	202
City of London ..	23,482	134	2	32	40	—	14	—	—	21	—	25
EAST.												
Shoreditch ..	117,033	1,081	14	343	188	—	48	2	—	177	5	304
Bethnal Green ..	130,207	1,939	126	661	425	—	58	4	—	224	12	429
Stepney ..	303,791	3,741	89	1,261	821	1	198	—	—	467	15	889
Poplar ..	169,905	2,084	42	548	670	—	93	1	—	204	15	511
SOUTH.												
Southwark ..	207,937	1,558	28	415	281	—	92	—	—	298	12	432
Bermondsey ..	129,397	1,219	19	454	193	—	73	1	—	186	5	288
Lambeth ..	310,359	1,944	27	658	327	—	100	4	—	243	16	564
Battersea ..	175,445	1,417	7	385	227	—	63	2	—	160	7	566
Wandsworth ..	257,448	2,435	6	772	404	—	71	3	—	270	14	895
Camberwell ..	268,384	2,326	19	956	270	—	78	1	—	328	13	661
Deptford ..	113,509	1,145	11	405	195	—	30	—	—	151	10	343
Greenwich ..	101,651	835	1	213	152	—	49	—	—	86	2	332
Lewisham ..	140,401	928	—	337	130	—	29	—	—	83	8	341
Woolwich ..	123,416	1,084	8	469	161	—	27	1	—	75	5	338
Port of London ..	—	12	1	1	—	—	9	—	—	1	—	—
ADMINISTRATIVE COUNTY OF LONDON.												
4,648,950		39,164	489	13,439	7,219	3	1,896	29	1	4,943	273	10,872
Agewise.												
Ages 0-1 ..	1,653	15	165	193	—	4	—	—	—	175	—	1,101
" 1-5 ..	12,492	29	4,345	2,668	—	77	8	—	—	209	—	4,956
" 5- ..	12,290	58	5,652	2,316	—	237	8	—	—	221	—	3,798
" 10- ..	3,737	37	1,780	747	—	294	4	—	—	220	—	655
" 15- ..	1,696	61	582	321	1	257	—	—	—	291	10	173
" 20- ..	1,546	65	439	281	2	286	3	—	—	312	63	90
" 25- ..	2,096	116	376	299	—	401	3	—	—	688	144	69
" 35- ..	1,418	61	79	134	—	205	1	—	—	870	50	18
" 45- ..	1,072	27	19	39	—	96	2	1	—	879	1	8
" 55- ..	657	15	2	13	—	28	—	—	—	596	—	3
" 65 and upwards ..	567	5	—	8	—	11	—	—	—	482	—	1
Age not stated ..	—	—	—	—	—	—	—	—	—	—	—	—

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

† The Order of the London County Council requiring the compulsory notification of chicken-pox came into force on April 7th, and expired on November 7th, 1904. These figures relate to the period covered by the Order.

TABLE 9.—LONDON.—Mortality in Five Groups of Districts (not corrected for Deaths in Institutions), and Meteorology at Greenwich, 1855-1904.

	LONDON.	GROUPS OF DISTRICTS.					METEOROLOGY AT GREENWICH.			
		WEST.	NORTH.	CENTRAL.	EAST.	SOUTH.	Mean Temperature of Air.	Degree of Humidity, Saturation = 100.	Rainfall, in Inches.	Mean Hourly Horizontal Movement of the Air.*
Area in Square Miles ..	116'9	16'2	21'4	3'2	8'6	67'4				
Average Annual Rate of Increase of Population per Cent., 1891-1901 ..	0'706	0'839	0'410	-1'551 (decrease).	0'142	1'389				
Enumerated Population, 1901 ..	4,536,429	805,311	1,056,070	209,465	715,739	1,749,844				
Density: Persons to an Acre	1851 30 1861 36 1871 42 1881 49 1891 56 1896 59 1901 60	35 44 52 62 71 75 77	38 46 56 67 74 77 77	203 175 150 127 116 110 101	78 92 107 116 128 130 130	14 17 21 28 35 38 41				
YEARS.	ANNUAL RATE OF MORTALITY PER 1000.						METEOROLOGY IN EACH YEAR.			
1855 ..	24'3	23'0	23'3	25'1	25'5	24'6	47'1	83	21'1	Miles. 9'9
1856 ..	22'0	21'5	21'1	23'0	23'3	21'8	49'0	83	22'2	10'6
1857 ..	22'4	21'2	21'5	23'8	24'6	21'5	51'0	83	21'4	9'3
1858 ..	23'9	22'4	22'9	24'5	25'8	24'0	49'2	79	17'8	9'7
1859 ..	22'7	21'4	21'7	24'1	24'0	22'6	50'7	80	25'9	9'5
1860 ..	22'4	22'2	21'2	23'3	24'1	22'1	47'0	84	32'0	10'0
1861 ..	23'2	22'1	22'3	25'4	24'0	22'8	49'4	84	20'8	9'9
1862 ..	23'6	22'0	22'0	26'2	26'0	22'7	49'5	84	26'2	10'0
1863 ..	24'5	22'9	23'8	26'9	26'5	23'3	50'3	80	20'0	10'3
1864 ..	26'4	24'4	25'3	29'5	29'0	25'3	48'5	78	16'7	9'5
1865 ..	24'5	22'6	24'5	27'1	26'5	23'2	50'3	80	29'0	9'3
1866 ..	26'5	22'6	25'3	27'1	34'0	24'1	49'8	82	30'7	11'4
1867 ..	23'0	21'7	23'1	24'8	24'2	22'1	48'6	82	28'4	11'8
1868 ..	23'5	22'2	22'7	25'2	25'4	22'9	51'5	78	25'2	12'2
1869 ..	24'6	22'2	23'5	26'6	27'9	23'8	49'5	81	24'0	12'2
1870 ..	24'1	23'8	23'5	26'0	25'0	23'4	48'7	79	18'5	11'1
1871 ..	24'6	22'5	25'6	25'0	26'1	24'0	48'7	81	22'3	10'5
1872 ..	21'4	19'6	21'2	23'6	23'6	20'7	50'7	82	30'0	11'9
1873 ..	22'4	20'5	21'2	25'1	25'3	21'7	48'9	82	23'4	11'8
1874 ..	22'4	20'9	21'7	25'7	25'5	21'0	49'3	82	20'0	11'5
1875 ..	23'6	22'2	22'2	26'2	25'7	23'3	49'2	80	28'2	11'5
1876 ..	21'9	21'0	21'2	24'1	24'0	21'2	50'1	80	24'2	12'1
1877 ..	21'6	19'2	21'5	24'2	24'5	20'5	49'4	79	26'9	13'0
1878 ..	23'1	21'6	22'0	25'2	25'1	23'0	49'6	81	29'2	11'1
1879 ..	22'6	20'9	21'5	26'3	25'5	21'8	46'2	83	31'3	11'3
1880 ..	21'7	19'8	20'8	23'8	24'3	21'3	49'4	84	29'8	11'7
1881 ..	21'3	19'6	20'7	23'4	24'3	20'5	48'7	81	25'2	12'1
1882 ..	21'5	20'0	19'8	24'0	25'3	20'8	49'7	84	25'2	12'8
1883 ..	20'8	19'8	19'4	23'3	24'4	19'8	49'4	82	21'9	12'1
1884 ..	20'9	19'7	19'6	23'8	23'4	20'2	50'7	80	15'1	11'9
1885 ..	20'4	19'9	19'3	22'9	23'0	19'1	48'6	81	24'0	12'0
1886 ..	20'6	19'8	18'9	23'4	23'9	19'9	48'7	81	24'2	11'8
1887 ..	20'3	19'9	18'9	23'5	23'3	19'4	47'8	79	19'9	11'5
1888 ..	19'3	19'3	17'7	22'7	22'7	18'1	47'7	82	27'5	12'3
1889 ..	18'4	18'1	16'9	20'9	21'2	17'7	48'8	83	23'3	10'2
1890 ..	21'4	20'5	19'6	24'8	25'1	19'6	48'6	81	21'9	11'2
1891 ..	21'4	20'8	20'0	26'4	24'1	19'8	48'4	82	25'1	11'7
1892 ..	20'7	20'0	19'4	23'8	23'4	19'1	48'1	80	22'3	11'0
1893 ..	21'2	19'6	20'0	25'4	24'7	19'5	51'1	76	20'1	11'2
1894 ..	17'8	17'1	16'3	20'0	20'7	16'4	49'9	81	26'9	12'5
1895 ..	19'9	18'6	18'3	23'7	23'3	18'5	49'3	78	19'7	11'6
1896 ..	18'6	17'5	17'1	21'4	21'3	17'5	50'1	79	22'4	11'4
1897 ..	18'2	17'1	17'0	21'6	21'2	16'9	50'3	79	22'1	12'2
1898 ..	18'8	18'0	17'4	22'2	21'9	17'4	51'3	78	18'9	11'8
1899 ..	20'6	19'1	18'5	22'8	23'2	18'6	50'6	77	22'3	11'5
1900 ..	19'2	17'9	17'6	22'1	22'4	17'9	50'4	79	22'3	12'2
1901 ..	17'7	16'5	16'0	20'3	21'0	16'4	49'2	78	20'3	11'6
1902 ..	17'7	16'6	16'1	21'2	19'9	16'0	49'2	80	19'3	11'4
1903 ..	15'7	14'6	14'4	19'1	18'6	14'2	50'1	80	35'5	13'3
1904 ..	16'6	15'5	15'4	20'2	19'5	15'3	49'8	82	20'7	11'4

NOTE.—The deaths for the 49 years 1855-1903 are for the calendar years, while those for 1904 are the numbers registered in the 52 weeks ended 31st December, 1904.

Certain changes affecting the West and Central groups of districts were made in the year 1868, but no corrections for these changes have been made in this Table for any year prior to 1861. The hamlet of Mottingham was transferred from the South Group of Districts to the Outer Ring on 1st April 1887. See also Note to Table 10.

* Approximated to the results of Robinson's anemometer by reduction from Whewell's, up to 1859.

TABLE 10.—LONDON.—Population,

[NOTE.—The boundaries of the Administrative and Registration Counties of London were made co-extensive in dates. The figures for 1855-1903 relate to calendar

PERIOD AND YEAR.	ESTIMATED POPULATION IN THE MIDDLE OF EACH YEAR.	MARRIAGES.	BIRTHS.*			DEATHS.†	Excess of Births over Deaths.	Deaths of Infants under One Year of Age.
			Legitimate.	Illegitimate.	Total.			
1841-50	(Mean.) 2,103,487	207,502	?	?	665,661	523,110	142,551	104,461
1851-60	2,570,489	264,153	828,908	35,565	864,563	610,473	254,090	133,775
1861-70	3,018,193	306,870	1,023,020	44,968	1,067,988	736,342	331,646	173,454
1871-80	3,513,843	334,706	1,197,171	48,270	1,245,441	791,736	453,705	196,343
1881-90	4,000,475	351,042	1,277,724	51,448	1,329,172	818,788	510,384	201,551
1891-1900	4,388,868	391,619	1,282,096	48,918	1,331,014	859,098	471,916	212,674
1855	2,547,639	25,018	82,077	3,455	85,532	61,942	23,590	12,959
1856	2,591,815	26,047	83,764	3,646	87,430	57,274	30,156	13,130
1857	2,636,174	25,924	85,829	3,748	89,577	59,103	30,474	13,631
1858	2,680,700	25,766	86,260	3,752	89,012	64,093	24,919	14,280
1859	2,725,374	27,263	89,007	3,802	92,809	61,880	31,049	13,876
1860	2,770,181	27,887	89,472	3,942	93,414	62,309	31,105	14,269
1861	2,815,101	26,876	92,829	4,235	97,064	65,251	31,813	15,076
1862	2,860,117	28,839	93,530	4,320	97,850	67,371	30,479	13,999
1863	2,905,210	29,943	97,635	4,434	102,119	71,060	31,050	15,433
1864	2,950,361	31,541	98,314	4,311	102,625	78,238	24,387	17,314
1865	2,995,551	33,364	102,101	4,702	106,803	73,531	33,272	18,284
1866	3,040,761	33,592	104,157	4,508	108,665	80,453	28,212	18,733
1867	3,085,971	31,689	108,058	4,633	112,691	70,924	41,767	17,973
1868	3,131,160	30,607	109,199	4,738	113,937	73,798	40,139	18,891
1869	3,176,368	30,017	107,857	4,475	112,332	73,082	34,250	19,078
1870	3,221,394	30,382	109,290	4,612	113,902	77,634	36,268	18,673
1871	3,267,251	31,843	108,166	4,451	112,617	80,430	32,187	19,244
1872	3,319,736	33,155	113,558	4,882	118,440	71,355	47,085	18,740
1873	3,373,085	33,425	114,206	4,809	119,015	75,459	43,556	19,007
1874	3,427,250	33,248	117,142	4,808	121,950	76,899	45,051	18,966
1875	3,482,306	34,072	118,632	4,634	123,266	82,069	41,197	19,980
1876	3,538,246	34,007	122,860	4,584	127,444	77,762	49,682	19,954
1877	3,595,085	33,593	123,305	4,787	128,092	77,543	50,549	18,685
1878	3,652,837	33,742	124,738	5,027	129,765	84,298	45,467	21,276
1879	3,711,517	33,477	126,427	5,115	131,542	83,964	47,578	19,448
1880	3,771,139	34,144	128,137	5,173	133,310	81,957	51,353	21,043
1881	3,824,980	34,578	127,716	5,188	132,904	81,431	51,473	19,648
1882	3,862,956	35,612	128,092	5,217	133,309	83,015	50,294	20,151
1883	3,901,309	35,379	129,232	5,271	134,503	81,108	53,395	19,612
1884	3,940,042	35,381	130,514	5,137	135,651	82,448	53,203	21,143
1885	3,979,160	34,560	127,638	5,314	132,952	80,978	51,974	19,649
1886	4,018,666	34,482	129,223	5,116	134,339	82,691	51,648	21,320
1887	4,058,565	34,251	128,052	5,307	133,359	82,443	50,916	21,109
1888	4,098,860	34,635	126,797	4,964	131,761	79,244	52,517	19,302
1889	4,139,555	35,412	127,201	5,032	132,233	76,162	56,071	18,664
1890	4,180,654	36,752	123,259	4,902	128,161	89,268	38,893	20,953
1891	4,223,720	37,341	129,697	4,787	134,484	90,595	43,889	20,784
1892	4,269,634	37,191	127,368	4,960	132,328	88,440	43,888	20,451
1893	4,312,263	37,016	128,149	4,913	133,062	91,552	41,510	21,853
1894	4,351,501	36,924	126,520	4,934	131,454	77,407	54,047	18,836
1895	4,387,248	37,629	129,258	4,897	134,155	87,298	46,857	22,276
1896	4,419,411	39,872	128,790	5,043	133,833	82,390	51,443	21,628
1897	4,447,907	41,217	129,287	4,900	134,187	81,119	53,068	21,296
1898	4,472,664	42,043	127,741	5,008	132,749	84,154	48,595	22,206
1899	4,493,617	41,876	128,385	4,749	133,134	89,705	43,429	22,298
1900	4,510,711	40,510	126,901	4,727	131,628	86,438	45,190	21,046
1901	4,544,983	40,037	126,999	4,830	131,829	80,251	51,578	19,694
1902	4,579,110	40,866	125,776	4,702	130,478	81,098	49,380	18,397
1903	4,613,812	40,262	126,525	4,753	131,278	72,331	58,947	17,233
1904	4,648,950	39,586	124,430	4,905	129,335	77,094	52,241	18,903

* The registration of births was made compulsory at the beginning of 1875; before that year many births were probably unregistered.

† From the year 1874 onwards, approximate corrections have been applied to the number of deaths, on account of those occurring in certain public institutions.

Marriages, Births, and Deaths, 1855-1904.

1901. Previous to that year the figures in the table relate to the Registration County as constituted at the several years; those for 1904 to a period of 52 weeks.]

DEATHS FROM PRINCIPAL EPIDEMIC DISEASES.									PERIOD AND YEAR.
Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Typhoid (Origin uncertain).	Diarrhoea, Dysentery, and Cholera.	
8,416	13,011	18,314		18,079		20,890		32,514	1841-50
7,150	13,766	26,317		22,497		22,597		39,248	1851-60
8,347	17,338	34,391	5,323	26,550		27,149		38,981	1861-70
15,539	17,947	21,247	4,319	28,728	1,887	8,536	2,579	34,496	1871-80
5,834	25,449	13,268	10,435	27,686	327	7,503	717	30,863	1881-90
431	25,587	8,193	21,942	21,898	51	6,275	152	34,423	1891-1900
1039	878	2611		2438		2460		2339	1855
531	1479	1819		2092		2717		2566	1856
156	1341	1599		2527		2195		3512	1857
242	2369	4184		2708		1919		2351	1858
1158	1330	3481	773	1742		1840		3706	1859
898	2090	2017	484	2067		1476		1536	1860
217	1062	2381	674	3548		1848		2908	1861
366	2334	3492	730	2168		3673		1945	1862
1996	1634	4955	799	2175		2871		2651	1863
547	2788	3244	611	2423		3782		3169	1864
640	1290	2179	431	2935		3217		3917	1865
1391	2220	1892	462	2960		2688		3890	1866
1345	1143	1451	447	2278		2184		3300	1867
597	1962	2916	495	2538		2468		4434	1868
275	1456	5841	340	3769	716	1069	615	3714	1869
973	1449	6040	334	1956	472	976	570	4053	1870
7912	1427	1902	344	2291	384	871	436	4189	1871
1786	1680	918	267	3259	174	807	322	3769	1872
113	2149	645	320	2620	277	908	325	4112	1873
57	1680	2648	419	1867	312	879	337	3324	1874
46	1408	3677	581	3204	128	817	272	3397	1875
736	1720	2308	387	2737	159	769	202	3720	1876
2551	2387	1580	316	1817	157	901	194	2509	1877
1417	1500	1808	566	4483	151	1033	197	3658	1878
450	2475	2661	575	2934	71	849	160	1947	1879
471	1521	3100	544	3516	74	702	134	3871	1880
2367	2536	2114	657	1973	92	971	134	3150	1881
430	2338	2006	857	4682	53	975	95	2223	1882
136	2441	2006	952	1598	55	963	102	2735	1883
1236	2271	1430	951	3156	32	925	78	4066	1884
1419	2909	722	904	2481	28	597	78	2800	1885
24	2086	690	851	2871	13	618	73	4133	1886
9	2904	1443	953	2935	19	613	44	3908	1887
9	2425	1214	1311	2993	9	694	35	2260	1888
—	2308	785	1617	1787	16	538	42	2754	1889
4	3231	858	1382	3210	10	609	36	2834	1890
8	1807	598	1435	2872	11	558	44	2506	1891
41	3415	1167	1969	2507	11	436	22	2644	1892
206	1652	1590	3271	2326	5	692	21	3580	1893
88	3295	966	2707	2096	6	640	13	1777	1894
55	3292	829	2344	1517	4	628	9	3688	1895
9	3662	916	2657	2904	5	576	17	3300	1896
16	1909	782	2273	1839	1	585	8	4261	1897
1	3073	582	1766	2160	4	588	10	4516	1898
3	2134	398	1951	1720	2	807	2	4377	1899
4	1948	365	1569	1957	2	765	6	3794	1900
242	1968	584	1346	1613	4	535	8	3919	1901
1300	2321	556	1162	1834	1	576	4	2663	1902
13	2657	356	759	1646	4	354	10	3023	1903
25	2261	365	729	1507	—	296	6	4801	1904

‡ Originally described as Simple Continued Fever.

TABLE 11.—LONDON.—Annual Marriage,

PERIOD AND YEAR.	MARRIAGES.	BIRTHS.*				DEATHS TO 1,000 LIVING.†	Deaths of Infants under One Year of Age to 1,000 Births.
	Persons Married, in 1,000 living.	Births, to 1,000 living.			Illegitimate Births in 1,000 Births.		
		Total.	Legitimate	Illegitimate.			
1841-50	19·7	31·6	?	?	?	24·8	157
1851-60	20·6	33·6	32·2	1·4	41	23·7	155
1861-70	20·3	35·4	33·9	1·5	42	24·4	162
1871-80	19·1	35·4	34·0	1·4	39	22·5	158
1881-90	17·6	33·2	31·9	1·3	39	20·5	152
1891-1900	17·8	30·3	29·2	1·1	37	19·6	160
1855	19·6	33·6	32·2	1·4	40	24·3	152
1856	20·0	33·6	32·2	1·4	42	22·0	150
1857	19·7	34·0	32·6	1·4	42	22·4	156
1858	19·2	33·2	31·8	1·4	42	23·9	160
1859	20·0	34·1	32·7	1·4	42	22·7	150
1860	20·2	33·6	32·2	1·4	42	22·4	153
1861	19·1	34·5	33·0	1·5	44	23·2	155
1862	20·2	34·2	32·7	1·5	44	23·6	143
1863	20·6	35·1	33·6	1·5	43	24·5	151
1864	21·3	34·7	33·2	1·5	42	26·4	169
1865	22·3	35·7	34·1	1·6	44	24·5	171
1866	22·1	35·7	34·2	1·5	41	26·5	172
1867	20·5	36·5	35·0	1·5	41	23·0	159
1868	19·5	36·3	34·8	1·5	42	23·5	166
1869	18·9	35·4	34·0	1·4	40	24·6	170
1870	18·9	35·4	34·0	1·4	40	24·1	164
1871	19·5	34·5	33·1	1·4	40	24·6	171
1872	19·9	35·6	34·1	1·5	41	21·4	158
1873	19·8	35·3	33·9	1·4	40	22·4	160
1874	19·4	35·6	34·2	1·4	39	22·4	156
1875	19·6	35·4	34·1	1·3	38	23·6	162
1876	19·2	35·9	34·6	1·3	36	21·9	157
1877	18·7	35·6	34·3	1·3	37	21·6	146
1878	18·5	35·5	34·1	1·4	39	23·1	164
1879	18·0	35·4	34·0	1·4	39	22·6	148
1880	18·1	35·3	33·9	1·4	39	21·7	158
1881	18·1	34·7	33·3	1·4	39	21·3	148
1882	18·4	34·5	33·1	1·4	39	21·5	151
1883	18·1	34·5	33·1	1·4	39	20·8	146
1884	17·9	34·3	33·0	1·3	38	20·9	156
1885	17·4	33·4	32·1	1·3	40	20·4	148
1886	17·2	33·4	32·1	1·3	38	20·6	159
1887	16·9	32·9	31·6	1·3	40	20·3	158
1888	16·9	32·1	30·9	1·2	38	19·3	146
1889	17·1	31·9	30·7	1·2	38	18·4	141
1890	17·6	30·7	29·5	1·2	38	21·4	163
1891	17·7	31·8	30·7	1·1	36	21·4	155
1892	17·4	30·9	29·7	1·2	37	20·7	155
1893	17·2	30·9	29·8	1·1	37	21·2	164
1894	17·0	30·2	29·1	1·1	38	17·8	143
1895	17·2	30·6	29·5	1·1	37	19·9	166
1896	18·0	30·2	29·1	1·1	38	18·6	162
1897	18·5	30·2	29·1	1·1	37	18·2	159
1898	18·8	29·7	28·6	1·1	38	18·8	167
1899	18·6	29·6	28·5	1·1	36	20·0	167
1900	18·0	29·2	28·2	1·0	36	19·2	160
1901	17·6	29·0	27·9	1·1	37	17·7	149
1902	17·8	28·5	27·5	1·0	36	17·7	141
1903	17·5	28·5	27·5	1·0	36	15·7	131
1904	17·0	27·9	26·8	1·1	38	16·6	146

* See note * to preceding Table.

† See note † to preceding Table.

Birth, and Death Rates, 1855-1904.

ANNUAL MORTALITY, PER MILLION PERSONS LIVING, FROM PRINCIPAL EPIDEMIC DISEASES.									PERIOD AND YEAR.
Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Pyæmia† (Origin uncertain).	Diarrhoea, Dysentery and Cholera.	
402	623	863		867	979			1469	1841-50
280	530	1017		877	886			1544	1851-60
276	576	1133	179	882	904			1284	1861-70
457	510	600	122	815	55	244	75	987	1871-80
145	636	335	259	693	8	189	18	772	1881-90
10	583	188	500	500	1	143	3	781	1891-1900
408	345	1025		957	966			918	1855
204	569	700		805	1045			987	1856
59	509	607		959	833			1332	1857
90	884	1561		1010	716			877	1858
425	488	1277	284	639	675			1360	1859
323	752	726	174	744	531			553	1860
77	377	846	239	1260	656			1033	1861
128	816	1221	255	758	1284			680	1862
687	562	1706	275	749	988			913	1863
185	942	1087	207	819	1278			1071	1864
214	431	727	144	980	1074			1307	1865
457	730	622	152	973	884			2922	1866
436	370	470	145	738	708			1070	1867
190	625	929	158	745	786			1412	1868
87	458	1839	107	1187	225	357	194	1169	1869
302	450	1875	104	607	147	303	177	1258	1870
2422	437	582	105	701	118	267	133	1282	1871
537	505	275	80	979	52	242	97	1132	1872
34	637	191	95	777	82	269	96	1219	1873
17	480	773	122	545	91	256	98	976	1874
13	404	1056	167	920	37	235	78	975	1875
207	485	651	109	771	45	217	57	1048	1876
710	664	439	88	505	44	251	54	697	1877
388	411	495	155	1227	41	283	54	1001	1878
121	667	717	155	791	19	229	43	524	1879
125	402	820	144	930	20	186	35	1024	1880
619	663	553	172	516	24	254	35	824	1881
111	605	519	222	1212	14	252	25	575	1882
35	626	514	244	410	14	247	26	701	1883
313	575	362	241	799	8	234	20	1029	1884
357	731	181	227	624	7	150	20	703	1885
6	519	172	212	714	3	154	18	1028	1886
2	716	356	235	723	5	151	11	963	1887
2	590	295	319	728	2	169	9	550	1888
—	558	190	391	432	4	130	10	665	1889
1	773	206	331	768	2	146	9	678	1890
2	428	142	340	680	3	132	10	594	1891
10	798	273	460	586	3	102	5	617	1892
48	383	369	759	539	1	160	5	826	1893
20	757	222	622	482	1	147	3	408	1894
13	614	189	534	346	1	143	2	841	1895
2	826	207	600	655	1	130	745	1896	
4	429	176	511	413	0	132	2	958	1897
0	687	130	395	483	1	131	2	1009	1898
1	475	89	434	383	0	180	0	974	1899
1	432	81	348	434	0	170	1	841	1900
53	433	128	296	355	1	118	2	862	1901
284	507	121	254	401	0	126	1	582	1902
3	446	77	165	357	1	83	2	635	1903
5	488	79	157	325	—	64	1	1036	1904

† See note † to preceding Table.

TABLE 12.—**Causes of Death** REGISTERED in **London** in each of the **11 Years 1894-1904.**

CAUSES OF DEATH.	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904
	364 Days.	364 Days.	371 Days.	364 Days.	364 Days.	364 Days.	364 Days.	364 Days.	371 Days.	364 Days.	364 Days.
ALL CAUSES	77039	80937	83511	80943	83936	89689	86007	79924	82540	72109	77094
Small-pox	89	55	9	16	1	3	4	229	1314	13	25
Cowpox	9	20	7	8	8	7	2	4	4	3	2
Measles (Morbilli)	3293	2633	3697	1929	3075	2143	1936	1958	2361	2054	2261
Scarlet Fever	962	829	942	780	583	398	361	584	563	362	365
Typhus	5	5	5	1	4	2	2	4	—	3	—
Plague	—	—	—	—	—	—	—	—	—	—	1 ^s
Influenza	750	2156	496	671	1283	1817	1950	664	1073	644	709
Whooping-cough	2097	1483	2937	1842	2160	1720	1948	1609	1880	1631	1507
Diphtheria	2670	2316	2683	2261	1772	1964	1558	1344	1181	752	729
Cerebro Spinal Fever	?	?	?	?	?	?	?	?	4	6	6
<i>Pyrexia</i> * (origin uncertain)	13	10	13	8	9	1	7	7	5	6	6
Enteric Fever	635	614	591	584	585	801	756	537	585	387	296
Asiatic Cholera	—	—	—	—	—	—	—	—	—	—	—
Epidemic Diarrhoea, (Infective Enteritis), <i>Diarrhoea</i> , Dysentery	1812	3674	3318	4219	4506	4349	3640	3931	1079	1397	2850
Tetanus	?	?	?	?	?	?	?	?	9	38	41
Rabies, Hydrophobia	1	—	4	1	—	—	—	—	1	—	—
Glanders	1	—	—	2	2	2	2	1	2	4	2
Anthrax (splenic Fever)	?	?	?	?	?	?	?	?	4	4	4
Venereal Dis.	499	501	445	454	421	424	416	350	455	429	389
Puerperal Septicæmia	210	208	225	215	184	209	169	184	149	134	159
Puerperal Pæmia									10	7	12
Puerperal Fever									42	29	27
Infective Endocarditis†	?	?	?	?	?	?	?	?	141	131	131
Pneumonia .. { Lobar	5321	5989	5537	5053	5440	6666	7189	6121	495	518	611
.. { Broncho									3140	2890	3061
.. { Epidemic									13	2	—
.. { Not defined									3153	2616	2937
Erysipelas	221	179	207	184	165	213	182	171	183	183	232
Septicæmia (not Puerperal)	96	102	90	99	67	93	110	116	55	47	66
Pyæmia (not Puerperal)									85	50	39
Other Infective Conditions‡	?	?	?	?	?	?	?	?	191	498	571
Tuberculous Phthisis	7543	7974	7778	7864	7966	8510	8030	7735	2696	3676	4250
"Phthisis"									4925	3671	3488
Tuberculous Meningitis	1093	1244	1187	1208	1232	1122	1169	1113	1058	1131	1023
Tuberculous Peritonitis	954	1253	1066	989	1000	962	829	818	350	417	449
<i>Tubes Mesenterica</i>									311	247	194
Tuberculous Dis. (other)	980	1045	1005	923	980	994	1101	948	270	931	940
<i>Scrofula</i>									97	15	15
Alcoholism	430	449	540	632	666	788	696	667	666	644	576
Rheumatic Fever	?	?	?	?	?	?	?	?	300	236	252
Gout	154	169	149	134	137	125	124	126	130	109	120
Carcinoma	3441	3612	3864	3908	4084	4234	4251	4203	2476	2554	2713
Sarcoma									284	298	304
<i>Cancer</i> (Undefined)									1870	1843	1619
Diabetes Mellitus	?	?	?	?	?	?	?	?	411	371	432
Premature Birth	2361	2514	2534	2678	2663	2688	2591	2514	2741	2490	2640

* Originally described as Simple Continued Fever.

† See note * on next page.

‡ The increase under this head is partly due to the inclusion of certain conditions that were formerly considered to be merely local.

§ The death of a physician, certified as due to cardiac dilatation (after plague).

TABLE 12 (cont.)—Causes of Deaths REGISTERED in London in each of the 11 Years 1894-1904.

CAUSES OF DEATH.	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904
	364 Days.	364 Days.	371 Days.	364 Days.	364 Days.	364 Days.	364 Days.	364 Days.	371 Days.	364 Days.	364 Days.
Meningitis (not tuberc.)									884	779	779
Insanity, Gen. Par. of Insane									806	767	790
Epilepsy									308	359	353
Convulsions									1474	1152	1206
Locomotor Ataxy									76	74	103
Paraplegia, Dis. of Cord.									320	227	245
Nervous Sys. (Other Dis.)									1255	1100	982
Valv. Dis., Endocarditis*	14148	15541	15356	15008	14949	15946	15531	15233	2160	2066	2123
Cerebr. Hæm. Thromb.									1460	1597	1679
Apoplexy, Hemiplegia									1349	910	885
Aneurysm									256	258	247
Embolism, Thrombosis (not cere- bral)									140	56	54
Heart & Blood Vessel Dis.									4875	4102	4467
Croup (not Spasm: nor Memb.) ..	166	144	147	72	57	77	51	39	37	23	25
Bronchitis	7816	10633	7558	7408	7779	9195	8899	7317	7901	5240	6373
Asthma, Emphysema†	?	?	?	?	?	?	?	?	?	?	?
Pleurisy	241	280	251	271	281	288	321	285	309	139	133
Respiratory Dis. (Other)†	1097	1436	1171	1183	1149	1385	1235	1130	782	609	563
Tonsillitis, Quinsy	81	83	71	78	56	68	74	71	41	27	21
Enteritis (not Epid.)	917	1487	1680	2207	2489	3180	902	944	533	565	619
Gastro-Enteritis	316	300	284	263	280	248	1202	488	341	340	451
Peritonitis (not Puer.)								261	192	151	131
Cirrhosis of Liver	1153	1170	1215	1279	1248	1431	1332	1133	369	292	286
Liver Dis. (other)									2075	1895	1976
Digestive Dis., Other	1520	1633	1524	1600	1587	1660	1733	1838			
Nephritis, Acute	2056	2230	2277	2424	2411	2632	2599	2558	396	340	357
Bright's Dis., Albuminuria									1771	1748	1783
Urinary Sys., Other Dis.									545	463	525
Generative Organs Dis.	257	288	280	308	268	294	231	252	250	228	227
Childbirth (Accid. of)	266	212	280	229	177	217	230	219	210	197	159
Old Age	2135	2468	2294	2411	2530	2911	2782	2802	2741	2406	2686
Other Diseases	6083	6591	6355	6070	6168	6157	6163	5917	5261	5185	4946
ACCIDENT.											
By Railways	81	84	79	100	109	111	122	87	84	72	88
By Vehicles and Horses	255	290	300	334	309	359	371	302	328	306	275
In Ships, Boats, Docks, (exclusive of Drowning)	31	37	28	30	30	43	32	30	22	43	25
In Building Operations	33	39	57	41	47	56	50	37	33	57	53
In Conflagrations	26	23	47	24	19	24	20	28	44	74	31
By Burns, Scalds, Explosions	325	357	373	319	338	356	340	356	355	283	285
By Drowning	311	307	260	324	271	299	302	265	227	245	221
By Suffocation in Bed	518	631	643	595	660	641	611	553	600	538	541
By Poisons or Poisonous Vapours	115	120	100	136	121	125	117	109	132	87	101
Other Deaths by Accident	929	962	1049	1056	1099	1206	1190	1067	972	772	782
VIOLENCE OTHER THAN ACCIDENTAL.											
Battle	—	—	—	—	—	—	1	2	—	—	—
Homicide	58	72	70	66	73	54	58	77	71	58	57
Suicide	464	482	426	443	437	485	451	502	535	568	517
Execution	1	3	7	1	1	6	6	4	7	6	3

* For the years 1894-1901 deaths from Infective Endocarditis are included in these figures.

† For the years 1894-1901 deaths from Asthma and Emphysema are included under the heading "Other Respiratory Diseases."

TABLE 13.—Deaths REGISTERED from different Causes in London, in each Quarter of 1904, and in several Groups of Ages during the 52 Weeks of 1904.*

Note.—The figures in this Table differ in some cases from those published in the Annual Report. This is due in part to differences of detail in the two tables; but largely to the fact that in the tables of the Summary, but not in those of the Report, correction is made for deaths occurring in Public Institutions (see note * to Table 1). And, further, the two tables do not relate precisely to the same period.

CAUSES OF DEATH.	Quarter ended				Fifty-two Weeks ended December 31st 1904.							
	April 2 (13 wks.)	July 2 (13 wks.)	Oct. 1 (13 wks.)	Dec. 31 (13 wks.)	TOTAL AT ALL AGES.	Under 1 Year.	1 and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and up- wards.
ALL CAUSES..	21262	17171	18986	19075	77094	18903	8913	3686	9113	14897	17221	4361
Small-pox	8	12	5	—	25	4	4	2	7	5	3	—
Cowpox	2	—	—	—	2	2	—	—	—	—	—	—
Measles (Morbilli) ..	670	932	370	289	2261	553	1613	92	2	1	—	—
Scarlet Fever	81	81	87	116	365	17	232	105	10	1	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—
Plague	—	—	—	1	1†	—	—	—	—	—	1	—
Influenza	220	113	38	338	709	37	25	36	80	173	288	70
Whooping-cough .. .	603	508	240	156	1507	637	833	36	—	1	—	—
Diphtheria	207	164	150	208	729	62	449	208	7	1	2	—
Cerebro Spinal Fever ..	1	—	2	3	6	3	1	1	1	—	—	—
<i>Pyrexia†</i> (origin uncertain)	1	2	2	1	6	—	1	1	2	1	1	—
Enteric Fever	55	43	88	110	296	2	4	70	157	53	10	—
Asiatic Cholera .. .	—	—	—	—	—	—	—	—	—	—	—	—
Epidemic Diarrhoea (In- fective Enteritis) ..	59	70	2563	164	2856	2347	457	5	2	10	29	6
Diarrhoea, Dysentery ..	187	179	1405	174	1945	1374	250	15	41	80	147	38
Tetanus	11	11	10	9	41	20	—	4	9	5	3	—
Rabies, Hydrophobia ..	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	1	—	—	1	2	—	—	—	1	1	—	—
Anthrax (Splemic Fever)	—	—	1	3	4	—	—	1	1	2	—	—
Venereal Dis.	96	93	101	99	389	279	17	1	38	40	14	—
Puerperal Septicæmia ..	48	28	43	40	159	—	—	1	149	9	—	—
Puerperal Pyæmia .. .	5	2	3	2	12	—	—	1	11	—	—	—
Puerperal Fever	7	4	5	11	27	—	—	2	22	3	—	—
Infective Endocarditis ..	40	25	34	32	131	—	1	32	67	30	1	—
Pneumonia { Lobar Broncho- Epidemic .. Not defined	160	156	108	187	611	30	46	37	133	192	157	16
	1070	612	388	991	3061	1222	1149	77	74	171	307	61
	936	675	486	840	2937	467	462	157	418	722	619	92
Erysipelas	61	40	49	82	232	59	2	11	22	56	68	14
Septicæmia (not Puer- peral)	8	18	16	24	66	14	8	3	21	13	5	2
Pyæmia (not Puerperal)	14	8	5	12	39	11	1	12	6	5	3	1
Other Infective Conditions	170	135	138	128	571	87	91	74	118	105	87	9
Tuberculous Phthisis ..	1137	1036	909	1168	4250	71	153	346	1774	1570	323	13
"Phthisis"	965	832	718	973	3488	15	38	274	1496	1356	301	8
Tuberculous Meningitis..	248	320	247	208	1023	270	520	192	32	9	—	—
Tuberculous Peritonitis..	81	113	182	73	449	160	138	85	45	16	5	—
<i>Tuberc. Mesenterica</i> .. .	39	35	84	36	194	142	45	5	1	1	—	—
Tuberculous Dis. (other)	228	270	210	232	940	225	236	188	167	86	35	3
<i>Serofula</i>	3	—	5	7	15	5	8	1	1	—	—	—
Alcoholism	145	141	146	144	576	—	—	1	160	334	81	—
Rheumatic Fever .. .	62	59	43	88	252	2	9	86	74	58	22	1
Gout	31	33	32	24	120	—	—	—	—	34	76	10
Carcinoma	677	650	682	695	2713	—	—	2	200	1210	1185	116
Sarcoma	68	78	78	80	304	4	21	34	48	110	76	11
<i>Cancer</i> (undefined) .. .	401	397	395	426	1619	—	6	7	89	706	736	75
Diabetes Mellitus .. .	125	103	88	116	432	—	2	18	79	154	165	14
Premature Birth .. .	721	606	638	675	2640	2639	1	—	—	—	—	—

Note.—For the population at each group of ages, estimated to the middle of 1904, see Table 23.

* See note *, Table I.

† Originally described as Simple Continued Fever.

‡ See note § on page iii.

TABLE 13 (continued).--Deaths REGISTERED from different Causes in London, in each Quarter of 1904 and in several Groups of Ages during the 52 Weeks of 1904.

CAUSES OF DEATH.	Quarter ended				Fifty-two Weeks ended December 31st 1904.							
	April 2 (13 wks.)	July 2 (13 wks.)	Oct. 1 (13 wks.)	Dec. 31. (13 wks.)	TOTAL AT ALL AGES.	Under 1 Year.	1 and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and up- wards.
Meningitis (not tuberc.)..	210	200	202	167	779	316	260	94	46	44	18	1
Insanity, Gen. Par. of } Insane	247	191	145	207	790	—	2	9	188	308	224	59
Epilepsy	101	100	67	85	353	4	11	36	112	107	74	9
Convulsions	322	280	301	303	1206	1120	83	3	—	—	—	—
Locomotor Ataxy.. ..	28	29	18	28	103	—	—	—	10	56	37	—
Paraplegia, Dis of Cord	68	53	59	65	245	6	4	21	40	70	95	9
Nervous Sys. (Other Dis.)	314	216	214	238	982	52	42	47	75	228	439	99
Valv. Dis., Endocarditis..	592	504	423	604	2123	1	7	179	365	619	840	112
Cerebr. Hem. Thromb. ..	474	368	356	461	1679	—	2	11	74	463	938	191
Apoplexy, Hemiplegia ..	277	205	186	217	885	—	4	2	18	193	531	137
Aneurysm	70	61	59	57	247	—	—	1	71	114	59	2
Embolism, Thrombosis } (not cerebral) ..	21	12	8	13	54	1	1	—	15	17	13	7
Heart & Blood Vessel Dis.	1364	1007	894	1202	4467	15	20	166	410	1295	2180	381
Croup (not Spasm: nor } Memb.)	8	4	6	7	25	6	19	—	—	—	—	—
Bronchitis	2390	1068	547	2368	6373	1277	482	23	162	888	2745	806
Asthma, Emphysema ..	105	35	16	97	253	—	2	1	21	87	128	14
Pleurisy	40	33	19	41	133	3	11	4	15	34	57	9
Respiratory Dis. (Other)	178	112	112	161	563	121	58	31	41	97	149	66
Tonsillitis, Quinsy ..	10	4	3	4	21	3	11	1	2	2	2	—
Enteritis (not Epid.) ..	105	106	298	110	619	362	73	14	46	58	58	8
Gastro-Enteritis	58	53	276	64	451	344	50	8	6	15	26	4
Peritonitis (not Puer.) ..	33	34	27	37	131	11	4	30	33	28	21	2
Cirrhosis of Liver	183	176	174	153	686	2	1	6	83	399	190	5
Liver Dis. (other)	79	63	71	73	286	2	5	15	38	103	108	15
Digestive Dis., Other ..	544	450	517	465	1976	355	91	251	358	410	445	66
Nephritis, Acute	101	72	78	106	357	5	24	39	77	116	86	10
Bright's Dis., Albumin- } uria	508	413	378	484	1783	3	10	37	236	696	737	64
Urinary Sys., Other Dis.	146	128	108	143	525	5	3	8	34	113	289	73
Generative Organs Dis. ..	58	56	59	54	227	7	1	5	79	85	47	3
Childbirth (Accid. of) ..	40	41	40	38	159	—	—	3	138	18	—	—
Old Age	792	615	567	712	2686	—	—	—	—	1	1210	1475
Other Diseases	1348	1131	1240	1227	4946	3422	511	171	195	278	298	71
ACCIDENT.*												
By Railways	25	25	23	15	88	—	—	5	43	30	10	—
By Vehicles and Horses ..	57	86	68	61	272	2	34	68	47	61	52	8
In Ships, Boats, Docks } (exclusive of Drown- ing)	8	5	8	4	25	—	—	1	9	15	—	—
In Building Operations ..	21	10	16	6	53	—	—	1	18	27	7	—
In Conflagrations	12	1	2	16	31	2	—	10	6	4	8	1
By Burns, Scalds, Ex- } plosions	109	56	48	72	285	20	159	43	15	15	27	6
By Drowning	35	63	87	36	221	5	7	44	75	67	21	2
By Suffocation in Bed ..	184	114	92	151	541	533	8	—	—	—	—	—
By Poisons or Poisonous } Vapours	27	24	21	29	101	8	11	3	36	28	14	1
Other Deaths by Acci- } dent	189	172	215	206	782	104	74	55	115	150	202	82
VIOLENCE OTHER THAN ACCIDENTAL.												
Homicide	18	16	15	8	57	26	5	3	12	6	5	—
Suicide	111	166	128	112	517	—	—	14	192	227	81	3
Execution	—	—	1	2	3	—	—	—	2	1	—	—

* The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death resulted from accident, murder, manslaughter, or suicide. All such cases are classed under "Accident."

TABLE 14.—Deaths REGISTERED in the London Registration Districts, and Mean Temperature and Registered Sunshine at Greenwich, in each of the 11 Years 1894-1904.

REGISTRATION DISTRICTS.	AREA in Acres.	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	1904
Mean Temperature ..	—	49°·9	49°·3	50°·1	50°·3	51°·3	50°·6	50°·4	49°·2	49°·2	50°·1	49°·8
Registered Sunshine in Hours.	—	1052	1225	1016	1543	1415	1708	1506	1567	1228	1445	1459
LONDON.	74,817	77,407	87,298	82,390	81,119	84,154	89,705	86,438	80,251	81,098	72,331	77,094
1a. PADDINGTON ..	1356	1925	2260	2066	1954	2190	2207	2322	2175	2255	2125	2229
1b. KENSINGTON ..	2291	2983	3070	3117	3036	3168	3425	3102	2995	3049	2825	2911
2. FULHAM ..	3990	3625	3961	3863	3822	4089	4514	4135	3960	4123	3497	3965
3. CHELSEA ..	660	1735	2013	1881	1779	1831	1931	1817	1617	1865	1571	1682
4. ST. GEO. HANOVER SQUARE ..	1887	2367	2557	2338	2435	2509	2661	2540	2209	1888	1652	1702
5. WESTMINSTER ..	216	467	507	517	446	472	486	408	369	361	319	278
6. ST. MARYLEBONE ..	1473	2226	2494	2463	2220	2182	2288	2261	1925	2042	1868	1827
7. HAMPSTEAD ..	2265	1325	1278	1276	1222	1293	1257	1197	1192	1191	1046	1122
8. ST. PANCRAS..	2694	4252	4908	4475	4642	4658	4998	4775	4336	4373	3890	4193
9. ISLINGTON ..	3092	5103	5779	5661	5377	5759	6389	5798	5243	5437	4785	5256
10. HACKNEY ..	4152	3827	4484	4029	4265	4274	4414	4269	4229	4023	3820	4126
11. ST. GILES ..	232	603	715	573	544	632	592	531	447	457	367	342
12. STRAND ..	399	821	918	808	795	771	796	766	627	636	606	693
13. HOLBORN ..	762	2297	2826	2468	2591	2600	2606	2476	2142	2274	1955	2022
14. LONDON CITY ..	672	1058	1133	1109	1094	1005	1047	1012	1013	988	927	948
15. SHOREDITCH..	658	2569	2974	2623	2659	2719	2926	2747	2644	2388	2228	2305
16. BETHNAL GREEN ..	759	2411	2579	2679	2538	2655	2668	2557	2436	2466	2263	2393
17. WHITECHAPEL ..	378	2322	2552	2322	2377	2383	2650	2509	2554	2435	2311	2397
18. ST. GEORGE IN THE EAST ..	244	952	1095	943	1041	999	1088	995	908	846	836	857
19. STEPNEY ..	466	1206	1354	1203	1304	1272	1238	1329	1193	1132	1021	1093
20. MILE END OLD TOWN ..	678	1960	2205	1960	1829	1950	2115	2032	1785	1713	1510	1682
21. POPLAR ..	2328	3384	3931	3596	3471	3690	3917	3879	3504	3325	3215	3264
22. SOUTHWARK ..	1132	3306	3987	3374	3548	3387	3891	3669	3607	3709	3251	3746
23. ST OLAVE (BERMONDSEY)..	1500	2983	3233	3219	3125	3060	3503	3392	2460	2279	1986	2138
24. LAMBETH ..	4080	5225	5887	5288	5507	5581	6062	5612	5386	5451	4880	5158
25. WANDSWORTH ..	11268	4497	5391	5513	5115	5499	5866	5990	5646	5471	5318	5689
26. CAMBERWELL ..	4480	4307	4953	4786	4527	4659	4941	4766	4624	4583	4021	4356
27. GREENWICH..	3424	3080	3373	3376	3144	3379	3504	3406	3083	3026	2750	2903
28. LEWISHAM ..	10774	1298	1444	1422	1362	1763	1944	1962	1996	2000	1650	1908
29. WOOLWICH ..	6507	1585	1782	1950	1868	2190	2132	2294	1920	1999	1819	1922
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON.	—	1708	1635	1492	1482	1535	1649	1890	2026	3310	2039	1987

NOTE.—The numbers of deaths in this Table are compiled from the Abstracts which appear in the Registrar-General Annual Reports, excepting the numbers for the year 1904, which are derived from the Weekly Returns embracing 52 weeks.

TABLE 15.—LONDON.—Population; Births and Deaths in Registration Districts during the 52 Weeks of 1904.

REGISTRATION DISTRICTS.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the 52 Weeks include																
				Deaths of		Deaths from														
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia* (Origin uncertain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
LONDON	4,536,429	129,335	77,094	18,903	21,582	25	2,261	365	729	1,507	—	296	6	4,801	2,976	7,406	26,955	164		
WEST DISTRICTS ..	805,311	19,001	12,767	2,837	3,948	—	322	35	84	172	—	32	2	754	526	1,152	4,488	10		
NORTH DISTRICTS ..	1,056,070	27,685	16,524	3,629	5,031	—	460	81	196	256	—	77	—	790	603	1,577	5,321	4		
CENTRAL DISTRICTS ..	209,465	5,807	4,005	938	842	1	104	2	20	63	—	17	—	220	236	468	1,901	8		
EAST DISTRICTS ..	715,739	25,017	13,901	4,041	3,233	1	428	7	98	312	—	36	1	1,019	659	2,017	5,601	6		
SOUTH DISTRICTS ..	1,749,844	51,825	27,820	7,443	7,885	1	942	172	293	703	—	116	3	1,942	940	21,777	7,657	136		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON.	—	—	1,987	15	643	22	5	68	35	1	—	18	—	76	12	15	1,987	—		
WEST DISTRICTS.																				
1a. PADDINGTON ..	143,976	3,295	2,229	491	698	—	38	—	9	16	—	9	—	142	116	230	779	—		
1b. KENSINGTON ..	176,628	3,450	2,911	509	1,120	—	67	—	2	22	—	5	1	137	80	210	1,159	—		
2. FULHAM ..	249,528	8,051	3,965	1,207	959	—	174	33	66	91	—	11	—	339	156	381	908	1		
3. CHELSEA ..	73,842	15,47	1,682	271	645	—	29	—	2	30	—	—	—	55	42	104	907	—		
4. ST. GEORGE, HANOVER SQUARE.	128,256	2,168	1,702	321	434	—	11	2	5	11	—	7	1	72	114	191	645	6		
5. WESTMINSTER ..	33,081	490	278	38	92	—	3	—	—	2	—	—	—	9	18	36	90	3		
NORTH DISTRICTS.																				
6. ST. MARYLEBONE ..	133,301	3,948	1,827	361	543	—	44	1	5	9	—	2	—	88	69	178	539	1		
7. HAMPSTEAD ..	81,942	1,431	1,122	188	333	—	22	46	48	7	—	24	—	22	37	72	426	—		
8. ST. PANCRAS ..	235,317	6,116	4,193	887	1,229	—	126	1	17	82	—	10	—	169	182	436	1,624	—		
9. ISLINGTON ..	334,991	8,892	5,256	1,113	1,680	—	180	3	14	82	—	12	—	233	160	433	1,542	2		
10. HACKNEY ..	270,519	7,298	4,126	1,080	1,241	—	88	30	112	76	—	29	—	278	155	458	1,190	1		
CENTRAL DISTRICTS.																				
11. ST. GILES ..	31,436	990	342	83	103	—	10	—	—	2	—	1	—	7	13	41	100	1		
12. STRAND ..	21,674	240	693	70	189	—	5	—	2	1	—	2	—	17	61	91	529	6		
13. HOLBORN ..	129,432	4,231	2,022	663	389	1	84	2	9	53	—	2	—	180	63	184	599	1		
14. LONDON CITY ..	26,923	346	948	122	161	—	5	—	9	7	—	12	—	16	99	152	673	—		
EAST DISTRICTS.																				
15. SHOREDITCH ..	118,637	3,744	2,305	634	667	—	81	—	4	56	—	4	—	166	99	337	804	1		
16. BETHNAL GREEN ..	129,680	4,526	2,393	721	557	—	83	1	15	49	—	3	1	146	97	276	918	5		
17. WHITECHAPEL ..	78,768	2,748	2,397	586	350	—	41	1	39	20	—	15	—	108	177	391	1,777	—		
18. ST. GEORGE IN THE EAST.	49,068	2,186	857	303	164	—	43	—	1	34	—	—	—	60	23	135	278	—		
19. STEPNEY ..	57,937	1,896	1,093	432	144	—	36	1	10	35	—	3	—	107	57	165	286	—		
20. MILE END OLD TOWN.	112,827	4,374	1,682	516	494	1	56	1	3	33	—	3	—	150	49	190	414	—		
21. POPLAR ..	168,822	5,543	3,264	849	857	—	88	3	26	85	—	8	—	282	157	523	1,124	—		
SOUTH DISTRICTS.																				
22. SOUTHWARK ..	206,180	6,557	3,746	1,200	648	—	175	—	23	129	—	13	1	280	189	463	1,115	26		
23. ST. OLAVE (BERMONDEY).	130,760	4,192	2,138	654	521	1	129	1	1	65	—	4	1	177	82	167	459	22		
24. LAMBETH ..	301,895	9,059	5,158	1,328	1,434	—	169	31	60	107	—	23	1	329	168	371	1,696	27		
25. WANDSWORTH ..	400,829	11,777	5,689	1,507	1,821	—	162	30	60	107	—	27	—	405	152	400	1,222	17		
26. CAMBERWELL ..	259,339	7,242	4,356	1,018	1,463	—	127	4	4	96	—	7	—	250	126	257	1,494	29		
27. GREENWICH ..	185,034	5,464	2,903	763	821	—	109	1	10	96	—	5	—	211	121	242	658	9		
28. LEWISHAM ..	134,721	3,857	1,908	468	692	—	34	48	56	44	—	16	—	120	41	115	551	2		
29. WOOLWICH ..	131,086	3,677	1,922	505	485	—	37	57	79	59	—	21	—	167	61	162	462	4		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON.	—	—	1,987	15	643	22	5	68	38	1	—	18	—	76	12	15	1,987	—		

* Originally described as Simple Continued Fever.

TABLE 16.—LONDON.—Population; Births and Deaths in Registration Sub-Districts during the 52 Weeks of 1904.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the 52 Weeks include																		Deaths in Public Institu- tions.	Un- certified Causes of Death.
				Deaths of Infants under 1 Year of Age.	Deaths from Persons aged 60 Years and upwards.																		
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia* (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.							
WEST DISTRICTS.																							
St. Mary Paddington <i>W,2H</i> ..	93,178	2524	1404	366	458	—	21	—	6	13	—	4	—	110	45	112	419	—	—	—			
St. John Paddington <i>H</i> ..	33,617	378	640	64	190	—	3	—	2	1	—	5	—	12	67	98	360	—	—	—			
North-west Paddington ..	17,181	393	185	61	50	—	14	—	1	2	—	—	—	20	4	20	—	—	—	—			
Kensington Town <i>2W,w,2H</i> ..	128,037	2936	2470	461	927	—	62	—	2	19	—	4	—	132	60	170	1086	—	—	—			
Brompton <i>2H</i>	48,591	514	441	48	193	—	5	—	—	3	—	1	1	5	20	40	73	—	—	—			
North Hammersmith <i>W,w H</i> ..	49,192	1505	633	216	136	—	41	—	—	14	—	—	—	60	16	67	11	—	—	—			
South Hammersmith <i>w,2H</i> ..	63,047	1641	999	243	288	—	57	—	5	18	—	2	—	52	56	110	202	—	—	—			
North-west Fulham <i>W</i> ..	45,180	2051	1137	346	275	—	30	—	3	31	—	6	—	126	39	91	587	—	—	—			
North-east Fulham <i>F</i> ..	46,405	1318	670	191	152	—	18	33	57	12	—	2	—	36	24	67	108	—	—	1			
South Fulham <i>W</i>	45,704	1536	526	211	108	—	28	—	1	16	—	1	—	65	21	46	—	—	—	—			
Chelsea North <i>W,w,3H</i> ..	42,514	822	1198	148	478	—	22	—	1	18	—	—	—	24	23	60	816	—	—	—			
Chelsea South <i>W,2H</i>	31,328	725	484	123	167	—	7	—	1	12	—	—	—	31	19	44	91	—	—	—			
Mayfair and Knightsbridge ..	28,743	238	185	21	84	—	—	—	2	—	—	—	—	2	18	28	—	—	1	2			
Belgrave <i>W,2H</i>	55,815	1020	863	148	210	—	6	2	—	6	—	3	—	28	55	86	395	—	—	3			
St. Margaret and St. John <i>4H</i> ..	43,698	910	654	152	140	—	5	—	—	5	—	4	1	42	41	77	250	—	—	—			
St. James Westminster <i>W,H</i> ..	21,588	285	174	28	69	—	1	—	—	2	—	—	—	7	12	24	47	—	—	2			
St. Anne Soho <i>5H</i>	11,493	205	104	10	23	—	2	—	—	—	—	—	—	2	6	12	43	—	—	1			
NORTH DISTRICTS.																							
All Souls <i>8H</i>	35,391	558	765	69	199	—	14	1	2	3	—	2	—	13	34	72	409	—	—	—			
Rectory <i>W</i>	19,849	296	178	28	83	—	1	—	—	—	—	—	—	5	7	24	54	—	—	—			
St. Mary <i>4H</i>	18,099	1747	219	79	61	—	10	—	—	—	—	—	—	12	2	13	47	—	—	1			
Christchurch <i>H</i>	39,536	997	446	149	107	—	14	—	2	2	—	—	—	51	17	55	—	—	—	—			
St. John <i>3H</i>	20,426	351	219	36	93	—	5	—	1	4	—	—	—	7	9	14	29	—	—	—			
Hampstead <i>W,F,6H</i>	81,942	1431	1122	188	338	—	22	46	48	7	—	24	—	22	37	72	426	—	—	—			
West St. Pancras <i>2H</i>	60,562	1510	791	214	206	—	25	1	2	19	—	3	—	47	38	86	102	—	—	—			
Tottenham Court <i>w,6H</i> ..	21,258	350	614	80	160	—	11	—	1	4	—	2	—	6	28	62	447	—	—	—			
Gray's Inn Lane <i>4H</i>	34,449	864	503	134	124	—	14	—	8	16	—	2	—	30	57	92	205	—	—	—			
East St. Pancras <i>W,2H</i> ..	60,320	1844	1155	235	423	—	45	—	4	14	—	1	—	42	48	137	466	—	—	—			
North St. Pancras <i>2W</i>	58,728	1548	1040	224	316	—	31	—	2	29	—	2	—	44	11	59	404	—	—	—			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—A Hospital for Infectious Diseases; *H*—Other Hospital; *L*—Lunatic or Imbecile Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* Originally described as Simple Continued fever.

TABLE 16 (continued). LONDON.—Population; Births and Deaths in Registration Sub-Districts during the 52 Weeks of 1904.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the 52 Weeks include																
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from														
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Emeric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institu- tions.	Uncertified Causes of Death.		
NORTH DISTRICTS—cont.																				
Tufnell W	31,995	799	1112	147	473	—	29	—	—	2	5	—	4	—	21	19	64	746	—	—
Upper Holloway 2W, ^u 2H ..	33,978	1066	1143	139	336	—	25	—	—	—	11	—	3	—	18	48	77	783	—	—
Tollington W	33,922	817	335	92	106	—	11	1	—	—	5	—	2	—	18	10	26	—	—	—
Lower Holloway	41,424	1114	518	166	102	—	32	—	—	15	—	—	—	—	53	16	69	—	—	—
Barnsbury	54,478	1672	673	218	166	—	37	—	4	17	—	1	—	—	54	25	53	—	—	2
Islington South-east F.. ..	75,397	2001	886	232	267	—	29	2	4	20	—	1	—	—	44	31	92	3	—	—
Highbury 2H	63,797	1423	589	119	230	—	17	—	—	2	9	—	1	—	25	11	52	10	—	—
Stoke Newington H	51,247	1139	583	124	219	—	7	—	4	11	—	2	—	22	10	49	—	—	—	—
North Hackney	50,560	1038	529	127	210	—	13	1	2	17	—	4	—	36	20	45	—	—	—	—
Central Hackney 2w,F.. ..	50,536	1404	676	180	151	—	18	28	100	10	—	15	—	47	25	69	169	—	—	—
South-west Hackney 3H ..	59,921	1814	954	290	209	—	22	—	6	20	—	1	—	66	54	128	326	—	—	—
South-east Hackney 2W, ^u 2H	58,255	1903	1384	359	452	—	28	1	—	18	—	7	—	107	46	167	695	1	—	—
CENTRAL DISTRICTS.																				
St. Giles and Bloomsbury W,2H.	31,436	990	342	83	103	—	10	—	—	2	—	1	—	7	13	41	100	1	—	—
Strand W,4H	21,674	240	646	70	148	—	5	—	2	1	—	2	—	15	60	88	482	6	—	—
Strand Union Workhouse, Edmonton.	—	—	47	—	41	—	—	—	—	—	—	—	—	2	1	3	47	—	—	—
Holborn W,8H	29,612	671	813	237	101	—	35	1	7	35	—	2	—	74	18	44	495	—	—	—
South Clerkenwell	28,676	823	287	96	58	—	12	—	—	4	—	—	—	30	9	29	—	—	—	1
North Clerkenwell H	35,028	1078	426	156	98	—	21	1	—	10	—	—	—	32	12	49	—	—	—	—
Finsbury 3H,L	36,116	1659	438	174	85	1	16	—	2	4	—	—	—	44	24	61	46	—	—	—
Holborn Union Workhouse, Mitcham.	—	—	58	—	47	—	—	—	—	—	—	—	—	—	—	1	58	—	—	—
St. Botolph H	10,299	182	103	21	42	—	—	—	—	—	—	—	—	2	8	22	—	—	—	—
St. Sepulchre and Allhallows W,2H.	16,624	161	827	101	116	—	5	—	9	7	—	11	—	14	90	129	655	—	—	—
City of London Asylum, Stone ..	—	—	18	—	3	—	—	—	—	—	—	1	—	—	1	1	18	—	—	—
EAST DISTRICTS.																				
Shoreditch South* H	46,362	3741	2304	634	666	—	81	—	4	56	—	4	—	166	99	336	803	1	—	—
Shoreditch North-west* W, ^u W, H.	36,127																			
Shoreditch North-east*	36,148																			
Shoreditch Union Workhouse, Wood Green.	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Bethnal Green North 2H ..	51,514	1892	851	361	102	—	45	1	12	24	—	—	—	75	37	112	220	1	—	—
Bethnal Green South	33,472	1194	372	154	68	—	25	—	—	7	—	1	—	25	18	58	—	—	—	2
Bethnal Green East 2W, ^u H,L ..	44,694	1440	1170	206	387	—	13	—	3	18	—	2	1	46	42	106	698	2	—	2

* On 1st September, 1904, Shoreditch South, Hoxton New Town, Hoxton Old Town and Haggerston sub-districts were re-arranged into three new sub-districts, Shoreditch South, Shoreditch North-west, and Shoreditch North-east; see page lxxxii. The births and deaths for the new sub-districts cannot be shown separately.

TABLE 16 (continued). LONDON.—Population; Births and Deaths in Registration Sub-Districts during the 52 Weeks of 1904.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the 52 Weeks include																	
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from														Deaths in Public Institutions	Uncertified Deaths.
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.					
EAST DISTRICTS—cont.																					
Spitalfields	27,969	890	214	89	43	—	8	—	—	7	—	1	—	5	11	44	—	—	—		
Mile End New Town W.H ..	28,718	1286	1993	424	259	—	29	1	39	8	—	14	—	83	150	313	1777	—	—		
Goodman's Fields.. ..	22,081	572	190	73	48	—	4	—	—	5	—	—	—	15	16	34	—	—	—		
St. George and St. John 2W ..	49,068	2186	857	303	164	—	43	—	1	34	—	—	—	60	23	135	278	—	—		
Shadwell and Ratcliff W.H ..	25,568	774	654	261	56	—	20	—	8	24	—	2	—	71	32	74	286	—	—		
Limehouse	32,369	1122	439	171	88	—	16	1	2	11	—	1	—	36	25	91	—	—	—		
Mile End Old Town South-western* H.	63,698	4374	1682	516	494	1	56	1	3	33	—	3	—	150	49	190	414	—	—		
Mile End Old Town North-eastern* W.W.	49,129																				
Bow L	41,989	1308	548	196	112	—	14	—	2	24	—	2	—	71	26	74	17	—	—		
Bromley 3W.H	68,319	2305	1887	399	539	—	46	2	16	44	—	5	—	147	86	297	1033	—	—		
Poplar W.W.	58,514	1930	829	254	206	—	28	1	8	17	—	1	—	64	45	152	74	—	—		
SOUTH DISTRICTS.																					
Christchurch Southwark W.H	11,263	252	133	35	40	—	6	—	1	4	—	—	—	6	5	16	7	2	—		
St. Saviour Southwark H ..	12,056	398	965	202	101	—	27	—	16	10	—	8	—	53	107	165	791	3	—		
Kent-road	21,904	718	298	108	39	—	33	—	1	15	—	—	—	33	11	36	—	—	—		
St. George the Martyr West W.2H.L.	39,094	1215	724	269	101	—	48	—	3	40	—	1	—	75	15	85	245	4	—		
Newington, North†	49,022	3974	1626	586	367	—	61	—	2	60	—	4	1	113	51	161	72	17	—		
Newington, South† W ..	72,841																				
St. Olave 2W	9,817	362	173	58	53	—	6	—	—	5	—	—	—	18	15	27	36	5	—		
Bermondsey W	82,483	2747	1043	406	191	—	78	—	—	41	—	2	1	109	37	84	3	17	—		
Rotherhithe W.F.	38,460	1083	922	190	277	1	45	1	1	19	—	2	—	50	30	56	420	—	—		
Waterloo-road 2H	27,441	1315	400	163	70	—	23	—	2	5	—	—	—	27	20	44	44	2	—		
Lambeth Church 1st H ..	18,423	569	916	165	115	—	26	—	8	17	—	8	—	54	86	122	657	—	—		
Lambeth Church 2nd 2W ..	39,818	1525	1204	253	401	—	45	—	1	31	—	—	—	71	19	65	729	2	—		
Kennington 1st H	53,198	1833	642	225	189	—	19	—	—	15	—	—	—	53	11	37	31	1	—		
Kennington 2nd H	42,896	1011	591	170	184	—	24	—	3	8	—	1	—	41	11	33	101	7	—		
Brixton F	84,232	2010	1032	269	312	—	26	31	44	24	—	13	1	53	18	59	122	10	—		
Norwood W.H	35,888	796	373	83	163	—	6	—	2	7	—	1	—	30	3	11	12	5	—		

* On 1st May, 1904, Mile End Old Town Western and Mile End Old Town Eastern sub-districts were re-arranged into two new sub-districts, Mile End Old Town South-western and Mile End Old Town North-eastern; see pages lxxxiii. The births and deaths for the new sub-districts cannot be shown separately.

† On 1st March 1904, Trinity Newington, St. Peter Walworth, and St. Mary Newington sub-districts were re-arranged into two new sub-districts, Newington North and Newington South; see page lxxxiii. The births and deaths for the new sub-districts cannot be shown separately.

TABLE 16 (continued). LONDON.—Population; Births and Deaths in Registration Sub-Districts during the 52 Weeks of 1904.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the 52 Weeks include																
				Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.	Un- certified Deaths.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid Fever).	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.					
SOUTH DISTRICTS—cont.																				
East Battersea H.	72,203	2219	808	321	162	—	20	—	2	28	—	2	—	86	23	65	—	4	4	—
North-west Battersea	49,656	1584	571	219	109	—	26	1	1	24	—	1	—	81	13	50	—	—	2	—
South-west Battersea W, H	47,048	1016	1137	165	421	—	28	—	1	9	—	1	—	23	43	87	723	—	—	—
Clapham 2H	51,361	1484	649	167	227	—	18	1	3	8	—	2	—	35	15	41	50	4	—	—
Streatham* W, 2W, 2F, 2L	88,019	2547	1417	298	575	—	32	27	49	21	—	18	—	79	27	67	412	5	—	—
Springfield 2W, L	27,959	968	294	104	75	—	13	—	—	2	—	1	—	26	6	24	18	—	—	—
Southfields H	40,444	1368	547	159	160	—	25	—	3	14	—	1	—	52	10	41	15	—	—	—
Putney	24,139	561	266	74	92	—	—	1	1	1	—	2	—	23	15	25	—	—	—	—
Dulwich†	13,359	7212	4356	1018	1463	—	127	4	4	96	—	7	—	250	126	257	1494	29	—	—
Camberwell South† W, W	40,206																			
Camberwell North† W, 2L	65,584																			
St. George†	47,331																			
Peckham† 2W, W,	92,859																			
Deptford North	37,613	1219	501	178	91	—	40	—	4	31	—	—	—	53	26	48	—	1	—	—
Deptford Central	45,481	1507	566	215	118	—	38	—	1	13	—	—	—	58	12	38	—	6	—	—
Deptford South	34,625	753	370	83	150	—	2	1	2	10	—	—	—	19	11	23	—	2	—	—
Greenwich West 2H	23,456	618	333	84	98	—	10	—	—	11	—	2	—	19	18	35	40	—	—	—
Greenwich East 2W, H	48,859	1367	1133	203	364	—	19	—	3	31	—	3	—	65	54	98	618	—	—	—
Eltham W, H	7,226	278	108	28	43	—	2	1	—	7	—	—	—	5	3	9	9	—	—	—
Lee W, H	25,490	469	240	46	114	—	1	—	—	4	—	1	—	6	8	18	23	—	—	—
Lewisham W, W, F	58,352	1967	1150	284	357	—	14	47	55	28	—	13	—	90	23	54	516	1	—	—
Sydenham H	43,653	1143	430	110	178	—	17	—	1	5	—	1	—	19	7	34	3	1	—	—
Charlton F, 2H	21,134	420	395	67	49	—	12	55	71	9	—	—	—	16	13	28	204	—	—	—
Woolwich 4H	41,625	1188	512	184	113	—	9	—	3	21	—	20	—	58	17	52	16	—	—	—
Plumstead West W	18,063	410	169	38	58	—	4	2	1	9	—	1	—	9	3	12	—	—	—	—
Plumstead East 2W, H	50,264	1659	846	216	265	—	12	—	4	20	—	—	—	84	28	70	242	1	—	—
Workhouse:—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Central London Sick Asylum (Westminster, St. Giles and Strand Unions.)	—	—	95	2	50	—	1	—	—	—	—	—	—	1	1	1	95	—	—	—
M.A.B. Small-pox Hospitals:—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Joyce Green	—	—	22	3	3	22	—	—	—	—	—	—	—	—	—	—	22	—	—	—
Long Reach	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.A.B. Fever Hospitals:—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North-Eastern	—	—	133	9	1	—	4	63	31	1	—	14	—	1	1	1	133	—	—	—
Northern	—	—	10	—	—	—	—	5	4	—	—	—	—	—	—	—	10	—	—	—
M.A.B. Imbecile Asylums:—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Caterham	—	—	134	—	75	—	—	—	—	—	—	—	—	8	1	1	134	—	—	—
Darenth	—	—	86	—	3	—	—	—	—	—	—	—	—	1	—	—	86	—	—	—
Gore Farm (temporary)	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—
Leavesden	—	—	155	—	65	—	—	—	—	—	—	—	—	—	2	1	155	—	—	—
London County Lunatic Asylums:—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Banstead	—	—	208	—	61	—	—	—	—	—	—	—	—	—	1	1	208	—	—	—
Exwell (Epileptic Colony)	—	—	8	—	1	—	—	—	—	—	—	—	—	—	—	—	8	—	—	—
Horton	—	—	213	—	62	—	—	—	—	—	—	—	—	13	1	3	213	—	—	—
Manor	—	—	36	—	13	—	—	—	—	—	—	—	—	—	—	—	36	—	—	—
Cane Hill	—	—	148	1	51	—	—	—	—	—	—	—	—	4	—	—	148	—	—	—
Dartford Heath	—	—	169	—	48	—	—	—	—	—	—	—	—	4	—	—	169	—	—	—
Hanwell	—	—	196	—	77	—	—	—	—	—	—	—	—	12	1	—	196	—	—	—
Colney Hatch	—	—	185	—	60	—	—	—	—	—	—	—	—	6	2	5	185	—	—	—
Claybury	—	—	186	—	73	—	—	—	—	—	—	—	—	19	2	2	186	—	—	—

* On 1st June, 1904, the boundary between Streatham sub-district and Mitcham (38:6, page lxxii) was altered; see pages lxxiii-iv. The births and deaths are included in the figures for the sub-districts in which they were registered.

† On 1st April, 1904, Dulwich, Camberwell, Peckham, and St. George sub-districts were re-arranged into five new sub-districts, Dulwich, Camberwell South, Camberwell North, St. George, and Peckham; see pages lxxiii-iv. The births and deaths for the new sub-districts cannot be shown separately.

TABLE 17.—LONDON and the METROPOLITAN BOROUGHES.—Registered Births and Deaths of Persons belonging to London and the Metropolitan Boroughs during the 52 Weeks of 1904.*

BOROUGH.	Population estimated to the middle of 1904.	Births.	Deaths from												Deaths under 1 year of Age.
			ALL CAUSES.	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Phthisis.	
COUNTY OF LONDON	4,648,950	129,335	74555	9906	25	2256	365	723	1495	—	286	6	4750	7526	18600
West.															
PADDINGTON	146,975	3295	2017	229	2	40	10	19	16	—	10	—	132	176	447
KENSINGTON	179,236	3450	2558	256	1	68	5	17	19	—	6	1	139	257	519
HAMMERSMITH	117,412	3146	1640	296	—	106	6	22	36	—	5	—	121	161	478
FULHAM	152,482	4905	2346	379	—	64	4	23	58	—	6	—	224	217	752
CHELSEA	74,329	1547	1225	110	—	25	6	5	26	—	2	—	46	135	242
CITY OF WESTMINSTER	177,321	2898	2396	153	—	23	9	7	18	—	10	2	84	268	361
North.															
ST. MARYLEBONE ..	130,337	3948	2109	197	—	50	9	14	13	—	3	—	108	218	373
HAMPSTEAD	86,663	1431	884	57	—	17	2	4	8	—	5	—	21	72	161
ST. PANCRAS	235,936	6116	4102	474	—	127	27	38	82	—	17	—	183	443	920
ISLINGTON	341,044	8892	5243	596	1	181	35	29	84	—	18	—	248	526	1143
STOKE NEWINGTON ..	52,445	1139	697	59	—	7	3	8	12	—	3	—	26	90	130
HACKNEY	226,266	6159	3366	481	—	76	20	55	55	—	26	—	249	314	876
Central.															
HOLBORN	57,161	1628	1054	102	2	42	—	4	9	—	4	—	41	163	178
FINSBURY	98,958	3593	2100	254	3	58	17	16	28	—	9	—	123	236	504
CITY OF LONDON ..	23,482	346	390	14	—	—	1	2	7	—	—	—	4	37	36
East.															
SHOREDITCH	117,033	3744	2378	374	2	81	13	18	63	—	8	—	189	254	702
BETHNAL GREEN ..	130,207	4526	2500	383	7	90	13	47	52	—	6	1	162	280	711
STEPNEY	303,791	11204	5876	859	3	174	33	90	126	—	30	—	403	642	1741
POPLAR	169,905	5543	3149	568	3	91	24	84	81	—	13	—	272	295	851
South.															
SOUTHWARK	207,937	6557	4169	649	1	191	12	26	118	—	18	1	282	489	1143
BERMONDSEY	129,397	4192	2582	456	—	136	18	16	69	—	16	1	200	274	720
LAMBETH	310,359	9059	4884	650	—	164	16	34	109	—	11	—	316	448	1246
BATTERSEA	175,465	4849	2541	353	—	59	10	14	59	—	13	—	198	248	713
WANDSWORTH	257,448	6928	3435	448	—	106	14	42	50	—	11	—	235	288	847
CAMBERWELL	268,384	7242	3992	509	—	110	17	21	99	—	16	—	246	368	1045
DEPTFORD	113,509	3255	1823	278	—	76	10	16	49	—	3	—	124	161	471
GREENWICH	101,651	2629	1455	229	—	40	3	11	56	—	9	—	110	135	373
LEWISHAM	140,401	3579	1681	198	—	25	7	12	37	—	2	—	115	126	440
WOOLWICH	123,416	3535	1763	295	—	29	16	29	56	—	6	—	159	205	477

* In this Table the Births represent the numbers registered in each Borough, no correction having been made for those occurring in Public Institutions. With regard to Deaths, however, all those of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the boroughs in which the deceased had previously resided. The deaths of 2111 London residents who died outside the County of London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Shoreditch Workhouse at Wood Green, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. Of the deaths shown in Table 1, the previous residence was outside the County of London in 2539 cases, and these have been excluded from this Table.

† Originally described as Simple Continued Fever.

TABLE 18.—LONDON and the METROPOLITAN BOROUGHES.—Birth-rates (based upon Births registered in each Borough) and Death-rates (after distribution of Deaths in Public Institutions) during the 52 Weeks of 1904*.

BOROUGH.		PER 1000 PERSONS LIVING.												Deaths under 1 year to 1000 Births registered.	
		Births.	Deaths from												
			ALL CAUSES.	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	<i>Zypprelet</i> (Origin uncertain).	Diarrhoea.		Phthisis.
COUNTY OF LONDON ..		27'9	16'1	2'14	0'01	0'49	0'08	0'16	0'32	—	0'06	0'00	1'02	1'62	144
West.															
PADDINGTON	22'5	13'8	1'56	0'01	0'27	0'07	0'13	0'11	—	0'07	—	0'90	1'20	136	
KENSINGTON	19'3	14'3	1'45	0'01	0'38	0'03	0'10	0'11	—	0'03	0'01	0'78	1'44	150	
HAMMERSMITH	26'9	15'7	2'53	—	0'91	0'05	0'19	0'31	—	0'04	—	1'03	1'38	152	
FULHAM	32'3	15'4	2'49	—	0'42	0'03	0'15	0'38	—	0'04	—	1'47	1'43	153	
CHELSEA	20'9	16'5	1'49	—	0'34	0'08	0'07	0'35	—	0'03	—	0'62	1'82	156	
CITY OF WESTMINSTER ..	16'4	13'5	0'87	—	0'13	0'05	0'04	0'10	—	0'06	0'01	0'48	1'52	125	
North.															
ST. MARYLEBONE	30'4	16'2	1'51	—	0'38	0'07	0'11	0'10	—	0'02	—	0'83	1'68	94	
HAMPSTEAD	16'6	10'2	0'66	—	0'20	0'02	0'05	0'09	—	0'06	—	0'24	0'83	113	
ST. PANCRAS	26'0	17'4	2'01	—	0'54	0'11	0'16	0'35	—	0'07	—	0'78	1'88	150	
SLINGTON	26'1	15'4	1'75	0'00	0'53	0'10	0'09	0'25	—	0'05	—	0'73	1'55	129	
STOKE NEWINGTON	21'8	13'3	1'13	—	0'13	0'06	0'15	0'23	—	0'06	—	0'50	1'72	114	
HACKNEY	27'3	14'9	2'13	—	0'34	0'09	0'24	0'24	—	0'12	—	1'10	1'39	142	
Central.															
HOLBORN	28'6	18'5	1'80	0'04	0'74	—	0'07	0'16	—	0'07	—	0'72	2'86	109	
FINSBURY	36'4	21'3	2'57	0'03	0'59	0'17	0'16	0'28	—	0'09	—	1'25	2'39	140	
CITY OF LONDON	14'8	16'7	0'60	—	—	0'04	0'09	0'30	—	—	—	0'17	1'58	104	
East.															
SHOREDITCH	32'1	20'4	3'20	0'02	0'69	0'11	0'15	0'54	—	0'07	—	1'62	2'18	188	
BETHNAL GREEN	34'9	19'3	2'95	0'05	0'69	0'14	0'36	0'40	—	0'05	0'01	1'25	2'16	157	
STEPNEY	37'0	19'4	2'84	0'01	0'57	0'11	0'30	0'42	—	0'10	—	1'33	2'12	155	
POPLAR	32'7	18'6	3'37	0'02	0'54	0'14	0'50	0'48	—	0'08	—	1'61	1'74	154	
South.															
SOUTHWARK	31'6	20'1	3'13	0'00	0'92	0'06	0'13	0'57	—	0'09	0'00	1'36	2'36	174	
BERMONDSEY	32'5	20'0	3'52	—	1'05	0'14	0'12	0'53	—	0'12	0'01	1'55	2'12	172	
LAMBETH	29'3	15'8	2'10	—	0'53	0'05	0'11	0'35	—	0'04	—	1'02	1'45	138	
BATTERSEA	27'7	14'5	2'02	—	0'34	0'06	0'08	0'34	—	0'07	—	1'13	1'42	147	
WANDSWORTH	27'0	13'4	1'73	—	0'41	0'05	0'16	0'19	—	0'04	—	0'88	1'12	122	
CAMBERWELL	27'1	14'9	1'90	—	0'41	0'06	0'08	0'37	—	0'06	—	0'92	1'37	144	
DEPTFORD	28'8	16'1	2'46	—	0'67	0'09	0'14	0'43	—	0'03	—	1'10	1'42	145	
GREENWICH	25'9	14'4	2'26	—	0'39	0'03	0'11	0'55	—	0'09	—	1'09	1'33	142	
LEWISHAM	25'6	12'0	1'41	—	0'18	0'05	0'09	0'26	—	0'01	—	0'82	0'90	123	
WOOLWICH	28'7	14'3	2'40	—	0'24	0'13	0'24	0'45	—	0'05	—	1'29	1'67	135	

In this Table 0'00 indicates that the deaths were too few to give a rate of 0'005; where no death occurred, — is inserted.

* The rates for the County of London do not in all cases agree with those in some of the other Tables. (See Note on preceding page.)

† Originally described as Simple Continued Fever.

TABLE 19.—London and the Metropolitan Boroughs.—Death-rates per 1000 persons living, and Infantile Mortality, after Distribution of Deaths in Public Institutions in the Three Years 1901-3, and in 1904.*

BOROUGH.	ALL CAUSES.		SMALL-POX.		MEASLES.		SCARLET FEVER.		DIPH- THERIA.		WHOOPI- NG COUGH.		TYPHUS.		ENTERIC FEVER.		PYREXIA.		DIAR- RHEA.		PHTHISIS.		DEATHS UNDER ONE YEAR TO 1000 BIRTHS.	
	1901- 1903.	1904.	1901- 1903.	1904.	1901- 1903.	1904.	1901- 1903.	1904.	1901- 1903.	1904.	1901- 1903.	1904.	1901- 1903.	1904.	1901- 1903.	1904.	1901- 1903.	1904.	1901- 1903.	1904.	1901- 1903.	1904.		
COUNTY OF LONDON ..	16.5	16.1	0.11	0.01	0.46	0.49	0.11	0.08	0.23	0.16	0.37	0.32	0.00	—	0.10	0.06	0.00	0.00	0.68	1.02	1.60	1.62	139	144
PADDINGTON ..	14.6	13.8	0.05	0.01	0.30	0.27	0.07	0.07	0.21	0.13	0.30	0.11	—	—	0.08	0.07	—	—	0.59	0.80	1.07	1.20	129	126
KENSINGTON ..	14.8	14.3	0.02	0.01	0.38	0.38	0.10	0.03	0.15	0.10	0.33	0.31	—	—	0.07	0.03	—	—	0.57	0.78	1.30	1.44	152	150
HAMME-SMITH ..	15.8	15.7	0.08	—	0.44	0.41	0.08	0.05	0.22	0.19	0.40	0.31	—	—	0.10	0.04	0.00	—	0.79	1.03	1.44	1.38	151	152
FULHAM ..	15.6	15.4	0.04	—	0.62	0.42	0.11	0.03	0.29	0.15	0.44	0.38	—	—	0.10	0.04	0.00	—	1.12	1.47	1.38	1.43	142	153
CHELSEA ..	15.6	16.5	0.03	—	0.40	0.34	0.07	0.08	0.11	0.07	0.32	0.35	—	—	0.07	0.03	—	—	0.49	0.62	1.57	1.82	142	156
CITY OF WESTMINSTER ..	15.2	13.5	0.11	—	0.27	0.13	0.06	0.05	0.12	0.04	0.21	0.10	—	—	0.10	0.06	0.00	0.01	0.33	0.48	1.79	1.52	131	125
ST. MARLEBONE ..	17.1	16.2	0.08	—	0.36	0.38	0.12	0.07	0.22	0.11	0.30	0.10	—	—	0.09	0.02	0.01	—	0.58	0.83	1.88	1.68	103	94
HAMPESTEAD ..	10.5	10.2	0.02	—	0.09	0.20	0.06	0.02	0.16	0.05	0.20	0.09	—	—	0.19	0.08	—	—	0.19	0.21	0.83	0.83	93	113
ST. PAULS ..	17.7	17.4	0.17	—	0.53	0.51	0.15	0.11	0.36	0.16	0.41	0.35	—	—	0.12	0.07	—	—	0.52	0.78	1.86	1.88	145	150
ISLINGTON ..	15.6	15.4	0.06	0.00	0.39	0.53	0.09	0.10	0.27	0.09	0.39	0.25	—	—	0.11	0.05	0.00	—	0.41	0.73	1.47	1.55	133	129
STOKE NEWINGTON ..	13.1	13.3	0.07	—	0.24	0.13	0.06	0.06	0.17	0.13	0.25	0.23	—	—	0.09	0.06	0.01	—	0.41	0.50	1.28	1.72	116	114
HACKNEY ..	14.9	14.9	0.11	—	0.43	0.34	0.09	0.09	0.31	0.21	0.31	0.21	—	—	0.13	0.12	—	—	0.58	1.10	1.41	1.39	124	142
HOLBORN ..	20.0	18.5	0.43	0.04	0.40	0.74	0.09	—	0.19	0.07	0.31	0.16	—	—	0.13	0.07	—	—	0.51	0.72	2.99	2.86	116	109
FINCHUR ..	21.3	21.3	0.14	0.03	0.66	0.59	0.15	0.17	0.28	0.16	0.55	0.28	—	—	0.10	0.09	—	—	0.88	1.25	2.35	2.39	144	140
CITY OF LONDON ..	18.4	16.7	0.12	—	0.18	—	0.08	0.04	0.25	0.09	0.13	0.30	—	—	0.10	—	—	—	0.24	0.17	1.86	1.58	146	104
SHOREDITCH ..	20.7	20.1	0.22	0.02	0.74	0.89	0.10	0.11	0.22	0.15	0.51	0.54	—	—	0.12	0.07	—	—	1.23	1.62	2.12	2.18	181	188
BETHNAL GREEN ..	19.8	19.3	0.17	0.05	0.60	0.69	0.19	0.14	0.32	0.36	0.43	0.40	—	—	0.12	0.05	0.00	0.01	0.74	1.25	2.88	2.16	150	157
STEPNEY ..	19.8	19.4	0.31	0.01	0.57	0.57	0.10	0.11	0.44	0.30	0.45	0.42	0.60	—	0.12	0.10	—	—	1.33	2.03	2.12	2.12	149	155
POPULAR ..	19.2	18.6	0.20	0.02	0.93	0.54	0.10	0.14	0.39	0.30	0.51	0.48	—	—	0.14	0.18	—	—	0.95	1.61	1.74	1.74	158	154
SOUTHWARK ..	20.3	20.1	0.15	0.00	0.65	0.92	0.18	0.06	0.22	0.13	0.45	0.57	—	—	0.10	0.09	—	0.00	0.94	1.36	2.51	2.36	161	174
BERMONDSEY ..	20.0	20.0	0.11	—	0.73	1.05	0.22	0.14	0.22	0.12	0.43	0.53	0.61	—	0.12	0.12	—	0.01	0.93	1.55	1.86	2.12	161	172
LAMBETH ..	16.6	15.8	0.07	—	0.36	0.53	0.05	0.05	0.14	0.11	0.39	0.35	—	—	0.09	0.07	0.00	—	0.73	1.02	1.58	1.45	130	138
BATTERSEA ..	15.2	14.5	0.05	—	0.37	0.34	0.08	0.06	0.13	0.08	0.44	0.34	—	—	0.10	0.07	—	—	0.73	1.13	1.35	1.42	141	137
WANDSWORTH ..	13.1	13.4	0.04	—	0.36	0.41	0.08	0.05	0.21	0.16	0.33	0.19	—	—	0.09	0.04	0.00	—	0.62	0.88	1.00	1.12	123	122
CAMBERWELL ..	14.5	14.9	0.09	—	0.45	0.41	0.13	0.06	0.29	0.08	0.30	0.37	—	—	0.09	0.06	0.00	—	0.63	1.00	1.40	1.37	134	144
DEPTFORD ..	16.0	16.1	0.10	—	0.56	0.67	0.16	0.09	0.31	0.14	0.40	0.43	0.01	—	0.08	0.03	0.00	—	0.75	1.12	1.52	1.42	139	145
GREENWICH ..	14.6	14.4	0.08	—	0.42	0.30	0.07	0.03	0.22	0.11	0.33	0.55	—	—	0.08	0.03	0.00	—	0.65	1.09	1.42	1.33	132	142
LEWISHAM ..	12.6	12.0	0.03	—	0.23	0.18	0.10	0.05	0.22	0.09	0.25	0.26	—	—	0.08	0.01	—	—	0.55	0.82	1.16	0.90	115	123
WOOLWICH ..	14.4	14.3	0.11	—	0.24	0.24	0.05	0.13	0.16	0.24	0.27	0.45	—	—	0.08	0.05	—	—	0.61	1.23	1.57	1.67	121	135

* The rates for the County of London do not in all cases agree with those in some of the other Tables. (See note * to Table 17.)

TABLE 20.—Death-rates during 1904 in London and the several Metropolitan Boroughs, from All Causes, and from Certain Diseases (1) before Distribution,* and (2) after Distribution of Deaths in Public Institutions.

BOROUGHs.	DEATH-RATES PER 1000 LIVING.									
	All Causes.		Scarlet Fever.		Diphtheria.		Enteric Fever.		Phthisis.	
	Before Distribution.	After Distribution.	Before Distribution.	After Distribution.	Before Distribution.	After Distribution.	Before Distribution.	After Distribution.	Before Distribution.	After Distribution.
COUNTY OF LONDON	16'6	16'1	0'08	0'08	0'16	0'16	0'06	0'06	1'67	1'62
West.										
PADDINGTON	15'2	13'8	—	0'07	0'06	0'13	0'06	0'07	1'19	1'20
KENSINGTON	16'3	14'3	—	0'03	0'01	0'10	0'03	0'03	2'22	1'44
HAMMERSMITH	13'9	15'7	—	0'05	0'04	0'19	0'02	0'04	0'99	1'38
FULHAM	15'3	15'4	0'22	0'03	0'40	0'15	0'06	0'04	1'54	1'43
CHELSEA	22'7	16'5	—	0'08	0'03	0'07	—	0'03	3'13	1'82
CITY OF WESTMINSTER	14'9	13'5	0'01	0'05	0'04	0'04	0'05	0'06	0'95	1'52
North.										
ST. MARYLEBONE ..	14'1	16'2	0'01	0'07	0'04	0'11	0'02	0'02	0'99	1'68
HAMPSTEAD	13'0	10'2	0'53	0'02	0'56	0'05	0'28	0'06	1'76	0'83
ST. PANCRAS	17'8	17'4	0'00	0'11	0'07	0'16	0'04	0'07	1'93	1'88
ISLINGTON	15'5	15'4	0'01	0'10	0'04	0'09	0'04	0'05	1'84	1'55
STOKE NEWINGTON ..	11'1	13'3	—	0'06	0'08	0'15	0'04	0'06	1'38	1'72
HACKNEY	15'7	14'9	0'13	0'09	0'48	0'24	0'12	0'12	1'43	1'39
Central.										
HOLBORN	19'9	18'5	0'02	—	0'12	0'07	0'05	0'07	1'81	2'86
FINSBURY	11'9	21'3	0'01	0'17	0'02	0'16	—	0'09	1'08	2'39
CITY OF LONDON	39'7	16'7	—	0'04	0'38	0'09	0'47	—	1'92	1'58
East.										
SHOREDITCH	19'7	20'4	—	0'11	0'03	0'15	0'03	0'07	2'17	2'18
BETHNAL GREEN ..	18'4	19'3	0'01	0'14	0'12	0'36	0'02	0'05	2'40	2'16
STEPNEY	19'9	19'4	0'01	0'11	0'17	0'30	0'07	0'10	1'82	2'12
POPLAR	19'3	18'6	0'02	0'14	0'15	0'50	0'05	0'08	2'05	1'74
South.										
SOUTHWARK	18'1	20'1	—	0'06	0'11	0'13	0'06	0'09	1'45	2'36
BERMONDSEY	16'6	20'0	0'01	0'14	0'01	0'12	0'03	0'12	1'97	2'12
LAMBETH	16'7	15'8	0'10	0'05	0'19	0'11	0'07	0'04	1'35	1'45
BATTERSEA	14'4	14'5	0'01	0'06	0'02	0'08	0'02	0'07	1'41	1'42
WANDSWORTH	12'4	13'4	0'11	0'05	0'22	0'16	0'09	0'04	1'06	1'12
CAMBERWELL	16'3	14'9	0'01	0'06	0'01	0'08	0'03	0'06	1'94	1'37
DEPTFORD	11'8	16'1	0'01	0'09	0'04	0'14	—	0'03	0'87	1'42
GREENWICH	19'3	14'4	0'54	0'03	0'76	0'11	0'25	0'09	2'04	1'33
LEWISHAM	12'9	12'0	0'34	0'05	0'40	0'09	0'11	0'01	0'86	0'90
WOOLWICH	13'3	14'3	0'02	0'13	0'06	0'24	0'02	0'05	1'58	1'67

* For the deaths taken to represent those "before Distribution" see note* to Table 1, page xxi.

TABLE 21.—Deaths in Public Institutions registered during the 52 Weeks of 1904.

							DEATHS.		
							Persons.	Males.	Females.
TOTAL DEATHS IN PUBLIC INSTITUTIONS							26,955	15,092	11,863
WORKHOUSES AND WORKHOUSE INFIRMARIES							13,950	7,771	6,179
METROPOLITAN ASYLUM HOSPITALS							1,105	582	523
GENERAL HOSPITALS							8,641	4,905	3,736
HOSPITALS FOR SPECIAL DISEASES							617	347	270
LYING-IN HOSPITALS							13	—	13
MILITARY AND NAVAL HOSPITALS							168	99	69
							162	149	13
HOSPITALS FOR FOREIGNERS							179	127	52
LUNATIC ASYLUMS							2,120	1,112	1,008
WORKHOUSES AND WORKHOUSE INFIRMARIES.									
DISTRICT	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.				Persons.	Males.	Females.
1a.—PADDINGTON ..	1. St. Mary, Paddington	{ WORKHOUSE	65	26	39				
		{ Infirmary	261	135	126				
1b.—KENSINGTON ..	1. Kensington Town ..	{ WORKHOUSE	2	1	1				
		{ Infirmary	464	248	216				
		WORKHOUSE, Mary Place	—	—	—				
		Infirmary (St. Marylebone Union)	537	298	239				
2.—FULHAM	1. North Hammersmith.	WORKHOUSE (Children's Receiving Home)	—	—	—				
	2. South Hammersmith	Infirmary (Hammersmith)	8	1	7				
	3. North-west Fulham..	Workhouse, Kensington and Chelsea District Schools	—	—	—				
		{ WORKHOUSE	24	10	14				
		{ Infirmary	563	296	267				
	5. South Fulham.. ..	WORKHOUSE Schools, Fulham	—	—	—				
3.—CHELSEA	1. Chelsea North ..	{ WORKHOUSE	29	11	18				
		{ Infirmary	250	135	115				
		Workhouse (St. George's Union)	5	3	2				
		Infirmary (St. George's Union)	373	224	149				
3.—CHELSEA	2. Chelsea South ..	WORKHOUSE, Casual Ward	—	—	—				
4.—ST. GEORGE, HANOVER SQUARE.	2. Belgrave.. ..	WORKHOUSE, Wallis's Yard	6	2	4				
5.—WESTMINSTER ..	1. St. James, Westmnstr.	WORKHOUSE	34	17	17				
6.—ST. MARYLEBONE	2. Rectory	{ WORKHOUSE	54	30	24				
		{ Casual Wards	—	—	—				
7.—HAMPSTEAD ..	1. Hampstead	WORKHOUSE	85	51	34				
8.—ST. PANCRAS ..	2. Tottenham Court ..	Workhouse Infirmary (Central London Sick Asylum)	149	105	44				
	4. East St. Pancras	{ WORKHOUSE	83	51	32				
		{ Infirmary, South	317	170	147				
	5. North St. Pancras ..	Casual Ward	—	—	—				
		Infirmary	404	205	199				
9.—ISLINGTON.. ..	1. Tufnell	Infirmary, Highgate Hill	746	408	338				
	2. Upper Holloway ..	WORKHOUSE, St. John's Road	106	45	61				
		WORKHOUSE, Cornwallis Road	12	11	1				
		Infirmary (Holborn Union)	438	248	190				
	3. Tollington	WORKHOUSE Schools	—	—	—				
10.—HACKNEY ..	3. Central Hackney ..	Workhouse (City of London Union)	9	5	4				
		Workhouse Schools (Shoreditch Union)	—	—	—				
	5. South-east Hackney	{ WORKHOUSE	6	5	1				
		{ Infirmary	689	367	322				
		WORKHOUSE (Cottage Homes)	—	—	—				
		* Workhouse (Poplar Urban)	—	—	—				
11.—ST. GILES.. ..	1. St. Giles and Blooms- bury.	WORKHOUSE	46	28	18				
12.—STRAND	1. Strand	WORKHOUSE	5	2	3				

NOTE.—Whenever a Workhouse and an Infirmary are situated in the same enclosure they are bracketed together in this Table, and are indicated in Table 16 by a single W.

TABLE 21 (continued).—Deaths in Public Institutions registered during the 52 Weeks of 1904.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	Deaths.		
			Persons.	Males.	Females.
3.—HOLBORN ..	1. Holborn ..	WORKHOUSE, Casual Ward ..	—	—	—
4.—LONDON CITY ..	2. St. Sepulchre and All-hallows.	WORKHOUSE ..	2	2	—
5.—SHOREDITCH ..	2. Shoreditch North-West.	{ WORKHOUSE ..	6	5	1
		{ Infirmary ..	440	280	180
		Workhouse (Holborn Union) ..	269	138	131
6.—BETHNAL GREEN	3. Bethnal Green, East..	WORKHOUSE ..	36	17	19
		Infirmary ..	517	274	243
7.—WHITECHAPEL..	2. Mile End New Town	Infirmary ..	385	260	125
8.—ST. GEORGE IN THE EAST.	1. St. George and St. John	{ WORKHOUSE ..	1	1	—
		{ Infirmary ..	277	161	116
		Casual Ward ..	—	—	—
9.—STEPNEY ..	1. Shadwell and Ratcliff	WORKHOUSE ..	1	—	1
10.—MILE END OLD TOWN.	2. Mile End Old Town, North eastern.	{ WORKHOUSE ..	6	4	2
		{ Infirmary ..	348	176	172
		Workhouse (Whitechapel Union) ..	56	27	29
11.—POPLAR ..	2. Bromley ..	Infirmary (City of London Union) ..	98	40	58
		Infirmary (Poplar and Stepney Sick Asylum) ..	726	419	307
		Workhouse (Stepney Union) ..	98	62	36
	3. Poplar ..	WORKHOUSE ..	64	48	16
		Infirmary (Poplar and Stepney Sick Asylum), Branch of	10	2	8
12.—SOUTHWARK ..	1. Christchurch, South-wark.	WORKHOUSE ..	7	7	—
	4. St. George the Martyr West.	WORKHOUSE ..	31	26	5
	6. Newington, South ..	WORKHOUSE ..	72	36	36
13.—ST. OLAVE (BERMONDSEY).	1. St. Olave..	WORKHOUSE ..	36	22	14
		WORKHOUSE (Children's Home) ..	—	—	—
	2. Bermondsey ..	WORKHOUSE ..	3	3	—
	3. Rotherhithe ..	{ Infirmary ..	418	273	145
		{ Casual Ward ..	—	—	—
14.—LAMBETH..	3. Lambeth Church, Second.	{ WORKHOUSE, Renfrew Road ..	103	49	54
		{ Infirmary, Brook Street ..	626	357	269
		WORKHOUSE, Princes Road ..	—	—	—
	7. Norwood ..	WORKHOUSE Schools..	4	3	1
15.—WANDSWORTH ..	3. South-west Battersea	Infirmary ..	683	340	343
	5. Streatham ..	WORKHOUSE ..	116	67	49
		Workhouse, Fairfield House (Chelsea Union) ..	—	—	—
		Workhouse, St. Anne's Home (St. Pancras Union) ..	18	18	—
	6. Springfield ..	WORKHOUSE ..	11	3	8
		WORKHOUSE (Wandsworth and Clapham Intermediate Schools).	—	—	—
16.—CAMBERWELL ..	2. Camberwell, South ..	WORKHOUSE ..	178	95	83
		Infirmary (Southwark Union) ..	671	414	257
	3. Camberwell, North ..	Infirmary ..	518	289	229
	5. Peckham ..	WORKHOUSE, Gordon Road ..	23	8	15
		WORKHOUSE (Children's Homes) ..	—	—	—
		Workhouse (St. Olave's Union Children's Home) ..	2	2	—
17.—GREENWICH ..	5. Greenwich, East ..	{ WORKHOUSE ..	90	41	49
		{ Infirmary ..	408	237	171
		WORKHOUSE Schools..	—	—	—
18.—LEWISHAM ..	1. Eltham ..	Workhouse (St. Mary's Roman Catholic School's) ..	1	1	—
	2. Lee ..	WORKHOUSE, Grove Park (Greenwich Union) ..	—	—	—
	3. Lewisham ..	{ WORKHOUSE ..	4	1	3
		{ Infirmary ..	325	168	157
		Workhouse (St. Olave's Union) ..	49	22	27
19.—WOOLWICH ..	3. Plumstead, West ..	WORKHOUSE ..	—	—	—
	4. Plumstead, East ..	{ WORKHOUSE ..	—	—	—
		{ Infirmary ..	242	143	99
		WORKHOUSE Schools..	—	—	—
18.—CROYDON ..	6. Mitcham ..	Workhouse (Holborn Union) ..	58	39	19
127.—HENDON ..	4. Hendon ..	Workhouse, Infirmary (Central London Sick Asylum)..	95	49	46
129.—EDMONTON ..	2. Wood Green ..	Workhouse (Shoreditch Union) ..	1	1	—
	5. Edmonton ..	Workhouse (Strand Union) ..	47	23	24

TABLE 21 (continued).—Deaths in Public Institutions registered during the 52 Weeks of 1904.

DISTRICT	SUB-DISTRICT.	NAME OF INSTITUTION.	Deaths.		
			Persons.	Males.	Females.
METROPOLITAN ASYLUM HOSPITALS (LONDON RESIDENTS ONLY).					
2.—FULHAM	4. North-east Fulham ..	Western Fever Hospital	108	57	51
7.—HAMPSTEAD ..	1. Hampstead	North Western Fever Hospital	134	77	57
10.—HACKNEY ..	3. Central Hackney ..	Eastern Fever Hospital	160	72	88
23.—ST. OLAVE (BERMONDSEY).	3. Rotherhithe	South Wharf Shelters	2	2	—
24.—LAMBETH ..	6. Brixton	South Western Fever Hospital	122	62	60
25.—WANDSWORTH ..	5. Streatham	Fountain Fever Hospital	1	1	—
		Grove Fever Hospital.. .. .	109	57	52
28.—LEWISHAM ..	3. Lewisham	Park Fever Hospital	138	73	65
29.—WOOLWICH ..	1. Charlton.. ..	Brook Fever Hospital.. .. .	166	95	71
42.—DARTFORD ..	3. Dartford.. ..	Joyce Green Hospital	19	12	7
		Long Reach Hospital (Small-pox)	3	1	2
		Gore Farm Convalescent Hospital (Small-pox)	—	—	—
129.—EDMONTON ..	3. West Tottenham ..	North Eastern Fever Hospital	133	67	66
	5. Edmonton	Northern Convalescent Fever Hospital	10	6	4
GENERAL HOSPITALS.					
1a.—PADDINGTON ..	1. St. Mary, Paddington	Children's Hospital	92	45	47
	2. St. John, Paddington	St. Mary's Hospital	360	233	127
1b.—KENSINGTON ..	1. Kensington Town ..	Kensington Dispensary and Children's Hospital ..	12	7	5
		St. Luke's House	71	35	36
	2. Brompton	Queen's Jubilee Hospital	14	8	6
2.—FULHAM	2. South Hammersmith	West London Hospital	202	118	84
		St. Cyprian's Home for Incurables	—	—	—
3.—CHELSEA	2. Chelsea, South ..	Victoria Hospital for Children	86	43	43
		Cheyne Hospital for Children	5	1	4
4.—ST. GEORGE, HANOVER SQUARE.	2. Belgrave.. ..	St. George's Hospital.. .. .	387	232	155
		Hospital for Women and Children	2	1	1
	3. St. Margaret and St. John.	Westminster Hospital	237	135	102
5.—WESTMINSTER ..	2. St. Anne, Soho.. ..	Home Hospital	1	1	—
6.—ST. MARYLEBONE	1. All Souls	Middlesex Hospital	397	203	194
		St. Elizabeth's Home	4	—	4
		Ladies' Hospital, Harley Street	—	—	—
		Surgical and Medical Home	—	—	—
		All Saints Home for Incurables	1	1	—
	3. St. Mary	Samaritan Free Hospital	4	—	4
	4. Christchurch	Home for Incurables	—	—	—
	5. St. John	Hospital for Incurable Children	1	—	1
		St. John and St. Elizabeth Hospital	26	1	25
7.—HAMPSTEAD ..	1. Hampstead	St. Peter's Home, Kilburn	18	—	18
		Hampstead Home Hospital.. .. .	36	22	14
		Hospital for Incurables (Friedenheim).. ..	100	45	55
		Tudor House Convalescent Home	—	—	—
		St. Francis' Hospital for Infants	29	15	14

TABLE 21 (continued).—Deaths in Public Institutions registered during the 52 Weeks of 1904.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	Deaths.		
			Persons.	Males.	Females.
—ST. PANCRAS ..	1. West St. Pancras ..	London Temperance Hospital	89	49	50
	2. Tottenham Court ..	University College Hospital	275	181	94
		Home Hospital	17	9	8
		Medical and Surgical Home	2	2	—
		Oxygen Home	3	1	2
	3. Gray's Inn Lane ..	Royal Free Hospital	200	106	94
—ISLINGTON.. ..	4. East St. Pancras ..	North West London Hospital	45	29	16
	2. Upper Holloway ..	Great Northern Central Hospital	227	116	111
		Winifred House Convalescent Home	—	—	—
	7. Highbury	Mildmay Memorial Cottage Hospital	6	2	4
		Invalid Home	4	—	4
—HACKNEY	1. Stoke Newington ..	Invalid Asylum	—	—	—
	4. South West Hackney	Metropolitan Free Hospital	179	96	83
—STRAND	1. Strand	Charing Cross Hospital	223	124	99
		King's College Hospital	222	132	90
—HOLBORN	1. Holborn.. .. .	London Homœopathic Hospital	39	16	23
		Hospital for Sick Children	376	191	185
—LONDON CITY ..	1. St. Botolph	City Police Hospital	—	—	—
	2. St. Sepulchre and All-ballows	St. Bartholomew's Hospital	650	400	250
		Mission Hospital	3	3	—
—SHOREDITCH ..	1. Shoreditch, South ..	Convent Hospital	4	2	2
—BETHNAL GREEN	1. Bethnal Green, North	North Eastern Children's Hospital	179	95	84
		Mildmay Medical Mission Hospital	41	20	21
—WHITECHAPEL ..	2. Mile End New Town	London Hospital	1392	812	580
—STEPNEY	1. Shadwell and Ratcliff	East London Children's Hospital	285	162	123
—POPLAR	2. Bromley.. .. .	Poplar Hospital	111	68	43
—SOUTHWARK ..	2. St. Saviour, South-wark.	Guy's Hospital	791	449	342
	4. St. George the Martyr, West.	Evelina Hospital for Children	209	117	92
—LAMBETH.. ..	1. Waterloo Road ..	Royal Hospital for Women and Children	7	3	4
	2. Lambeth Ch., First ..	St. Thomas's Hospital.. .. .	657	421	236
	5. Kennington, Second ..	Belgrave (Children) Hospital	101	54	47
	7. Norwood	British Home for Incurables	8	4	4
—WANDSWORTH ..	1. East Battersea ..	Anti-Vivisection Hospital	4	1	3
	3. South-west Battersea	Bolingbroke House Hospital	40	21	19
	4. Clapham	The Hostel of God	50	24	26
	7. Southfields	Nightingale Nursing Home.. .. .	15	4	11
—GREENWICH ..		Royal Hospital for Incurables			
	4. Greenwich, West ..	Miller Memorial Hospital	40	22	18
—LEWISHAM		Invalids' Home	—	—	—
	1. Eltham	Cottage Hospital	8	4	4
	2. Lee	St. John's Hospital	23	7	16
—WOOLWICH	4. Sydenham	Home for Sick Children	3	2	1
	1. Charlton.. .. .	Cottage Hospital, Kidbrooke	12	6	6
	2. Woolwich	Cottage Hospital	6	4	2
—WOOLWICH	4. Plumstead, East ..	Crole-Wyndham Conval. Home, Shrewsbury House	—	—	—

TABLE 21 (continued).—Deaths in Public Institutions registered during the 52 Weeks of 1904.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	Deaths.		
			Persons.	Males.	Females.
HOSPITALS FOR SPECIAL DISEASES.					
1a.—PADDINGTON ..	1. St. Mary, Paddington	Lock Hospital	1	—	1
1b.—KENSINGTON ..	2. Brompton	Consumption Hospital, part of	59	40	19
2.—FULHAM	1. North Hammersmith	St. John's Hospital for Skin Diseases	3	3	—
3.—CHELSEA	1. Chelsea, North ..	Consumption Hospital, part of	49	35	14
		Cancer Hospital	97	37	60
		Hospital for Women	13	1	12
4. ST. GEORGE, HANOVER SQUARE.	3. St. Margaret and St. John.	Gordon Hospital for Fistula	—	—	—
		Grosvenor Hospital for Women and Children	7	—	7
5.—WESTMINSTER ..	1. St. James, Westminster	Hospital for Diseases of the Throat	13	11	2
	2. St. Anne, Soho	Hospital for Women	21	—	21
		Hospital for Diseases of the Heart	17	10	7
		Male Lock Hospital	4	4	—
		Royal Ear Hospital	—	—	—
6.—ST. MARYLEBONE	1. All Souls.. .. .	West End Hospital for Paralysis	1	1	—
		London Throat Hospital	4	2	2
		National Orthopædic Hospital	2	1	1
	3. St. Mary	Home for Consumptive Females	—	—	—
		Western Ophthalmic Hospital	—	—	—
	5. St. John	Hospital for Epilepsy and Paralysis	2	1	1
7.—HAMPSTEAD ..	1. Hampstead	Mount Vernon Consumption Hospital	24	18	6
8.—ST. PANCRAS ..	1. West St. Pancras ..	St. Saviour's Hospital for Cancer	3	—	3
	2. Tottenham Court ..	London Skin Hospital	—	—	—
		Metropolitan Ear, Nose, and Throat Hospital	1	—	1
	3. Gray's Inn Lane ..	Central London Throat and Ear Hospital	5	4	1
		Central London Ophthalmic Hospital	—	—	—
		British Hospital for Diseases of the Skin	—	—	—
	4. East St. Pancras ..	Hospital for Women	21	—	21
9.—ISLINGTON ..	6. Islington, South East	London Fever Hospital	3	1	2
12.—STRAND	1. Strand	Royal Westminster Ophthalmic Hospital	—	—	—
		St. Peter's Hospital for Stone	32	32	—
13.—HOLBORN ..	1. Holborn	City Orthopædic Hospital	1	—	1
		National Hospital for Paralysis	59	36	23
		Alexandra Hospital for Hip Diseases	2	2	—
	4. Finsbury	St. Mark's Hospital for Fistula	8	6	2
		Royal London Ophthalmic Hospital	8	2	6
15.—SHOREDITCH ..	2. Shoreditch North West.	Royal Hospital for Diseases of the Chest	62	39	23
16.—BETHNALGREEN	3. Bethnal Green East..	City of London Hospital for Diseases of the Chest	93	60	33
22.—SOUTHWARK ..	1. Christchurch, Southwark.	Hospital for Diseases of the Skin.. .. .	—	—	—
	4. St. George the Martyr, West.	Royal South London Ophthalmic Hospital	1	1	—
189.—ROMFORD ..	1. Romford	Royal Eye Hospital	1	—	1
		Dagenham Small Pox Hospital*	—	—	—
LYING-IN HOSPITALS.					
6.—ST. MARYLEBONE	3. St. Mary	Queen Charlotte's Lying-in Hospital .. { Women	6	—	6
		{ Children	37	22	15
10.—HACKNEY ..	4. South West Hackney	Salvation Army Maternity Hospital .. { Women	—	—	—
		{ Children	21	10	11
11.—ST. GILES.. ..	1. St. Giles and Bloomsbury.	British Lying-in Hospital { Women	1	—	1
		{ Children	18	13	5
13.—HOLBORN ..	4. Finsbury	City of London Lying-in Hospital .. { Women	3	—	3
		{ Children	23	10	13
20.—MILE END OLD TOWN.	1. Mile End Old Town South Western.	East End Mothers' Home { Women	—	—	—
		{ Children	4	3	1
24.—LAMBETH.. ..	1. Waterloo Road ..	General Lying-in Hospital { Women	1	—	1
		{ Children	36	20	16
	4. Kennington, First ..	Clapham Maternity Hospital { Women	2	—	2
		{ Children	29	21	8

* London residents only.

TABLE 21 *continued*).—Deaths in Public Institutions registered during the 52 Weeks of 1904.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	Deaths.		
			Persons.	Males.	Females.
4.—ST. GEORGE, HANOVER SQUARE.	3. St. Margaret and St. John.	Station Hospitals	6	6	—
27.—GREENWICH ..	5. Greenwich, East ..	Seamen's Hospital	120	111	9
29.—WOOLWICH ..	1. Charlton	Herbert Hospital	26	26	—
	2. Woolwich	Garrison Female Hospital	6	2	—
		Royal Arsenal Infirmary	4	4	—
		Auxiliary Hospital	—	—	—

MILITARY AND NAVAL HOSPITALS.

HOSPITALS FOR FOREIGNERS.

10.—HACKNEY ..	4. South West Hackney	German Hospital	126	89	37
11.—ST. GILES ..	1. St. Giles and Bloomsbury.	French Hospital	35	22	13
13.—HOLBORN ..	1. Holborn	Italian Hospital.. .. .	18	16	2

LUNATIC ASYLUMS.*

13.—HOLBORN ..	4. Finsbury	St. Luke's Hospital for Lunatics	4	1	—
15.—SHOREDITCH ..	1. Shoreditch, South ..	Hoxton House Lunatic Asylum	22	9	13
16.—BETHNAL GREEN	3. Bethnal Green, East..	Bethnal House Lunatic Asylum	52	21	31
21.—POPLAR	1. Bow	Grove Hall Lunatic Asylum	17	14	3
22.—SOUTHWARK ..	4. St. George the Martyr, West.	Bethlem Royal Hospital for Lunatics	3	2	—
25.—WANDSWORTH ..	5. Streatham	Middlesex County Lunatic Asylum†	—	—	—
		Metropolitan Asylum, Tooting Bec	168	75	93
	6. Springfield	Middlesex County Lunatic Asylum†	7	—	—
26.—CAMBERWELL ..	3. Camberwell, North ..	Camberwell House Lunatic Asylum	74	44	30
		Peckham House Lunatic Asylum	22	11	11
30.—EPSOM	1. Carshalton	London County Lunatic Asylum, Banstead†	208	112	96
	2. Epsom	London County Lunatic Asylum, Horton†	213	127	86
		London County Lunatic Asylum, Horton Manor†	36	2	34
		Epileptic Colony	8	7	1
37.—GODSTONE ..	1. Godstone	Metropolitan Asylum for Imbeciles, Caterham†	134	52	82
38.—CROYDON ..	1. Coulsdon	London County Lunatic Asylum, Cane Hill†	148	87	61
42.—DARTFORD ..	3. Dartford	Metropolitan Asylum for Imbeciles, Darent†	86	56	30
		City of London Lunatic Asylum, Stone†	18	10	8
		London County Lunatic Asylum, Dartford Heath†	169	94	75
		Gore Farm Temporary Lunatic Asylum	3	1	2
125.—UXBRIDGE ..	3. Hayes	London County Lunatic Asylum, Hanwell†	196	98	98
128.—BARNET ..	3. Finchley	London County Lunatic Asylum, Colney Hatch†	185	106	79
137.—WATFORD ..	3. Rickmansworth ..	Metropolitan Asylum for Imbeciles, Leavesden†	155	81	74
189.—ROMFORD ..	2. Ilford	London County Lunatic Asylum, Claybury†	186	99	87

* Private Lunatic Asylums are excluded from this list, except those in which pauper lunatics are received.
†, London residents only.

lxxii *Outer Ring: Population, Births and Deaths in Registration Sub-Districts.*

TABLE 22.—LONDON.—OUTER RING(excluding **Deaths of Londoners in Metropolitan Workhouses, Hospitals, and Asylums**).—**Area Population; Births and Deaths** registered during the 52 Weeks of 1904.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the 52 Weeks include													
						Deaths of		Deaths from											
						1 Infants under Year of Age.	60 Persons aged Years & upwards.	Small- pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
	LONDON—OUTER RING ..	368602	2044973	65607	29818	9051	8267	4	820	144	388	535	145	2896	1005	2312	4533	120	
30:1	Carshalton 2F,2H ..	12228	32997	782	347	78	96	—	3	2	20	3	—	7	13	26	39	1	
2	Epsum, part of* W, w 2F,H	10423	15548	375	206	33	85	—	10	1	—	—	—	9	1	4	80	5	
37:1	Godstone, part of* W,F	2754	2692	83	27	8	6	—	1	—	—	—	—	3	2	4	4	—	
38:1	Coulsdon ..	11069	8166	187	54	17	19	—	—	—	1	1	—	—	—	7	—	3	
2	South Croydon w	4200	49309	1122	508	129	207	—	14	—	—	5	2	31	13	47	1	—	
3	West Croydon 3W,F,H	2168	42888	1395	1034	220	362	—	34	8	27	9	—	29	46	96	489	—	
4	North Croydon H	2644	41698	1227	511	146	171	—	14	—	—	—	1	33	23	52	24	—	
5	Penge w,H	770	22465	483	254	52	98	—	—	—	2	13	1	11	6	18	1	—	
6	Mitcham w	11711	30015	1094	391	131	103	—	7	—	—	6	—	39	19	34	—	1	
39:1	Wimbledon F,3H	3221	41652	1142	479	151	141	—	22	—	8	14	4	42	17	39	27	—	
2	Kingston 2W,H	6224	42068	1181	728	182	283	—	2	2	4	7	1	56	30	67	233	—	
3	Surbiton F,H	3046	15017	338	175	39	69	—	2	—	1	2	1	9	8	16	17	—	
4	Esher, part of* H	5402	13100	387	154	44	56	—	—	—	1	3	—	3	9	19	1	—	
5	Hampton H,F,L	4564	23456	667	288	87	85	—	9	—	4	8	—	17	8	22	17	—	
40:1	Richmond W,H	2162	28865	523	418	78	143	—	10	—	1	1	1	20	19	42	105	—	
2	Mortlake F	2847	20628	738	295	97	77	—	10	—	1	5	—	29	23	43	—	—	
41:1	Bromley F,2H ..	4703	27354	673	279	87	86	—	3	1	6	11	2	22	7	23	37	—	
2	Beckenham H	7825	28497	706	307	90	103	—	2	—	—	—	—	12	14	19	20	—	
3	Orpington, part of* W	10113	9857	257	225	45	111	—	—	—	1	9	—	13	3	12	109	—	
42:1	Chislehurst 2H	7333	16446	418	150	36	58	—	—	—	—	—	2	11	4	8	14	2	
2	Bexley w,F,H	8678	21151	625	279	87	91	—	10	—	—	5	—	24	11	20	4	8	
3	Erith F,H	3854	25296	916	325	119	78	—	2	1	4	9	4	35	20	29	10	4	
124:1	Dartford W,F part of*	—	—	51	2	30	—	—	1	—	—	—	—	—	—	2	51	—	
2	Sunbury w	11054	18883	571	282	92	77	—	5	3	21	2	1	29	8	16	5	2	
125:1	Staines W,H	13277	15178	387	240	66	90	—	4	—	—	—	—	19	6	19	71	—	
2	Hillingdon W,F,H	6035	13661	415	224	51	90	—	—	—	2	2	—	10	10	14	53	—	
3	Uxbridge H	12757	8984	288	115	34	26	—	3	—	—	—	—	12	3	5	—	—	
126:1	Hayes w,F,H	8066	16358	676	229	94	54	—	6	3	4	4	—	20	8	11	7	2	
2	Isleworth 3W,2F,H	6859	30663	1057	750	190	253	—	8	1	3	4	3	38	22	37	276	—	
3	Twickenham F,H	2421	20991	722	316	108	100	—	2	1	2	12	1	30	6	16	15	—	
4	Brentford 3F,2H,L	4319	48289	1568	724	213	235	—	34	10	7	5	5	92	25	36	48	—	
5	Chiswick H	1249	29809	883	422	108	105	—	38	—	3	8	—	24	12	26	7	—	
127:1	Acton w,3H	6132	48914	2007	785	318	180	—	21	1	2	13	3	130	28	48	12	3	
2	Harrow F,H	13809	25523	784	277	84	93	—	4	—	—	2	—	15	12	15	6	5	
3	Edgware F,2H	6994	4521	117	54	14	17	—	2	—	—	—	—	—	—	2	3	1	
4	Willesden W,2F,2H	4384	114811	4319	1405	492	372	—	39	2	19	11	7	136	43	98	186	9	
128:1	Hendon W,F	8382	22450	681	327	96	100	—	5	3	—	10	—	20	16	22	49	—	
2	South Mimms 2F,H	17755	7308	170	89	22	35	—	1	—	—	—	1	8	1	3	3	—	
3	Barnet W,2H	3324	17970	428	239	42	109	—	—	1	2	—	—	5	4	9	40	—	
129:1	Finchley F,2H	4688	33692	928	426	121	141	—	20	—	3	11	—	21	7	32	3	—	
2	Hornsey F,H	2875	72056	1615	646	138	251	—	18	2	8	17	2	26	13	40	8	—	
3	Wood Green H	1625	34233	1146	450	144	122	—	18	1	12	7	—	40	15	37	17	—	
4	West Tottenham F	996	48853	1751	567	211	126	—	19	1	3	12	—	55	15	78	1	—	
5	East Tottenham 2H	2017	53688	1829	903	299	196	—	23	1	5	6	5	97	34	103	169	1	
6	Edmonton W,w,2F	7491	61892	2311	1160	332	316	—	32	1	9	13	5	155	25	126	315	—	
7	Enfield 2W,F,H	12601	42738	1446	641	225	159	—	5	3	10	17	7	114	18	53	71	1	
8	Waltham Abbey F	11017	6549	164	82	17	28	—	—	—	—	2	—	3	2	5	1	2	
135:1	Cheshunt F,H	8479	12292	350	147	40	42	—	1	1	—	4	—	15	5	6	5	—	
137:1	Hatfield, part of* W	3305	664	6	4	—	2	—	—	—	—	—	—	—	—	—	1	—	
2	Bushey H	9333	9173	220	93	19	34	—	2	—	1	2	—	1	3	5	4	—	
138:1	Watford W,2F part of*	—	—	7	—	6	—	—	—	—	—	—	—	—	—	—	7	—	
2	Stratford H	1072	44827	1383	647	240	126	—	16	2	5	14	—	87	52	84	64	—	
3	Plaistow F,2H	1249	90921	3650	1544	573	216	—	84	33	33	38	12	227	59	110	161	6	
4	Canning Town H	1556	70718	2778	1138	458	139	—	41	1	2	34	8	193	61	133	42	1	
5	Forest Gate w	806	60892	1480	656	199	210	—	19	2	2	11	1	77	12	36	—	—	
6	North East Ham w,H	1333	58676	2124	737	292	163	—	29	1	6	10	5	50	19	64	8	4	
7	South East Ham 2F	1993	37342	1579	685	267	77	—	29	9	41	14	9	122	18	41	48	2	
8	Wanstead F	1679	9179	201	83	19	32	—	—	1	2	1	—	5	6	7	2	—	
9	South Leyton 2W	631	50467	1583	908	268	289	—	26	2	3	30	3	117	14	47	332	9	
10	North Leyton 2W,w,F	1963	48465	1589	1347	247	402	—	17	5	10	23	24	84	27	58	690	11	
187:1	Walthamstow 3H,L	6504	108929	4002	1335	541	284	—	52	5	12	37	6	192	44	123	46	6	
2	Chigwell, part of* 2F,3H	1178	16397	400	208	42	55	—	1	9	15	4	1	11	14	18	37	—	
189:1	Epping W,F part of*	—	—	9	—	6	—	—	—	—	—	—	—	—	—	—	—	—	
2	Romford, part of* W,2F	6556	6091	245	149	42	43	—	1	2	3	11	1	11	3	5	65	—	
3	Ilford F,L	8496	41234	1542	704	204	195	—	18	5	10	7	4	75	16	38	169	3	
4	Barking Town F	3803	21547	893	356	129	55	—	21	2	9	18	4	39	17	34	11	—	
5	West Ham Workhouse, Hackney.	—	—	—	1	—	—	—	—	—	—	—	—	1	1	1	—	—	
6	London Fever Hospital	—	—	—	2	—	—	—	—	1	1	—	—	—	—	—	2	—	
7	Met. Asy. Bd. Hospitals	—	—	—	41	—	2	3	1	1	12	18	—	—	—	—	41	—	
8	City of London Lun. Asy.	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	5	—	
9	London Co. Lunatic Asy.	—	—	—	13	—	—	5	—	—	—	—	—	1	—	—	13	—	
10	Middlesex Co. Lun. Asy.	—	—	—	121	—	—	41	—	—	—	—	—	1	—	2	121	—	

* The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Theydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3; 137: 2; and 187: 2 are also included.

† The boundary of this sub-district was altered during the year. See note, page lxi.

TABLE 23.—LONDON.—Population; Births of Males and Females; Deaths of Males and Females, and Deaths at Seven groups of Ages, in London, in each Week of 1904.

POPULATION estimated to the middle of 1904													4648950	112435	395454	1336410	1646500	847094	289281	21776
WEEK ENDED.	BIRTHS.			DEATHS.																
	Males.	Fe- males.	Total.	Males.	Fe- males.	Total.	Under 1 Year.	1-5	5-20	20-40	40-60	60-80	80 and up- wards.							
YEAR (of 52 Weeks)	65716	63619	129335	39965	37129	77094	18903	8913	3686	9113	14897	17221	4361							
First Quarter (13 Weeks).	16906	16394	33294	10722	10540	21262	4516	2457	990	2490	4141	5267	1401							
Second (13 Weeks)."	16406	16130	32536	9099	8072	17171	3546	2454	894	2113	3458	3822	884							
Third (13 Weeks)."	16398	15636	32034	10057	8929	18986	6761	2140	850	2037	3175	3236	787							
Fourth (13 Weeks)."	16012	15459	31471	10087	9588	19675	4080	1862	952	2473	4123	4896	1289							
January 9	1471	1391	2862	861	870	1731	384	176	84	194	323	451	119							
" 16	1339	1270	2609	840	837	1677	357	160	82	208	349	403	118							
" 23	1283	1227	2510	791	758	1549	313	150	77	194	332	395	88							
" 30	1236	1198	2434	853	881	1734	333	189	82	211	355	456	108							
February 6	1397	1371	2768	792	792	1584	349	164	68	181	297	369	126							
" 13	1290	1347	2637	782	792	1574	316	183	70	191	307	411	96							
" 20	1375	1362	2737	781	808	1589	345	206	72	180	299	381	106							
" 27	1213	1243	2456	760	707	1467	326	158	65	167	313	359	79							
March 5	1237	1127	2364	834	700	1534	350	197	79	172	306	390	100							
" 12	1376	1336	2712	897	899	1796	397	230	88	188	299	459	135							
" 19	1301	1276	2577	846	834	1680	335	216	73	212	327	410	107							
" 26	1243	1180	2423	857	788	1645	336	214	71	190	326	391	117							
April 2	1134	1106	2240	828	844	1672	375	214	79	202	308	392	102							
" 9	1304	1235	2539	845	814	1659	366	256	76	157	334	383	87							
" 16	1405	1271	2676	746	744	1490	318	214	68	182	264	341	93							
" 23	1229	1260	2489	752	677	1429	281	202	78	175	272	347	74							
" 30	1341	1392	2733	754	638	1392	280	194	80	158	312	297	71							
May 7	1175	1228	2403	681	644	1325	274	215	64	162	272	282	66							
" 14	1248	1263	2511	762	692	1454	289	203	77	163	281	357	84							
" 21	1194	1182	2376	730	619	1349	299	158	52	174	300	293	73							
" 28	1073	1049	2122	637	587	1224	275	200	65	159	226	291	58							
June 4	1292	1215	2507	649	530	1179	237	176	64	140	238	278	46							
" 11	1313	1265	2578	637	550	1187	228	175	81	155	258	220	70							
" 18	1307	1276	2583	627	515	1142	237	151	74	163	235	236	56							
" 25	1211	1254	2465	625	518	1143	216	165	61	155	236	250	60							
July 2	1274	1240	2514	604	544	1148	246	145	54	170	240	247	46							
" 9	1271	1255	2526	610	544	1154	270	146	72	143	241	228	54							
" 16	1246	1204	2450	605	547	1152	278	145	60	140	246	214	69							
" 23	1273	1199	2472	689	631	1320	364	162	65	163	248	256	62							
" 30	1293	1174	2467	786	637	1423	492	184	74	156	216	247	54							
August 6	1161	1141	2302	930	815	1745	762	228	72	166	227	242	48							
" 13	1369	1361	2730	992	920	1912	929	244	75	132	263	222	47							
" 20	1315	1210	2525	1027	896	1923	917	245	51	158	264	236	52							
" 27	1323	1252	2575	878	804	1682	739	181	71	166	204	259	62							
September 3	1161	999	2160	767	692	1459	544	135	60	149	228	276	67							
" 10	1291	1213	2504	754	600	1354	448	124	59	148	266	236	73							
" 17	1247	1227	2574	703	657	1360	401	116	62	180	255	273	73							
" 24	1123	1149	2272	643	580	1223	306	112	76	159	235	272	63							
October 1	1285	1252	2537	673	606	1279	311	113	53	177	282	275	63							
" 8	1253	1217	2470	641	602	1243	287	102	56	187	271	278	62							
" 15	1268	1223	2491	639	631	1270	267	121	74	168	282	283	75							
" 22	1244	1198	2442	739	737	1476	292	131	87	212	279	383	92							
" 29	1282	1303	2585	675	636	1311	289	122	55	173	286	298	88							
November 5	1286	1295	2581	714	616	1330	288	121	78	170	286	296	91							
" 12	1248	1228	2476	699	658	1357	306	137	75	175	281	302	81							
" 19	1242	1213	2455	784	721	1505	357	153	74	196	304	341	80							
" 26	1254	1102	2356	772	730	1502	345	144	80	181	312	352	88							
December 3	1296	1246	2542	983	949	1932	400	197	80	234	402	492	127							
" 10	1107	1078	2185	837	776	1613	330	157	82	154	352	423	115							
" 17	1215	1231	2446	850	846	1696	294	164	75	202	345	489	127							
" 24	1117	1005	2122	815	757	1572	278	140	76	191	340	427	120							
" 31	1200	1120	2320	931	929	1868	347	173	60	230	383	532	143							

TABLE 24.—LONDON.—Weekly Deaths from the principal EPIDEMIC DISEASES during each of the Fifty Years

				SMALL-POX.				MEASLES.				SCARLET FEVER.				DIPHTHERIA.			
				1901	1902	1903	1904	1901	1902	1903	1904	1901	1902	1903	1904	1901	1902	1903	1904
YEAR	229	1314	13	25	1958	2361	2054	2261	584	563	362	365	1344	1181	752	728
March Quarter..	—	734	5	8	434	730	671	670	91	154	99	81	308	365	241	207
June	2	506	2	12	545	714	760	932	163	136	82	81	234	256	175	168
Sept.	35	73	3	5	437	346	247	370	170	139	91	87	349	243	147	150
Dec.	192	1	3	—	542	571	376	289	160	134	90	116	453	317	189	206
Week.																			
1	—	29	1	—	21	52	37	58	9	18	13	10	24	24	18	14
2	—	45	1	—	34	38	40	49	9	14	7	10	25	27	20	11
3	—	55	—	—	36	46	38	46	9	12	11	10	32	29	18	10
4	—	34	—	—	24	56	41	38	8	11	6	9	23	31	8	28
5	—	39	—	—	25	41	28	31	8	12	8	3	24	24	15	17
6	—	64	1	—	20	51	45	37	4	14	8	4	29	29	22	17
7	—	54	—	1	36	47	45	42	5	21	9	9	20	32	27	16
8	—	64	—	1	36	64	57	32	5	4	6	5	27	26	15	17
9	—	75	2	—	36	67	68	43	6	10	7	6	19	41	17	23
10	—	80	—	1	33	65	63	66	4	5	7	6	25	25	15	17
11	—	81	—	1	35	91	62	69	10	10	7	2	30	18	24	17
12	—	53	—	1	42	57	74	67	6	11	5	4	14	27	27	17
13	—	61	—	3	56	54	73	92	8	12	5	4	16	30	15	17
14	—	54	—	3	38	73	48	86	8	10	3	8	21	22	11	17
15	—	73	—	—	52	65	74	75	8	10	4	4	26	23	18	18
16	—	42	—	1	37	63	80	81	3	9	7	9	11	21	22	18
17	—	42	—	1	50	56	68	66	6	10	9	10	20	23	15	14
18	—	43	—	1	39	38	64	82	9	12	10	3	20	24	14	16
19	—	44	—	—	38	45	55	86	17	13	7	3	23	30	12	20
20	—	37	—	—	33	52	67	75	14	8	11	5	14	25	13	16
21	—	24	1	2	44	59	59	83	18	8	5	4	22	21	10	14
22	—	48	—	—	48	65	65	78	17	13	4	4	13	14	12	14
23	—	29	—	—	35	54	38	62	17	14	11	4	15	13	12	14
24	—	29	—	—	38	44	52	65	21	8	3	10	13	10	12	14
25	—	24	—	—	42	56	51	55	13	12	5	5	18	16	14	16
26	1	17	1	1	51	44	39	58	12	9	3	7	18	14	10	14
27	—	13	—	—	49	35	34	53	8	13	9	9	27	16	10	10
28	—	13	—	—	37	37	28	39	17	6	9	8	24	15	10	10
29	—	15	—	1	45	48	36	49	10	13	9	4	30	20	13	10
30	—	4	—	2	60	32	14	36	20	8	7	7	28	31	16	16
31	1	4	—	—	45	25	17	31	15	9	7	2	28	29	5	10
32	1	4	—	1	40	31	24	36	10	16	8	10	24	13	11	16
33	2	5	—	—	37	28	22	42	16	11	4	4	30	21	8	14
34	—	3	—	—	26	31	18	30	12	14	12	9	27	15	17	14
35	—	3	1	—	40	18	12	15	13	11	3	6	20	18	14	14
36	—	2	—	—	13	22	8	8	14	9	10	2	20	13	9	26
37	—	2	1	—	13	16	13	8	13	14	3	14	28	23	9	16
38	—	3	1	—	19	15	11	6	9	7	8	3	27	13	8	16
39	—	5	—	—	13	8	10	17	13	8	2	9	34	16	17	16
40	3	—	—	—	14	17	9	14	14	9	10	4	30	27	13	20
41	—	—	—	—	14	18	14	15	22	6	8	11	54	22	10	17
42	11	—	—	—	22	31	18	26	13	10	7	6	33	21	12	13
43	6	1	—	—	21	32	21	20	9	14	13	8	26	18	19	18
44	6	—	—	—	24	41	15	14	12	13	13	13	36	24	18	15
45	16	—	1	—	28	44	31	15	10	9	7	9	33	21	11	13
46	14	—	—	—	60	37	36	15	4	8	4	8	35	23	20	24
47	22	—	1	—	50	44	37	14	12	8	6	19	37	29	9	11
48	21	—	—	—	54	46	24	32	12	5	9	5	40	15	10	16
49	16	—	—	—	41	38	31	22	10	7	—	9	36	14	16	23
50	26	—	—	—	61	60	41	32	12	10	7	6	31	27	15	18
51	24	—	1	—	65	67	40	26	15	11	—	3	34	25	9	13
52	24	—	—	—	78	42	59	44	15	12	9	15	28	22	27	17
53	—	—	—	—	—	54	—	—	—	12	—	—	—	29	—	—

Four Years 1901-1904; and the AVERAGE WEEKLY Numbers from these DISEASES during the 1854-1903.

WHOOPING-COUGH.				FEVER.				DIARRHOEA and CHOLERA.				WEEKLY AVERAGE in 50 Years, 1854-1903.								
1901	1902	1903	1904	1901	1902	1903	1904	1901	1902	1903	1904	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea & Cholera.		
1860	1880	1861	1507	548	590	396	302	3931	2504	2958	4801	14	40	35	20	48	27	68	YEAR.	
594	465	760	603	146	110	91	56	187	137	266	246	17	38	29	26	68	27	14	March Qr.	
609	532	445	508	74	69	49	45	216	174	270	249	18	50	25	17	57	23	22	June "	
240	469	217	240	171	197	87	90	3159	1645	1737	3963	9	31	36	19	34	27	206	Sept. "	
166	414	209	156	157	214	169	111	369	548	685	338	10	40	49	24	34	33	29	Dec. "	
																				Week.
29	18	59	28	18	7	10	5	9	10	14	16	15	50	38	22	59	29	13	..	1
32	22	41	37	17	11	7	9	16	12	14	19	17	17	37	30	61	30	14	..	2
38	21	96	29	13	4	11	5	15	13	22	25	18	42	36	19	66	28	14	..	3
37	23	76	43	16	9	4	3	17	14	19	17	17	34	32	19	71	29	14	..	4
44	27	75	45	13	6	12	4	11	9	28	20	19	29	30	21	71	28	14	..	5
58	31	55	52	13	8	8	8	12	10	25	13	19	29	29	21	71	26	14	..	6
49	34	51	55	11	13	6	5	16	6	27	16	18	29	28	20	69	28	14	..	7
52	43	43	41	7	17	11	5	10	4	15	28	18	35	27	19	68	26	14	..	8
57	46	65	52	9	8	3	3	19	14	15	20	19	35	26	19	66	24	15	..	9
37	44	55	54	7	7	5	4	14	10	14	18	18	39	25	18	66	26	13	..	10
63	53	38	41	8	9	2	4	14	12	29	19	17	41	23	19	67	27	14	..	11
55	50	46	48	8	5	3	3	13	12	24	19	16	42	23	18	70	24	14	..	12
	53	60	68	8	6	8	3	21	11	20	16	17	45	25	18	74	26	12	..	13
62	35	47	64	5	2	5	5	12	16	19	21	18	46	23	17	70	25	13	..	14
74	41	33	43	4	1	10	3	9	12	14	12	19	48	23	18	70	25	13	..	15
58	48	38	42	7	1	3	3	14	14	17	12	20	50	24	17	69	25	14	..	16
48	50	52	43	10	5	1	3	12	12	17	15	19	51	23	18	67	24	14	..	17
66	52	39	48	2	8	4	4	16	7	17	23	20	50	25	16	63	24	15	..	18
45	45	33	44	7	5	1	5	18	19	16	19	19	49	24	18	61	22	14	..	19
48	36	32	39	4	5	4	4	16	17	19	21	20	50	24	17	58	23	15	..	20
58	32	32	33	5	7	2	2	22	11	18	15	20	50	26	17	58	23	15	..	21
33	41	32	32	10	6	1	1	15	10	18	16	18	53	27	17	53	23	17	..	22
42	49	23	28	11	11	5	5	17	11	25	26	17	52	28	17	49	22	21	..	23
35	37	30	25	7	8	3	3	26	16	28	23	17	51	26	18	45	23	28	..	24
25	34	18	17	2	2	4	3	25	14	25	25	17	49	27	17	43	22	42	..	25
25	31	26	29	4	8	3	5	23	16	24	24	16	47	27	18	43	22	60	..	26
22	47	19	27	6	15	6	1	46	22	38	39	14	45	29	18	41	23	100	..	27
15	47	36	29	3	17	5	5	73	42	46	57	12	41	30	19	42	25	162	..	28
17	35	19	11	11	11	4	5	140	48	47	161	12	41	32	18	42	23	232	..	29
24	49	11	13	10	19	8	6	294	47	83	301	11	40	33	19	40	25	297	..	30
20	25	19	11	10	17	5	7	403	69	95	558	9	38	33	20	35	24	304	..	31
19	37	15	21	18	16	4	2	372	93	139	687	9	34	34	19	33	25	281	..	32
24	43	8	17	11	9	9	6	411	118	184	705	9	32	35	18	32	26	258	..	33
17	17	13	20	25	12	7	4	379	116	187	483	9	29	37	18	31	26	231	..	34
20	27	12	25	12	15	6	12	352	159	196	338	9	24	37	18	30	27	213	..	35
27	35	20	16	17	11	12	8	275	244	210	218	8	21	40	17	31	28	202	..	36
8	35	20	16	14	17	9	9	188	252	217	189	8	18	42	20	29	30	162	..	37
14	25	12	5	22	17	13	13	138	257	139	108	8	17	42	22	27	31	131	..	38
13	27	13	9	19	16	10	12	88	176	146	84	6	17	49	24	25	31	122	..	39
11	36	9	7	18	29	13	9	78	126	132	52	7	19	51	24	24	32	75	..	40
10	26	11	5	11	18	12	15	50	111	125	49	8	23	52	24	23	32	61	..	41
6	25	10	11	19	24	14	12	60	67	67	45	7	27	53	26	33	47	..	42	
11	14	8	7	12	7	12	7	42	53	74	25	7	29	55	24	33	35	..	43	
12	21	11	4	20	18	6	28	28	32	53	22	8	34	56	23	35	29	..	44	
10	17	8	12	14	17	11	11	20	25	60	27	10	39	52	25	37	23	..	45	
15	15	13	15	15	12	10	15	15	23	29	25	10	41	52	24	37	20	..	46	
15	32	17	10	19	14	3	17	19	31	31	18	10	45	52	25	35	17	..	47	
11	27	20	19	10	10	15	8	13	23	27	16	12	49	50	24	36	14	..	48	
15	41	24	19	10	12	11	11	16	23	23	16	12	48	46	26	41	33	..	49	
20	32	22	20	12	9	9	4	13	12	22	12	14	52	46	25	44	32	..	50	
18	39	21	17	8	9	7	7	14	13	15	12	14	55	41	24	49	31	..	51	
	35	25	6	11	14	10	8	13	15	27	15	14	56	39	24	54	13	..	52	
	61																	..	53	

TABLE 25.—LONDON.—1874-1904.—Deaths caused by Horses and Vehicles in the Streets.

Years.	Description of Vehicle, &c.										TOTAL.
	Horse, &c.	Carriage.	Omnibus.	Tram-car.	Cab.	Cart.	Van, waggon, dray.	Cycle.	Motor.	Others, and not described.	
1874	...	28	11	17	14	33	36	67	For years prior to 1897, deaths caused by cycles are included under the heading "Others."	5	211
1875	...	11	15	18	9	39	55	82		2	231
1876	...	13	4	17	12	24	56	84		7	217
1877	...	16	13	13	4	26	56	97		2	227
1878	...	17	12	14	10	34	63	84		3	237
1879	...	16	13	17	18	36	57	74		5	236
1880	...	12	11	20	17	39	43	76		2	226
1881	...	13	14	21	23	31	58	88		4	252
1882	...	12	15	19	23	37	60	100		5	271
1883	...	6	12	16	25	57	45	57		4	222
1884	...	12	11	33	18	57	51	74	For years prior to 1901, deaths caused by motors are included under the heading "Others."	9	265
1885	...	12	20	14	11	55	55	89		10	266
1886	...	10	7	21	9	39	49	111		5	251
1887	...	13	7	18	19	51	49	85		9	251
1888	...	5	15	25	9	41	47	91		4	237
1889	...	15	10	29	12	52	40	83		13	254
1890	...	3	11	22	18	43	44	109		20	270
1891	...	9	10	18	12	35	38	111		11	244
1892	...	17	15	26	11	44	47	101		8	269
1893	...	21	7	28	16	42	48	109		33	304
1894	...	17	10	24	13	35	46	86		24	255
1895	...	12	12	34	12	34	43*	117		27	291*
1896	...	18	15	30	17	51	33	117		19	300
1897	...	14	11	32	11	50	36	146	5	29	334
1898	...	16	13	32	19	47	45	100	9	28	309
1899	...	21	9	36	12	45	53	150	10	23	359
1900	...	20	4	40	18	46	30	157	11	45	371
1901	...	12	11	30	17	27	22	134	11	1	302
1902	...	21	4	40	22	38	36*	118	18	2	329*
1903	...	10	7	23	26	37	22	121	29	14	306
1904	...	8	7	22	17	33	23	101	26	13	272

* Including one case in which a verdict of "Manslaughter" was returned.

TABLE 26.—LONDON.—Meteorology at Greenwich in each Week of 190 .

No. of Week.	Week ended	Temperature of the Air.					Degree of Humidity (complete saturation = 100).	Fall of Rain in Inches.	Amount of Horizontal Movement of the Air in each Week.	Sun above Horizon in Hours.	Registered Sunshine in Hours.
		Mean.	Highest Reading.	Lowest Reading.	Mean of Highest Readings.	Mean of Lowest Readings.					
1	Jan. 9	39°8	47°7	29°3	43°9	34°3	91	0·29	Miles. 1615	55·7	2·9
2	" 16	42°1	54°8	33°0	46°4	36°6	82	0·69	3656	57·2	9·2
3	" 23	35°7	48°9	26°2	41°2	29°1	92	0·18	1259	59°1	4·3
4	" 30	40°9	50°9	28°8	44°3	37°1	86	0·92	2686	61°4	8·7
5	Feb. 6	40°6	49°5	31°7	45°7	35°6	87	1°15	2022	64°1	15°0
6	" 13	42°1	49°9	32°4	47°7	36°5	81	1°27	3461	67°0	14°2
7	" 20	38°8	53°7	29°8	43°9	33°4	81	0°45	2767	70°0	10°3
8	" 27	38°3	54°2	29°2	43°0	34°8	75	0°03	2007	73°0	6°7
9	March 5	33°3	41°2	27°2	37°3	29°8	82	0°52	2227	76°2	6°4
10	" 12	40°5	59°1	27°2	48°0	34°1	84	0°24	1835	79°5	26°3
11	" 19	40°8	55°5	26°4	50°1	31°5	77	0°06	1355	82°8	28°2
12	" 26	43°3	54°0	31°8	49°3	37°6	80	0°13	2357	86°1	13°7
13	April 2	42°0	55°7	31°4	50°5	35°3	79	0°45	2554	89°4	29°5
14	" 9	48°0	64°0	37°3	55°8	40°9	71	0°37	3637	92°4	33°5
15	" 16	49°6	66°9	36°5	59°1	40°6	71	0°32	2068	95°5	36°9
16	" 23	49°1	61°0	33°2	59°7	38°2	71	0°24	1947	98°7	38°9
17	" 30	49°6	60°9	33°8	57°1	43°3	72	0°05	2179	101°6	21°9
18	May 7	49°0	63°9	39°2	58°1	42°4	70	0°55	2215	104°6	37°0
19	" 14	49°7	69°9	34°2	58°8	41°5	81	0°29	1392	107°2	14°0
20	" 21	54°0	72°6	39°2	63°7	44°3	65	0°35	2180	109°6	58°5
21	" 28	57°3	75°1	46°5	65°9	50°5	86	0°30	1343	111°8	15°0
22	June 4	56°0	68°8	43°9	64°1	49°2	84	0°71	1688	113°6	28°7
23	" 11	55°9	71°2	46°7	65°5	48°1	75	0°12	2119	115°0	39°3
24	" 18	59°6	74°0	47°6	70°8	51°4	72	0°27	2195	115°6	44°9
25	" 25	58°6	76°1	44°3	69°9	48°2	68	0°17	1792	116°2	46°8
26	July 2	59°7	73°9	44°5	71°3	48°3	67	0°15	1489	115°5	68°9
27	" 9	63°2	82°2	49°2	74°3	53°1	70	0°22	1556	114°8	50°9
28	" 16	68°1	85°2	53°8	79°9	56°3	62	0°01	1862	113°4	84°7
29	" 23	67°1	85°0	54°2	79°8	55°6	61	0°04	1656	111°5	74°9
30	" 30	65°4	83°9	52°2	76°9	56°4	75	1°83	1294	109°3	34°6
31	August 6	68°1	91°0	53°0	81°3	56°3	65	0°08	1598	106°8	67°8
32	" 13	61°0	75°0	45°4	72°1	51°1	66	0°06	1466	104°2	62°2
33	" 20	59°5	75°0	45°5	69°6	51°6	75	0°47	2359	101°4	38°7
34	" 27	57°6	72°7	43°5	68°7	48°9	76	0°22	1581	98°3	40°6
35	Sept. 3	61°0	81°9	49°5	71°2	51°8	75	1°01	1445	95°2	39°0
36	" 10	57°0	74°6	42°2	67°0	48°6	77	0°36	1569	92°1	41°3
37	" 17	56°4	71°4	41°2	66°2	47°9	81	0°24	1333	89°1	37°1
38	" 24	53°6	64°1	40°5	61°3	46°1	70	0°20	2047	85°9	52°7
39	Oct. 1	52°1	65°7	38°8	63°2	42°5	87	0°14	1147	82°6	28°1
40	" 8	50°3	66°5	37°9	58°0	43°3	81	0°86	2176	79°3	17°5
41	" 15	47°8	59°2	31°9	56°3	38°7	85	0°02	1167	76°1	25°0
42	" 22	54°9	66°5	36°4	61°3	48°7	89	0°43	1500	73°1	10°0
43	" 29	49°9	59°9	36°2	56°1	43°1	84	0°20	1247	69°9	22°9
44	Nov. 5	49°3	56°4	44°2	53°1	45°9	84	0°11	1503	67°0	9°8
45	" 12	48°8	59°0	36°4	54°3	43°3	83	1°40	2880	61°2	11°7
46	" 19	42°2	53°6	30°0	49°6	35°3	94	0°04	1083	68°5	14°9
47	" 26	33°7	46°9	23°2	37°7	28°5	82	0°18	1890	59°3	9°6
48	Dec. 3	40°5	52°3	25°9	44°5	35°8	87	0°07	1704	57°2	4°3
49	" 10	42°3	53°7	26°2	46°4	35°9	88	1°54	2262	55°6	3°3
50	" 17	43°4	53°0	30°6	47°7	37°7	87	0°50	2120	54°7	5°8
51	" 24	34°1	54°0	24°8	38°0	28°7	97	0°04	711	54°6	3°5
52	" 31	41°6	55°7	30°5	45°6	37°2	85	0°09	2256	54°6	7°0

TABLE 27.—METEOROLOGICAL TABLE for LONDON, 1904.

(Deduced from Observations at Greenwich, under the Superintendence of the Astronomer Royal.)

1904.	Baro- meter.	Air Temperature.					Hygrometer.				Earth Temperature.		Bright Sunshine.		
		Mean of		Difference from Average†	Absolute Minimum and Maximum.			Mean of Observations at 9 a.m. and 9 p.m.		At 1 foot depth.	At 3 ft. 2 in depth.	Total Possible.	Total Observed.	Difference from Average†	
		Minimum. A	Maximum. B		Minimum.	Day of Month.	Maximum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.			
		°	°	°	°		°		°	°	ins.	%	hrs.	hrs.	hrs.
January ..	29.778	33.8	43.7	+0.2	23.8	1	54.8	13	39.1	1.3	.213	90	26.4	26.4	- 2.9
February ..	.417	34.5	44.4	-0.1	27.2	29	54.2	21	38.6	2.0	.195	84	50.9	50.9	- 1.9
March ..	.800	33.7	47.3	-1.2	26.4	18	53.1	9	39.7	1.8	.209	86	85.0	85.0	- 4.9
April ..	.771	40.7	57.7	+2.0	33.2	22	66.9	14	49.2	3.8	.261	74	145.3	145.3	+ 7.9
May ..	.781	45.4	62.0	+0.6	34.2	9	75.1	26	53.3	3.4	.316	78	135.8	135.8	- 46.0
June ..	.875	48.6	68.4	-0.9	43.9	4	76.1	24	57.8	4.6	.348	72	188.2	188.2	+ 15.3
July ..	.859	55.2	77.3	+3.8	49.2	4	85.2	15	65.3	5.5	.438	71	273.6	273.6	+ 88.2
August ..	.845	61.8	73.0	+0.8	43.5	21	91.0	4	61.6	4.7	.401	73	232.9	232.9	+ 80.8
September ..	.893	46.9	64.7	-1.4	38.8	26	74.6	5	54.9	2.8	.352	81	164.7	164.7	+ 30.0
October ..	.932	43.6	57.5	+0.6	31.9	15	66.5	4, 18	50.2	1.5	.324	90	75.9	75.9	- 8.7
November ..	.892	36.7	47.5	-1.1	23.2	26	59.0	9	41.5	1.4	.282	89	46.0	46.0	+ 3.4
December ..	29.762	35.6	44.9	+0.6	24.8	21	56.0	16	40.7	1.2	.229	90	23.9	23.9	- 1.1
Year ..	29.800	42.2	57.4	+0.3	—	—	—	—	49.3	2.8	.293	82	1,458.6	1,458.6	+ 140.1

° The hours of observation are 9 a.m. and 9 p.m. local time.

† The averages used are obtained from observations extending over 50 years for Rain and Temperature, and 16 years for Sunshine. Wind Force.—Beaufort Scale (0-12) is used. The number of observations of moderate and strong wind (force 4-7), the number of observations of calm, and the number of days of gale are given in the table.

TABLE 27—continued.

1904	Cloud.	Rain and other forms of Precipitation.						Weather. Number of days of						Wind Force (0-12).		Wind Direction. Number of Observations at 9 a.m. and 9 p.m.								
		Number of Days.	Total Fall.	Difference Average† from	Most in a day.		Snow.	Hail.	Thunderstorm.	Clear Sky‡	Overcast‡	Fog.	Gale.	Number of Observa- tions of Moderate and Strong Wind. Force (4-7).	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	
					Amount.	Day of Month.																		
January ..	7.3	16	ins. 2.91	ins. +0.52	ins. 0.42	30	1	1	0	3	18	10	0	0	10	2	2	4	6	8	18	16	2	4
February ..	6.5	19	2.55	+1.07	0.39	9	7	1	0	1	9	1	0	0	14	0	2	6	8	6	10	20	4	2
March ..	7.2	12	1.36	-0.10	0.38	2	5	2	1	2	17	3	0	0	7	2	8	18	8	4	4	10	6	2
April ..	6.2	13	1.01	-0.65	0.17	13	0	0	1	3	12	0	0	0	13	1	7	4	2	2	3	13	22	6
May ..	6.8	14	1.92	-0.08	0.41	31	0	1	0	3	16	0	0	0	3	3	5	4	6	4	5	17	17	1
June ..	6.3	8	0.87	-1.15	0.28	1	0	0	0	5	13	0	0	0	3	1	8	14	7	3	3	11	10	3
July ..	4.7	14	2.23	-0.24	1.55	25	0	0	1	10	6	0	0	0	1	1	2	4	10	4	3	22	15	1
August ..	4.6	8	1.24	-1.11	0.52	31	0	0	0	10	6	0	0	0	4	3	7	4	2	4	5	15	17	5
September ..	4.6	11	1.34	-0.91	0.36	1	0	0	0	10	7	7	0	0	1	3	6	8	10	7	6	11	7	2
October ..	6.4	16	1.74	-1.07	0.55	7	0	0	0	5	13	15	0	0	3	6	4	7	9	8	1	12	11	4
November ..	7.0	11	1.65	-0.62	0.59	7	2	0	0	4	15	14	1	1	7	1	6	5	1	3	2	12	25	5
December ..	7.6	23	2.25	+0.48	1.11	6	1	0	0	4	13	14	1	1	6	7	5	4	5	4	3	19	11	4
Year ..	6.3	165	20.67	-3.86	—	—	16	5	3	60	145	64	2	2	72	30	62	82	74	57	63	178	147	39

† A day is reckoned as a day of "clear sky" if the average of the estimates of the fraction of sky covered by cloud at 9 a.m. and 9 p.m. is less than .2, and as an "overcast" day if the average is greater than .8. Record is also kept of days persistently cloudless and days persistently overcast from midnight to midnight. The numbers of such days for the period January to December, 1904, are:—clear sky, 0, 0, 0, 0, 0, 1, 0, 1, 0, 0, 1; and overcast, 4, 0, 3, 1, 3, 0, 0, 0, 3, 2, 3.

TABLE 28.—Number of Services, and Average Daily Quantity of Water Delivered in the London Water Districts in each MONTH of 1904.

DISTRICTS.		NUMBER OF SERVICES IN											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Total Services		980,231	981,323	983,219	985,250	987,006	988,540	990,569	992,215	994,188	995,890	997,585	998,576
FROM THAMES		465,290	465,825	466,916	467,686	468,588	469,777	470,535	471,254	472,387	473,083	473,582	474,118
FROM LEA AND FROM OTHER SOURCES		514,941	515,498	516,303	517,564	518,418	518,765	519,974	520,961	521,911	522,807	524,013	524,458
FROM THAMES.													
CHELSEA		39,676	39,700	39,726	39,754	39,781	39,830	39,866	39,886	39,887	39,884	39,802	39,922
WEST MIDDLESEX		40,372	40,431	40,480	40,508	40,546	40,550	40,545	40,587	40,517	40,404	40,347	40,353
SOUTHWARK AND VAUXHALL		128,915	128,934	129,135	129,224	129,358	129,549	129,606	129,716	129,834	129,925	129,989	130,063
GRAND JUNCTION		75,288	75,435	75,709	75,963	76,258	76,465	76,839	77,110	77,375	77,691	77,904	78,060
LAMBETH		131,039	131,275	131,655	131,935	132,345	132,783	133,139	133,485	133,874	134,179	134,430	134,720
FROM LEA AND FROM OTHER SOURCES.													
NEW RIVER		179,259	179,357	179,499	179,863	180,050	180,302	180,701	180,912	181,194	181,433	181,948	182,214
EAST LONDON		226,672	227,003	227,545	228,276	228,742	228,742	229,215	229,730	230,238	230,656	231,034	231,034
KENT		109,010	109,138	109,259	109,425	109,636	109,719	110,058	110,319	110,479	110,718	111,031	111,210
AVERAGE DAILY SUPPLY OF WATER IN GALLONS DURING THE MONTHS OF													
DISTRICTS.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Total Quantities supplied		199,871,405	195,792,114	198,223,009	205,365,063	214,851,038	224,814,520	258,353,377	237,999,015	227,611,279	219,593,515	210,668,378	208,024,190
FROM THAMES		105,178,850	103,444,749	104,203,953	108,265,211	113,552,499	123,550,191	137,449,290	126,082,965	120,138,498	115,558,724	110,850,494	109,872,671
FROM LEA AND FROM OTHER SOURCES		94,692,555	92,347,365	94,019,056	97,099,852	101,298,539	111,264,329	120,904,087	111,916,050	107,472,781	104,034,791	99,817,884	98,151,519
FROM THAMES.													
CHELSEA		11,361,290	11,088,276	11,146,451	11,611,000	12,353,871	13,498,000	14,385,161	12,787,419	12,538,667	12,526,452	11,988,000	11,713,226
WEST MIDDLESEX		22,152,033	21,827,164	21,881,900	22,560,824	23,855,958	26,136,129	28,841,084	25,399,587	24,591,407	23,613,000	22,426,000	22,887,000
SOUTHWARK AND VAUXHALL		76,668,983	77,561,894	78,255,850	78,814,202	79,949,810	82,254,810	85,783,782	83,469,498	81,739,000	81,739,000	80,387,000	80,968,000
GRAND JUNCTION		15,680,750	15,680,750	15,680,750	16,706,035	17,525,115	18,287,191	18,287,191	18,149,492	16,986,607	16,390,365	15,810,374	15,190,868
LAMBETH		27,844,794	27,286,658	27,040,623	28,573,150	29,867,745	32,374,466	36,709,313	34,666,519	32,774,817	31,289,887	30,237,120	29,153,577
FROM LEA AND FROM OTHER SOURCES.													
NEW RIVER		37,242,850	36,687,494	37,084,374	38,722,584	40,597,810	44,528,354	48,493,250	45,615,467	43,957,916	43,352,802	41,168,993	39,133,924
EAST LONDON		39,574,000	37,962,000	38,955,000	40,344,000	41,865,000	45,965,000	49,915,000	45,409,000	44,615,000	42,323,000	40,585,000	41,403,000
KENT		17,875,705	17,697,871	17,979,682	18,033,268	18,835,729	20,770,975	22,905,837	20,911,563	18,899,865	18,358,989	18,065,891	17,614,505

Note.—The quantities of water in the above Table include the supply for various purposes other than domestic consumption.

TABLE 29.—Average Number of Services, and Average Daily Quantity of Water DELIVERED for ALL PURPOSES and for DOMESTIC PURPOSES, in the London Water Districts during 1904.

WATER DISTRICTS.	AVERAGE NUMBER of SERVICES during the Year.	AVERAGE DAILY SUPPLY OF WATER DURING THE YEAR.				
		Delivered.		Used for Domestic purposes.†		
		Gallons.	Cubic Metres.*	Gallons.	Gallons per Service.‡	
					1903.	1904.
Total	989,551	217,597,242	988,645	178,429,739	179	180
FROM THAMES	469,917	114,844,008	521,790	94,172,087	200	200
FROM LEA AND FROM OTHER SOURCES ..	519,634	102,753,234	466,855	84,257,652	159	162
FROM THAMES.						
CHELSEA	39,816	12,241,484	55,619	10,038,017	247	252
WEST MIDDLESEX	90,987	23,931,008	108,730	19,023,427	209	216
SOUTHWARK AND VAUXHALL	129,526	30,806,656	139,969	25,261,458	200	195
GRAND JUNCTION	76,683	17,213,304	78,208	14,114,909	189	184
LAMBETH	132,905	30,651,556	139,264	25,134,276	187	189
FROM LEA AND FROM OTHER SOURCES.						
NEW RIVER	180,561	41,381,152	188,014	33,932,545	185	188
EAST LONDON	229,074	42,409,583	192,686	34,775,858	148	152
KENT	109,999	18,962,499	86,155	15,549,249	140	141
Columns	1.	2.	3.	4.	5.	6.

* A cubic metre is equal in volume to 35·3 cubic feet, or to 220·09668 imperial gallons. It is nearly equivalent to the old English *ton* of four hogsheds, holding 35·248 cubic feet. It is in general use on the Continent; and its volume of water weighs a metric *ton*, differing inconsiderably in weight from the *ton* in common use. It is equal to 100 decalitres: thus a decalitre equals 2·2009668 gallons.

† According to returns of the London Water Companies made to the Select Committee on East London Water Bills (Session 1867), it is estimated that during the year 1866 about 82 per cent. of the total supply of water for all purposes was for domestic use; this proportion has been applied in estimating the quantities in columns 4, 5, and 6, showing the gallons probably used for domestic purposes. The average daily quantity of water supplied by the London Districts during the year 1904 was 217,597,242 gallons (988,645 cubic metres, equal to about as many *tons* by measure, *tons* by weight), of which about 178,429,739 gallons (810,688 cubic metres) were probably used for domestic purposes. The average quantity used daily for domestic purposes to each service (see col. 6) is equal to 81·8 decalitres, and, assuming 7·0 persons to each service, corresponds to 25·7 gallons (11·7 decalitres) to each person. The Returns of the Water Districts include services to uninhabited houses.

‡ Owing to changes of area the figures for 1904 are not strictly comparable with those for 1903.

TABLE 30.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—Area, Population, Inhabited Houses, and Rateable Value.

	AREA.		Enumerated POPULATION, 1901.	DENSITY of POPU- LATION in 1901.		INHABITED HOUSES, 1901.	RATEABLE VALUE.* 1901.
	In Acres.	In Square Miles.		Persons to an Acre.	Persons to a Square Mile.		
GREATER LONDON ..	443,419	693	6,581,402	14·8	9497	928,024	£ 51,432,059
COUNTY OF LONDON ..	74,817	117	4,536,429	60·1	38,773	571,747	40,209,391
OUTER RING	368,602	576	2,044,973	5·5	3550	356,277	11,222,668

* Supplied by the London County Council and the Metropolitan Police Office.

TABLE 31.—Changes in Registration Districts and Sub-Districts of Greater London during the 52 Weeks ended 31st December, 1904.

Changes in Registration boundaries are made by order of the Registrar-General, with the consent of the Local Government Board. Those changes which affect the boundaries of Registration Districts are necessitated by changes in the boundaries of Poor Law Unions.

Date when change came into operation.	DISTRICT and Sub-district.				Name of Parish transferred.	Population, 1901.
	Decreased by change.		Increased by change.			
	Name.	No.	Name.	No.		
1904. 1 Sept.	SHOREDITCH .. Shoreditch South.	15 1	SHOREDITCH .. Shoreditch North East (new sub-district).	15 3	Shoreditch (<i>part of</i>), viz.:— Kingsland Ward (<i>part of</i>)	2531
"	SHOREDITCH .. Hoxton New Town (abolished).	15 2	SHOREDITCH .. Shoreditch South.	15 1	Shoreditch (<i>part of</i>), viz.:— Hoxton Ward (<i>part of</i>)	15640
"	SHOREDITCH .. Hoxton New Town (abolished).	15 2	SHOREDITCH .. Shoreditch North West (new sub-district).	15 2	Shoreditch (<i>part of</i>), viz.:— Wenlock Ward (<i>part of</i>)	14121
"	SHOREDITCH .. Hoxton Old Town (abolished).	15 3	SHOREDITCH .. Shoreditch South.	15 1	Shoreditch (<i>part of</i>), viz.:— Church Ward (<i>part of</i>) Hoxton Ward (<i>part of</i>) .. .	8418 3468
"	SHOREDITCH .. Hoxton Old Town (abolished).	15 3	SHOREDITCH .. Shoreditch North West (new sub-district).	15 2	Shoreditch (<i>part of</i>), viz.:— Wenlock Ward (<i>part of</i>) Whitmore Ward (<i>part of</i>)	3181 11437
"	SHOREDITCH .. Haggerston (abolished).	15 4	SHOREDITCH .. Shoreditch South.	15 1	Shoreditch (<i>part of</i>), viz.:— Church Ward (<i>part of</i>)	4998
"	SHOREDITCH .. Haggerston (abolished).	15 4	SHOREDITCH .. Shoreditch North West (new sub-district).	15 2	Shoreditch (<i>part of</i>), viz.:— Whitmore Ward (<i>part of</i>) . . .	7388
"	SHOREDITCH .. Haggerston (abolished).	15 4	SHOREDITCH .. Shoreditch North East (new sub-district).	15 3	Shoreditch (<i>part of</i>), viz.:— Kingsland Ward (<i>part of</i>) Acton Ward Haggerston Ward	9132 12451 12034
1 May	MILE END OLD TOWN. Mile End Old Town Western (abolished).	20 1	MILE END OLD TOWN. Mile End Old Town South Western (new sub-district).	20 1	Mile End Old Town (<i>part of</i>), viz.:— Centre Ward (<i>part of</i>) South Ward West Ward	7408 22173 19950
"	MILE END OLD TOWN. Mile End Old Town Western (abolished).	20 1	MILE END OLD TOWN. Mile End Old Town North Eastern (new sub-district).	20 2	Mile End Old Town (<i>part of</i>), viz.:— North Ward (<i>part of</i>) . . .	9948

Date when change came into operation.	DISTRICT and Sub-district.				Name of Parish transferred.	Population, 1901.
	Decreased by change.		Increased by change			
	Name.	No.	Name.	No.		
1904. 1 May	MILE END OLD TOWN. Mile End Old Town Eastern (abolished).	20 2	MILE END OLD TOWN. Mile End Old Town South Western (new sub-district).	20 1	Mile End Old Town (<i>part of</i>), viz.:— Centre Ward (<i>part of</i>)	 14167
"	MILE END OLD TOWN. Mile End Old Town Eastern (abolished).	20 2	MILE END OLD TOWN. North Eastern (new sub-district).	20 2	Mile End Old Town (<i>part of</i>), viz.:— North Ward (<i>part of</i>) North East Ward South East Ward	 9251 12797 17133
1 Mar.	SOUTHWARK .. Trinity, Newington (abolished).	22 5	SOUTHWARK .. Newington, North. (new sub-district).	22 5	Newington (<i>part of</i>), viz.:— Trinity Ward St. John's Ward (<i>part of</i>)	 17831 10673
"	SOUTHWARK .. St. Peter, Walworth (abolished).	22 6	SOUTHWARK .. Newington, North (new sub-district).	22 5	Newington (<i>part of</i>), viz.:— St. John's Ward (<i>part of</i>)	 11600
"	SOUTHWARK .. St. Peter, Walworth (abolished).	22 6	SOUTHWARK .. Newington, South (new sub-district).	22 6	Newington (<i>part of</i>), viz.:— St. Paul's Ward (<i>part of</i>) St. Peter's Ward	 20028 30139
"	SOUTHWARK .. St. Mary, Newington (abolished).	22 7	SOUTHWARK .. Newington, North (new sub-district).	22 5	Newington (<i>part of</i>), viz.:— St. John's Ward (<i>part of</i>)	 8918
"	SOUTHWARK .. St. Mary, Newington (abolished).	22 7	SOUTHWARK .. Newington, South (new sub-district).	22 6	Newington (<i>part of</i>) viz.:— St. Paul's Ward (<i>part of</i>) St. Mary's Ward	 983 21691
1 June	WANDSWORTH* Streatham ..	25 5	CROYDON .. Mitcham	38 6	Wandsworth Borough(<i>part of</i>) added to Mitcham Civil parish.	 181
1 April	CAMBERWELL .. Dulwich (abolished).	26 1	CAMBERWELL .. Dulwich (new sub-district).	26 1	Camberwell (<i>part of</i>), viz.:— Hamlet Ward (<i>part of</i>) College Ward	 1615 4170
"	CAMBERWELL .. Dulwich (abolished).	26 1	CAMBERWELL .. Camberwell, South (new sub-district).	26 2	Camberwell (<i>part of</i>), viz.:— Alleyne Ward (<i>part of</i>) Ruskin Ward (<i>part of</i>)	 1065 3279
"	CAMBERWELL .. Dulwich (abolished).	26 1	CAMBERWELL .. Camberwell, North (new sub-district).	26 3	Camberwell (<i>part of</i>), viz.:— Lyndhurst Ward (<i>part of</i>)	 118

* See also reference to CROYDON on next page.

Date when change came into operation.	DISTRICT and Sub-district.				Name of Parish transferred.	Population, 1901.
	Decreased by change.		Increased by change.			
	Name.	No.	Name.	No.		
1904. 1 April	CAMBERWELL .. Camberwell (abolished).	26 2	CAMBERWELL .. Dulwich (new sub-district).	26 1	Camberwell (<i>part of</i>), viz. :— Hamlet Ward (<i>part of</i>)	7574
"	CAMBERWELL .. Camberwell (abolished).	26 2	CAMBERWELL .. Camberwell South (new sub-district).	26 2	Camberwell (<i>part of</i>), viz. :— St. John's Ward Alley'n Ward (<i>part of</i>) Ruskin Ward (<i>part of</i>)	13967 13566 8329
"	CAMBERWELL .. Camberwell (abolished).	26 2	CAMBERWELL .. Camberwell North (new sub-district).	26 3	Camberwell (<i>part of</i>), viz. :— West Ward (<i>part of</i>) Addington Ward (<i>part of</i>) Town Hall Ward (<i>part of</i>) St. Giles Ward Lyndhurst Ward (<i>part of</i>)	7470 5926 12295 10329 11009
"	CAMBERWELL .. Peckham (abolished).	26 3	CAMBERWELL .. St. George (new sub-district).	26 4	Camberwell (<i>part of</i>), viz. :— St. George Ward (<i>part of</i>)	179
"	CAMBERWELL .. Peckham (abolished).	26 3	CAMBERWELL .. Peckham (new sub-district).	26 5	Camberwell (<i>part of</i>), viz. :— North Peckham Ward Goldsmith Ward Clifton Ward Rye Lane Ward St. Mary's Ward Nunhead Ward The Rye Ward	16910 15711 16292 9520 11829 13961 8636
"	CAMBERWELL .. St. George (abolished).	26 4	CAMBERWELL .. Camberwell North (new sub-district).	26 3	Camberwell (<i>part of</i>), viz. :— West Ward (<i>part of</i>) Addington Ward (<i>part of</i>) Town Hall Ward (<i>part of</i>)	7704 8685 2048
"	CAMBERWELL .. St. George (abolished).	26 4	CAMBERWELL .. St. George (new sub-district).	26 4	Camberwell (<i>part of</i>), viz. :— St. George Ward (<i>part of</i>) Coburg Ward Marlborough Ward	16785 16469 13898
1 June	CROYDON* Mitcham ..	38 6	WANDSWORTH.. Streatham ..	25 5	Mitcham (<i>part of</i>) added to Wandsworth Borough Civil parish.	69

* See also reference to WANDSWORTH on preceding page.

TABLE 32.—Births and Deaths in London and in certain Colonial and Foreign Cities, 1904.

CITIES.	POPULATION (enumerated or estimated). (a)	BIRTHS. (Excluding Still- born.)	DEATHS.	ANNUAL RATE per 1,000 Persons living.		PRINCIPAL EPIDEMIC DISEASES.							
						Small-pox.		Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Fever.	Diarrheal Diseases.
				Births.	Deaths.								
LONDON	4,648,950	129,335	77,094	27·9	16·6	25	2,261	365	754	1,507	302	4,801	
CALCUTTA	910,117	15,250	27,323	16·7	30·0	74	100	—	52	1	9,556†	4,565‡	
BOMBAY	776,006	19,556	42,676	25·2	55·0	568	229	—	4	20	15,954†	3,003‡	
MADRAS	509,346	20,439	19,303	40·1	37·9	12	91	?	?	?	5,042†	3,205‡	
SYDNEY	511,030	13,240	5,732	25·9	11·2	—	10	15	41	64	72†	576	
BRISBANE	124,463	3,301	1,434	26·5	11·5	—	2	1	18	14	38†	215	
TORONTO	214,442	5,283*	3,886*	24·2	18·1	2	6	12	127	8	41	?	
CAPE TOWN:— European or White	44,203	1,086	555	24·6	12·5	—	—	—	6	5	10	17	
Other than Euro- pean or White.	33,465	1,756	1,077	52·5	32·2	—	3	—	16	4	19	65	
PARIS	2,750,000	53,690	47,954	19·5	17·4	80	650	80	329	335	411	2,709†	
BRUSSELS	586,936	11,603	8,537	19·8	14·5	14	59	1	60	68	38	713‡	
ANTWERP	286,695	7,279	4,268	25·4	14·9	74	106	6	16	38	39	644‡	
AMSTERDAM ..	548,974	14,874	8,302	27·1	15·1	7	467	9	64	176	46	535	
ROTTERDAM ..	363,930	12,800	5,342	35·2	14·7	1	108	5	66	107	59	525	
THE HAGUE ..	232,150	6,577	3,536	28·3	15·2	—	183	1	21	32	17	344	
COPENHAGEN ..	423,000	11,661	6,695	27·6	15·8	—	61	24	32	219	12	521	
STOCKHOLM ..	309,496	7,216	4,452	23·3	14·4	—	22	36	51	51	9	179	
CHRISTIANIA ..	223,649	6,405	3,028	28·6	13·5	—	8	10	60	21	2	197	
ST. PETERSBURG ..	1,372,660	40,758	32,551	29·7	23·7	85	809	618	687	256	744	3,821	
MOSCOW	1,092,360	—	30,155	—	27·6	133	650	539	528	162	143	4,161	
BERLIN	1,972,045	48,842	33,424	24·8	16·9	—	420	425	357	465	79	1,438	
HAMBURG	765,850	19,883	12,070	26·0	15·8	—	91	85	130	167	32	872	
DRESDEN	497,500	15,154	8,885	30·5	17·9	3	67	48	108	111	15	1,072	
BRESLAU	461,740	14,357	10,606	31·8	23·5	—	49	23	89	56	35	1,332	
MUNICH	524,000	16,743	10,768	32·0	20·5	—	134	33	88	107	18	1,546	
VIENNA	1,797,992	50,958	32,931	28·3	18·3	2	1,021	65	386	86	60	3,170‡	
PRAGUE	430,569	9,977	9,341	23·2	21·7	—	120	19	52	81	117	616	
BUDA-PESTH ..	813,399	21,300	15,436	26·2	19·0	8	277	405	267	63	104	1,067	
TRIESTE	189,328	6,347	4,683	33·5	25·8	—	21	26	18	50	29	402	
ROME	461,267	11,629	8,645	25·2	18·7	2	168	8	71	29	203	776	
MILAN	514,869	13,718	10,282	26·7	20·0	—	36	4	145	28	206	865	
TURIN	356,052	7,156	5,328	20·1	15·0	—	10	17	18	33	327	258	
VENICE	154,861	4,106	3,434	26·5	22·2	—	27	1	26	16	36	217‡	
CAIRO:— Egyptians	600,783	25,789	23,089	42·9	38·4	54	806	1	363	15	761	4,937	
Foreigners	35,219	391	900	—	25·6	24	5	1	11	1	37	142	
ALEXANDRIA:— Egyptians	309,916	13,579	11,568	43·8	37·3	40	657	—	59	2	196†	2,818	
Foreigners	46,118	395	864	—	18·7	8	11	1	10	1	47†	146	
NEW YORK	3,450,000	99,565	77,985	28·9	22·6	7	896	849	2,079	192	758	5,636‡	
CHICAGO	1,932,315	—	26,300	—	13·6	30	47	143	396	115	373	2,234	
PHILADELPHIA ..	1,408,154	—	25,971	—	18·4	229	220	201	548	73	755	1,845	
BOSTON	614,522	—	10,757	—	17·5	—	89	39	206	29	135	648	
BALTIMORE	541,000	—	10,818	—	20·0	4	6	143	115	24	217	797	
SAN FRANCISCO ..	475,000	—	7,449	—	15·7	—	17	9	67	54	119†	209	
NEW ORLEANS ..	317,000	—	6,819	—	21·5	—	33	3	45	11	111	498	
ST. LOUIS	685,000	—	11,506	—	16·8	48	33	64	169	43	225	429	
RIO DE JANEIRO ..	850,000	—	18,666	—	22·0	3,566	50	7	51	55	344†	1,885	
BUENOS AYRES ..	960,316	32,762	14,313	34·1	14·9	522	54	52	86	53	113	1,122	

(a) The populations in the majority of cases are estimated to the middle of the year 1904; in some cases, however, the last census populations are given.

* Including stillborn.

† Including 4,689 deaths from plague in Calcutta, 13,538 in Bombay, 8 in Madras, 6 in Sydney, 10 in Brisbane, 61 among Egyptians and 9 among Foreigners in Alexandria, 10 in San Francisco, and 275 in Rio de Janeiro.

‡ Including 2,056 deaths from cholera in Calcutta, 219 in Bombay, 60 in Madras, and 2 in Paris.

§ Children under two years of age only.

FIRES IN LONDON DURING THE YEAR 1904.

The Chief Officer of the London Fire Brigade reported to the London County Council that the number of fires attended during 1904 was 3616, being 216 more than the number in the preceding year, and 88 more than the average in the ten years 1894-1903. According to this report the lives of 318 persons were seriously endangered, and 93 of these were lost. The numbers of lives lost by fires in London in the four preceding years were 74, 97, 116, and 86 respectively.

The authorised strength of the brigade on 31st December, 1904, was 1357 officers and men (including clerks and other officials and mechanics, &c.). The brigade possessed 74 land fire stations, 5 floating stations, 40 street stations, fire-escape stations in the streets, and sub-stations (without horses); also 1 fire float, 5 steam fire engines on barges, 77 land steam fire engines, 1 motor steam fire engine, 1 first-aid motor appliance, 1 tractor, 15 manual fire engines, 72 horsed escapes, 112 hand fire escapes, 29 long fire ladders, 45 $\frac{1}{2}$ miles of hose, 1078 fire alarms, and 475 telephone lines. The brigade also possessed vans, traps, steam tugs, barges, skiffs, &c. The cases of injury occurring in the brigade during 1904 were 208 against 204, 209, and 210 in the three preceding years.

Number of Fires and of False Alarms attended during the Eleven Years 1894-1904, and in each Month of 1904.

YEARS AND MONTHS.	TOTAL CALLS.	FALSE ALARMS AND CHIMNEYS.	FIRES.				
			Serious.	Slight.	Total.	Per-centages.	
						Serious.	Slight.
1894	4111	1050	151	2910	3061	4'9	95'1
1895	4845	1212	142	3491	3633	3'9	96'1
1896	4878	1262	122	3494	3616	3'4	96'6
1897	4652	1152	168	3332	3500	4'8	95'2
1898	4654	1069	205	3380	3585	5'7	94'3
1899	4850	1004	216	3630	3846	5'6	94'4
1900	4529	1144	115	3270	3385	3'4	96'6
1901	4805	1121	99	3585	3684	2'7	97'3
1902	4727	1153	76	3498	3574	2'2	97'8
1903	4644	1244	61	3339	3400	1'8	98'2
1904	4778	1162	67	3549	3616	1'85	98'15
1904. { January February March April May June July August September October November December	386	97	5	284	289	1'73	98'27
	377	111	6	260	266	2'26	97'74
	406	128	1	277	278	0'36	99'64
	394	107	8	279	287	2'79	97'21
	376	87	7	282	289	2'42	97'58
	358	88	5	265	270	1'85	98'15
	502	103	7	392	399	1'75	98'25
	444	71	13	360	373	3'49	96'51
	340	68	5	267	272	1'84	98'16
	331	82	2	247	249	0'80	99'20
	401	87	4	310	314	1'27	98'73
	463	133	4	326	330	1'21	98'79

